

Key to abbreviations: *abs/comm* = abstract and commentary; *e* = editorial; *le* = letter; *p* = primer; *pi* = patient information.

SUBJECTS

Acupuncture

Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*

ACE inhibitors

ACE inhibitors for migraine prophylaxis, 8(2):19–20 *abs/comm*

Acetaminophen

Management of acetaminophen hepatotoxicity: a survey of practicing physicians, 8(6):25–32

Acute coronary syndrome

Appropriate use of glycoprotein IIb/IIIa blockade for unstable angina and non-ST segment elevation myocardial infarction, 8(4):33–45

Advance directives

Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

Alternative medicine

Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*

Alzheimer's disease

High blood pressure and high cholesterol: risk factors for Alzheimer's disease, 8(8):13–4 *abs/comm*

Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41–5

Tube feeding does not improve survival in patients with dementia, 8(4):17–8 *abs/comm*

Angina

Advantages of long-acting antianginal agents, 8(7):13–4 *abs/comm*

Chronic stable angina: diagnosis and risk stratification, 8(5):45–59

Chronic stable angina: treatment and follow-up, 8(6):52–67

Revascularization versus medical therapy for elderly chronic angina patients, 8(11):16–7 *abs/comm*

Anticoagulation

Anticoagulation for secondary prevention of heart disease, 8(8):12–3 *abs/comm*

Anxiety disorder

Anxiety disorder complicating chronic low back pain, 8(11):49–56

Collaborative care for panic disorder, 8(11):10, 12 *abs/comm*

Appendectomy

Laparoscopic versus open appendectomy: is there a difference? 8(5):13–4 *abs/comm*

Aspirin

Coated aspirin does not confer benefit, 8(5):16, 21 *abs/comm*

Asthma

A disease management program utilizing "life coaches" for children with asthma, 8(6):38–42

Improving physician adherence to asthma guidelines, 8(3):35–46

Why don't pediatricians follow asthma guidelines? 8(12):11–2 *abs/comm*

Atrial fibrillation

Rhythm or rate control in atrial fibrillation: which is better? 8(1):12–3 *abs/comm*

Back pain

Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*

An active and cost-conserving approach to the management of low back pain, 8(1):38–47

Anxiety disorder complicating chronic low back pain, 8(11):49–56

Multidisciplinary treatment for low back pain, 8(8):11–2 *abs/comm*

Bacteremia

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

Benchmarking

Providing individualized feedback to physicians to improve clinical efficiency, 8(9):11–2 *abs/comm*

β Blockers

Hospital performance improvement efforts: what works? 8(9):10–1 *abs/comm*

Biological agents

Use of biological agents in the treatment of rheumatoid arthritis, 8(12):54–60

Blood pressure

Blood pressure and mortality in very old patients, 8(7):15–6 *abs/comm*

High blood pressure in young men and long-term mortality, 8(9):14–5 *abs/comm*

Home blood pressure monitoring: does it improve control? 8(7):11–2 *abs/comm*

Candidiasis

Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22

Cardiovascular disease

Cardiovascular benefits of a low-fat diet: evidence still inconclusive, 8(5):22–3 *abs/comm*

Cardiovascular events in diabetic women who exercise, 8(3):15, 18 *abs/comm*

High blood pressure in young men and long-term mortality, 8(9):14–5 *abs/comm*

Short-term use of low-dose estrogen and cardiac events, 8(2):20–1 *abs/comm*

Catheters

The changing use of peripherally inserted central catheters: a review of 5000 insertions at a single hospital, 8(9):17–23

Cervical cancer

Selecting a cervical cytology screening test—what are the issues? 8(3):29–32

Child abuse

Best beginnings: an evidence-based program to prevent childhood injuries, 8(11):38–41

Chronic fatigue syndrome

A 35-year-old woman with somatic complaints, 8(9):49–59

Patient education improves physical function in chronic fatigue syndrome, 8(4):18–9 *abs/comm*

Consultation, subspecialty

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

Coronary artery disease

Advantages of long-acting antianginal agents, 8(7):13–4 *abs/comm*

Anticoagulation for secondary prevention of heart disease, 8(8):12–3 *abs/comm*

Chronic stable angina: diagnosis and risk stratification, 8(5):45–59

Chronic stable angina: treatment and follow-up, 8(6):52–67

High blood pressure in young men and long-term mortality, 8(9):14–5 *abs/comm*

Prognostic value of coronary artery calcification, 8(11):42–8

Protective effect of fruits and vegetables against coronary heart disease, 8(9):15–6 *abs/comm*

Revascularization versus medical therapy for elderly chronic angina patients, 8(11):16–7 *abs/comm*

Coronary calcium

Prognostic value of coronary artery calcification, 8(11):42–8

Critical pathways

Are critical pathways effective in shortening hospital stay? 8(4):12–3 *abs/comm*

Critical pathways for chest pain: adding efficiency to the evaluation, 8(11):18–9 *abs/comm*

Decision aids

Impact of a decision aid for hormone replacement therapy, 8(11):12–3 *abs/comm*

Deep venous thrombosis

Outpatient management of acute deep venous thrombosis, 8(12):62–71

The Lovelace outpatient treatment program, 8(12):64–8 *p*

Dementia

Can statins reduce risk of dementia? 8(1):13–4 *abs/comm*

Rehabilitation after hip fracture in patients with dementia, 8(1):10–1 *abs/comm*

Tube feeding does not improve survival in patients with dementia, 8(4):17–8 *abs/comm*

Depression

Cost-utility of depression screening, 8(4):11–2 *abs/comm*

Quality improvement: addressing patient treatment preferences in depression, 8(11):13–5 *abs/comm*

Diabetes

Best method to heal neuropathic diabetic foot ulcers, 8(9):13–4 *abs/comm*

Can pravastatin reduce risk of diabetes? 8(3):14–5 *abs/comm*

Cardiovascular events in diabetic women who exercise, 8(3):15, 18 *abs/comm*

Development and implementation of a standardized sliding scale insulin protocol, 8(11):31–6

Effect of thiazolidinediones on glycemia, 8(6):11, 15 *abs/comm*

New treatment options for diabetic patients with hypertension and microalbuminuria, 8(2):15, 19 *abs/comm*

Inhaled human insulin for patients with type 2 diabetes, 8(3):10 *abs/comm*

Performance improvement interventions to improve delivery of screening services in diabetes care, 8(11):23–9

Diet

Cardiovascular benefits of a low fat diet: evidence still inconclusive, 8(5):22–3 *abs/comm*

Low-salt diet controls hypertension in older patients, 8(5):14–6 *abs/comm*

Protective effect of fruits and vegetables against coronary heart disease, 8(9):15–6 *abs/comm*

Two shakes and a sensible dinner, 8(8):14–6 *abs/comm*

Disease management

A disease management program utilizing “life coaches” for children with asthma, 8(6):38–42

Collaborative care for panic disorder, 8(11):10, 12 *abs/comm*

Congestive heart failure disease management, 8(12):23–4 *abs/comm*

Does multidisciplinary management of chronic heart failure improve clinical outcomes? 8(2):41–49

Impact of guidelines for peptic ulcer disease management, 8(12):15,19 *abs/comm*

Dopamine

Low-dose dopamine in patients with renal dysfunction: no benefit, 8(2):22–3 *abs/comm*

Epoetin alfa

Epoetin alfa reduces need for transfusions in hip arthroplasty, 8(1):16–7 *abs/comm*

Ethics

Talking about clinical practice guidelines: how much should patients be told? 8(8):26–8

Exercise

Cardiovascular events in diabetic women who exercise, 8(3):15, 18 *abs/comm*

Exercise programs prevent disability in elderly patients with knee osteoarthritis, 8(12):12,15 *abs/comm*

Falls

Falls in older adults: assessment and intervention in primary care, 8(3):48–57

Preventing falls, 8(3):54 *pi*

Fibromyalgia

A 35-year-old woman with somatic complaints, 8(9):49–59

Fibromyalgia syndrome: diagnosis and management, 8(4):55–67

Functional somatic syndromes

A 35-year-old woman with somatic complaints, 8(9):49–59

Gastrointestinal bleeding

Coated aspirin does not confer benefit, 8(5):16, 21 *abs/comm*

Geriatric assessment

Assessment of the geriatric patient: a practical approach, 8(7):35–40

Glucosamine

Long-term effects of glucosamine in osteoarthritis, 8(3):11–2 *abs/comm*

Glycoprotein IIb/IIIa

Appropriate use of glycoprotein IIb/IIIa blockade for unstable angina and non-ST segment elevation myocardial infarction, 8(4):33–45

Guidelines

Impact of guidelines for peptic ulcer disease management, 8(12):15,19 *abs/comm*

Improving physician adherence to asthma guidelines, 8(3):35–46

Screening guideline adherence: clinic versus patient factors, 8(11):8–9, *abs/comm*

Talking about clinical practice guidelines: how much should patients be told? 8(8):26–8

Why don't pediatricians follow asthma guidelines? 8(12):11–2 *abs/comm*

Headache

ACE inhibitors for migraine prophylaxis, 8(2):19–20 *abs/comm*

Migraine and risk of ischemic stroke: an evidence-based medicine review, 8(9):33–9

Sumatriptan for patients with migraine: a cost-effectiveness analysis, 8(12):22–3 *abs/comm*

Heart failure

Congestive heart failure disease management, 8(12):23–4 *abs/comm*

Does multidisciplinary management of chronic heart failure improve clinical outcomes? 8(2):41–9

Immunomodulating therapy for heart failure, 8(3):12–3 *abs/comm*

Improving heart failure outcomes through specialist nurse intervention, 8(12):19–20 *abs/comm*

Hip arthroplasty

Epoetin alfa reduces need for transfusions in hip arthroplasty, 8(1):16–7 *abs/comm*

Hip fracture

Rehabilitation after hip fracture in patients with dementia, 8(1):10–1 *abs/comm*

Tai chi for the prevention of fractures in a nursing home population: an economic analysis, 8(3):19–27

HIV

Psychostimulants for fatigue in HIV patients: how useful? 8(4):21–2 *abs/comm*

Home visits

Best beginnings: an evidence-based program to prevent childhood injuries, 8(11):38-41
 Is the nurse responsible for resource use in home health care? 8(12):29-35

Hormone replacement therapy

Impact of a decision aid for hormone replacement therapy, 8(11):12-3 *abs/comm*
 Short-term use of low-dose estrogen and cardiac events, 8(2):20-1 *abs/comm*

Hypercholesterolemia

Aggressive lipid-lowering therapy for hypercholesterolemia, 8(4):19-20 *abs/comm*
 High blood pressure and high cholesterol: risk factors for Alzheimer's disease, 8(8):13-4 *abs/comm*
 Managing the hypercholesterolemic patient: when statins are not enough, 8(8):47-55

Hypertension

High blood pressure and high cholesterol: risk factors for Alzheimer's disease, 8(8):13-4 *abs/comm*
 High blood pressure in young men and long-term mortality, 8(9):14-5 *abs/comm*
 Home blood pressure monitoring: does it improve control? 8(7):11-2 *abs/comm*
 Low-salt diet controls hypertension in older patients, 8(5):14-6 *abs/comm*
 New treatment options for diabetic patients with hypertension and microalbuminuria, 8(2):15, 19 *abs/comm*
 Stress management therapy for hypertension, 8(7):14-5 *abs/comm*

Hypothyroidism

Should we be screening for thyroid disease? 8(9):27-32

Immunization

A project to improve influenza vaccination rates, 8(5):36 *le*
 Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31-5

Immunoglobulin

Immunomodulating therapy for heart failure, 8(3):12-3 *abs/comm*

Inflammatory bowel disease

Ulcerative colitis: diagnosis and management, 8(9):40-8

Influenza

A project to improve influenza vaccination rates, 8(5):36 *le*

Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31-5

Zanamivir reduces respiratory complications in patients with influenza, 8(1):15-6 *abs/comm*

Insulin

Development and implementation of a standardized sliding scale insulin protocol, 8(11):31-6
 Inhaled human insulin for patients with type 2 diabetes, 8(3):10 *abs/comm*

Interstitial cystitis

A 38-year-old woman with urinary frequency, urgency, and pelvic pain, 8(7):42-5, 47-51
 Self-help for interstitial cystitis, 8(7):46 *pi*

Interview, medical

Evidence-based patient-centered interviewing, 8(7):28-34

Kidney disease

Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34-40

Length of stay

Are critical pathways effective in shortening hospital stay? 8(4):12-3 *abs/comm*
 Early discharge may benefit patients with infections, 8(3):9 *abs/comm*

Lipid lowering

Aggressive lipid-lowering therapy for hypercholesterolemia, 8(4):19-20 *abs/comm*
 Can statins reduce risk of dementia? 8(1):13-4 *abs/comm*
 Managing the hypercholesterolemic patient: when statins are not enough, 8(8):47-55

Mammography

Do reminders improve mammography screening rates? 8(11):16-7 *abs/comm*

Massage therapy

Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*

Mechanical ventilation

Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):33-9

Medical errors

Preventing misuse errors in health care organizations, 8(8):29-33

Medical information systems

Computerized physician order entry: is

additional time required? 8(9):9-10 *abs/comm*

Web-based electrocardiogram retrieval: does it reduce electrocardiography results? 8(5):27-9

Microalbuminuria

New treatment options for diabetic patients with hypertension and microalbuminuria, 8(2):15, 19 *abs/comm*

Migraine

ACE inhibitors for migraine prophylaxis, 8(2):19-20 *abs/comm*
 Migraine and risk of ischemic stroke: an evidence-based medicine review, 8(9):33-9
 Sumatriptan for patients with migraine: a cost-effectiveness analysis, 8(12):22-3 *abs/comm*

Misuse

Preventing misuse errors in health care organizations, 8(8):29-33

Multiple sclerosis

Treatment of multiple sclerosis, 8(4):47-54

Myocardial infarction

Critical pathways for chest pain: adding efficiency to the evaluation, 8(11):18-9 *abs/comm*
 Hospital performance improvement efforts: what works? 8(9):10-1 *abs/comm*

Neuraxial blockade

Neuraxial blockade reduces postoperative complications, 8(2):11, 15 *abs/comm*

Opioids

Cost-effectiveness of analgesics for acute pain management, 8(1):9-10 *abs/comm*
 Fentanyl preferred to morphine for treatment of nonmalignant pain, 8(6):22-3 *abs/comm*

Osteoarthritis

Exercise programs prevent disability in elderly patients with knee osteoarthritis, 8(12):12, 15 *abs/comm*
 Long-term effects of glucosamine in osteoarthritis, 8(3):11-2 *abs/comm*
 Medical management of osteoarthritis, 8(2):51-9

Pain management

An active and cost-conserving approach to the management of low back pain, 8(1):38-47
 Cost-effectiveness of analgesics for acute pain management, 8(1):9-10 *abs/comm*
 Fentanyl preferred to morphine for treatment of nonmalignant pain, 8(6):22-3 *abs/comm*

Panic disorder

Anxiety disorder complicating chronic low back pain, 8(11):49–56
 Collaborative care for panic disorder, 8(11):10, 12 *abs/comm*

Patient information

Preventing falls, 8(3):54 *pi*
 Self-help for interstitial cystitis, 8(7):46 *pi*

Patient satisfaction

Assessing patient satisfaction on a general medicine service: utility of an on-site survey, 8(7):21–5

Performance improvement

Hospital performance improvement efforts: what works? 8(9):10–1 *abs/comm*
 Performance improvement interventions to improve delivery of screening services in diabetes care, 8(11):23–9
 Providing individualized feedback to physicians to improve clinical efficiency, 8(9):11–2 *abs/comm*

Physician order entry

Computerized physician order entry: is additional time required? 8(9):9–10 *abs/comm*

Physician-patient communication

Evidence-based patient-centered interviewing, 8(7):28–34
 Therapeutic effect of doctor-patient relationships, 8(5):12–3 *abs/comm*

Physician reminders

Education reminder messages can prevent overutilization, 8(6):21–2 *abs/comm*

Pneumonia, community-acquired

A tool for appropriate antibiotic use in the management of community-acquired pneumonia, 8(5):37–44

Pregnancy

Antibiotics for PROM: few benefits, significant risks, 8(5):11–2 *abs/comm*
 Best beginnings: an evidence-based program to prevent childhood injuries, 8(11):38–41

Prostate cancer

Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

Prostatitis

Development and use of a validated outcome measure for chronic prostatitis, 8(1):30–7

Quality improvement

Preventing misuse errors in health care organizations, 8(8):29–33
 Quality improvement: addressing patient treatment preferences in depression, 8(11):13–5 *abs/comm*
 QUERI: translating research findings into improved patient care, 8(1):27–9
 Refining JCOM's mission to support quality, 8(3):59–60 *e*

Renal dysfunction

Low-dose dopamine in patients with renal dysfunction: no benefit, 8(2):22–3 *abs/comm*
 Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34–40

Revascularization

Revascularization versus medical therapy for elderly chronic angina patients, 8(11):16–7 *abs/comm*

Rheumatoid arthritis

Use of biological agents in the treatment of rheumatoid arthritis, 8(12):54–60

Screening

Assessment of the geriatric patient: a practical approach, 8(7):35–40
 Cost-utility of depression screening, 8(4):11–2 *abs/comm*
 Do reminders improve mammography screening rates? 8(11):16–7 *abs/comm*
 Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41–5
 Performance improvement interventions to improve delivery of screening services in diabetes care, 8(11):23–9
 Prognostic value of coronary artery calcification, 8(11):42–8
 Screening guideline adherence: clinic versus patient factors, 8(11):8–9, *abs/comm*
 Selecting a cervical cytology screening test—what are the issues? 8(3):29–32

Sedation

Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):41–9

Smoking cessation

Intervening with the tobacco-dependent patient, 8(6):43–51

Somatic symptoms

A 35-year-old woman with somatic complaints, 8(9):49–59

Statins

Can pravastatin reduce risk of diabetes? 8(3):14–5 *abs/comm*

Steroids

Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22
 Can statins reduce risk of dementia? 8(1):13–4 *abs/comm*

Stress management

Stress management therapy for hypertension, 8(7):14–5 *abs/comm*

Stroke

Migraine and risk of ischemic stroke: an evidence-based medicine review, 8(9):33–9

Tai chi

Tai chi for the prevention of fractures in a nursing home population: an economic analysis, 8(3):19–27

Telephonic screening

Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41–5

Thiazolidinediones

Effect of thiazolidinediones on glycemia, 8(6): 11, 15 *abs/comm*

Thyroid disease

Should we be screening for thyroid disease? 8(9):27–32

Time trade-off

Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

Tobacco use

Intervening with the tobacco-dependent patient, 8(6):43–51

Transfusion

Epoetin alfa reduces need for transfusions in hip arthroplasty, 8(1):16–17 *abs/comm*

Tube feeding

Tube feeding does not improve survival in patients with dementia, 8(4):17–18 *abs/comm*

Ulcerative colitis

Ulcerative colitis: diagnosis and management, 8(9):40–48

Ulcers, foot

Best method to heal neuropathic diabetic foot ulcers, 8(9):13–4 *abs/comm*

Ulcers, peptic

Impact of guidelines for peptic ulcer disease management, 8(12):15,19
abs/comm

Underuse

The care path not taken: the paradox of underused proven treatments, 8(12):39–51

Utilities

Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

Utilization

Education reminder messages can prevent overutilization, 8(6):21–2
abs/comm

Is the nurse responsible for resource use in home health care? 8(12):29–35

Web-based electrocardiogram retrieval: does it reduce electrocardiography results? 8(5):27–9

Weight loss

Two shakes and a sensible dinner, 8(8):14–6
abs/comm

AUTHORS

Abraham J

Talking about clinical practice guidelines: how much should patients be told? 8(8):26–8

Ainsworth VJ

A disease management program utilizing “life coaches” for children with asthma, 8(6):38–42

Algazy JI

Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9

Alter SJ

Use of antimicrobial agents for upper respiratory infections in children, 8(10):45–52

Artal R

The changing use of peripherally inserted central catheters: a review of 5000 insertions at a single hospital, 8(9):17–23

Asch DA

Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9

Ault MJ

The changing use of peripherally inserted central catheters: a review of 5000 insertions at a single hospital, 8(9):17–23

Axelrod RC

A disease management program utilizing “life coaches” for children with asthma, 8(6):38–42

Baker PD

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

Bates DW

Refining JCOM’s mission to support quality improvement, 8(3):59–60 *e*

Bédard M

Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

Bellini LM

Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9

Bernstein AB

A tool for appropriate antibiotic use in the management of community-acquired pneumonia, 8(5):37–44

Brandon TH

Intervening with the tobacco-dependent patient, 8(6):43–51

Brener SJ

Appropriate use of glycoprotein IIb/IIIa blockade for unstable angina and non-ST segment elevation myocardial infarction, 8(4):33–45

Brown JW

Management of acetaminophen hepatotoxicity: a survey of practicing physicians, 8(6):25–32

Bundorf MK

Is the nurse responsible for resource use in home health care? 8(12):29–35

Bushnell CD

Migraine and risk of ischemic stroke: an evidence-based medicine review, 8(9):33–9

Cabana MD

Improving physician adherence to asthma guidelines, 8(3):35–46

Canaris G

Should we be screening for thyroid disease? 8(9):27–32

Caraballo PJ

Advantages of long-acting antianginal agents, 8(7):13–4 *abs/comm*

Anticoagulation for secondary prevention of heart disease, 8(8):12–3 *abs/comm*

Best method to heal neuropathic diabetic foot ulcers, 8(9):13–4 *abs/comm*

Blood pressure and mortality in very old patients, 8(7):15–6 *abs/comm*

Body size is a risk factor for percutaneous coronary intervention mortality, 8(10):20–1

Guidelines underused in patients hospitalized with unstable angina, 8(10):15, 19

High blood pressure and high cholesterol: risk factors for Alzheimer’s disease, 8(8):13–4 *abs/comm*

High blood pressure in young men and long-term mortality, 8(9):14–5 *abs/comm*

Multidisciplinary treatment for low back pain, 8(8):11–2 *abs/comm*

Outcomes of acute myocardial infarction in disadvantaged populations, 8(10):19–20

Protective effect of fruits and vegetables against coronary heart disease, 8(9):15–6 *abs/comm*

Stress management therapy for hypertension, 8(7):14–5 *abs/comm*

Why don’t pediatricians follow asthma guidelines? 8(12):11–2 *abs/comm*

Casarett DJ

Talking about clinical practice guidelines: how much should patients be told? 8(8):26–8

Chan AW

Appropriate use of glycoprotein IIb/IIIa blockade for unstable angina and non-ST segment elevation myocardial infarction, 8(4):33–45

Chenoweth CE

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

Chetney RR

A disease management program utilizing “life coaches” for children with asthma, 8(6):38–42

Coladonato JA

Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34–40

Collins MM

Development and use of a validated outcome measure for chronic prostatitis, 8(1):30–7

Colón-Emeric CS

Falls in older adults: assessment and intervention in primary care, 8(3):48–57

Copeland AL

Intervening with the tobacco-dependent patient, 8(6):43–51

Corby ST

Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22

Datta SK

Tai chi for the prevention of fractures in a nursing home population: an economic analysis, 8(3):19–27

Demakis JG

QUERI: translating research findings into improved patient care, 8(1):27–9

Dubois S

Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

Dugan SA

An active and cost-conserving approach to the management of low back pain, 8(1):38–47

Dwamena FC

Evidence-based patient-centered interviewing, 8(7):28–34

Fihn SD

Chronic stable angina: diagnosis and risk stratification, 8(5):37–44

Chronic stable angina: treatment and follow-up, 8(6):52–67

File TM Jr

A tool for appropriate antibiotic use in the management of community-acquired pneumonia, 8(5):37–44

Fillit H

Improving early recognition of Alzheimer’s disease: a review of telephonic screening tools, 8(8):41–5

Fontana RJ

Management of acetaminophen hepatotoxicity: a survey of practicing physicians, 8(6):25–32

Frost DA

An active and cost-conserving approach to the management of low back pain, 8(1):38–47

Glick HA

Is the nurse responsible for resource use in home health care? 8(12):29–35

Goldszer RC

Assessing patient satisfaction on a general medicine service: utility of an on-site survey, 8(7):21–5

Gornbein J

Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

Goshorn RK

A 35-year-old woman with somatic complaints, 8(9):49–59

Hall JB

Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):33–9

Hanauer SB

Ulcerative colitis: diagnosis and management, 8(9):40–8

Helgersen SD

Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31–5

Hill J

Improving early recognition of Alzheimer’s disease: a review of telephonic screening tools, 8(8):41–5

Hirsh MJ

Medical management of osteoarthritis, 8(2):51–9

Hutchinson S

Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22

Inanici F

Fibromyalgia syndrome: diagnosis and management, 8(4):55–67

Jonas A

ACE inhibitors for migraine prophylaxis, 8(2):19–20 *abs/comm*

Aggressive lipid-lowering therapy for hypercholesterolemia, 8(4):19–20 *abs/comm*

Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*

Antibiotics for pPROM: few benefits, significant risks, 8(5):11–2 *abs/comm*

Cost-effectiveness of analgesics for acute pain management, 8(1):9–10 *abs/comm*

Early discharge may benefit patients with infections, 8(3):9 *abs/comm*

Educational reminder messages can prevent overutilization, 8(6):21–2 *abs/comm*

Fentanyl preferred to morphine for treatment of nonmalignant pain, 8(6):22–3 *abs/comm*

Inhaled human insulin for Type 2 diabetes, 8(3):10 *abs/comm*

Laparoscopic versus open appendectomy: is there a difference? 8(5):13–4 *abs/comm*

Long-term effects of glucosamine in osteoarthritis, 8(3):11–2 *abs/comm*

Low-dose Dopamine in patients with renal dysfunction: no benefit, 8(2):22–3 *abs/comm*

Patient education improves physical function in chronic fatigue syndrome, 8(4):18–9 *abs/comm*

Psychostimulants for fatigue in HIV patients: how useful? 8(4):21–2 *abs/comm*

Rehabilitation after hip fracture in patients with dementia, 8(1):10–1 *abs/comm*

Rhythm or rate control in atrial fibrillation: which is better? 8(1):12–3 *abs/comm*

Short-term use of low-dose estrogen and cardiac events, 8(2):20–1 *abs/comm*

Therapeutic effect of doctor-patient relationships, 8(5):12–3 *abs/comm*

Kavsak H

Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

Kefalides PT

Ulcerative colitis: diagnosis and management, 8(9):40–8

Kerzner R

Does multidisciplinary management of chronic heart failure improve clinical outcomes? 8(2):41–9

Khan O

Treatment of multiple sclerosis, 8(4):47–54

Kileen MJ

Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31-5

Kinosian BP

Is the nurse responsible for resource use in home health care? 8(12):29-35

Koretz BK

Assessment of the geriatric patient: a practical approach, 8(7):35-40

Kress JP

Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):33-9

Krupinski JA

Assessing patient satisfaction on a general medicine service: utility of an on-site survey, 8(7):21-5

Lein C

Evidence-based patient-centered interviewing, 8(7):28-34

Lewis BE

Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41-5

Lewis TC

Improving physician adherence to asthma guidelines, 8(3):35-46

Lipsky BA

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25-32

Litwin MS

Development and use of a validated outcome measure for chronic prostatitis, 8(1):30-7

Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17-22

Lodewick M

Chronic urticaria: diagnostic and therapeutic challenges, 8(10):53-9

Lozada CJ

Medical management of osteoarthritis, 8(2):51-9

Lyles JS

Evidence-based patient-centered interviewing, 8(7):28-34

Markham MA

Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31-5

Markowitz JS

A tool for appropriate antibiotic use in the management of community-acquired pneumonia, 8(5):37-44

McCleave SH

How to respond to a formal patient complaint, 8(10):35-42

McInerney MJ

Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31-5

McQueen L

QUERI: translating research findings into improved patient care, 8(1):27-9

Medina CE

Assessing patient satisfaction on a general medicine service: utility of an on-site survey, 8(7):21-5

Mills CS

Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41-5

Misischia RJ

Use of biological agents in the treatment of rheumatoid arthritis, 8(12):54-60

Mohs RC

Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41-5

Molloy DW

Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26-31

Moore AA

Assessment of the geriatric patient: a practical approach, 8(7):35-40

Moreland LW

Use of biological agents in the treatment of rheumatoid arthritis, 8(12):54-60

Murff HJ

Excluding pulmonary embolism without diagnostic imaging, 8(10):11-2 *abs/comm*

Hospital performance improvement efforts: what works? 8(9):10-1 *abs/comm*
Sumatriptan for patients with migraine: a cost-effectiveness analysis, 8(12):22-3 *abs/comm*

Myers ER

Selecting a cervical cytology screening test—what are the issues? 8(3):29-32

Nanda K

Selecting a cervical cytology screening test—what are the issues? 8(3):29-32

Nehra A

A project to improve influenza vaccination rates, 8(5):36 *le*

Ng PK

The changing use of peripherally inserted central catheters: a review of 5000 insertions at a single hospital, 8(9):17-23

Nickel JC

Development and use of a validated outcome measure for chronic prostatitis, 8(1):30-7

Owen WF Jr

Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34-40

Persell SD

Computerized physician order entry: is additional time required? 8(9):9-10 *abs/comm*

Improving heart failure outcomes through specialist nurse intervention, 8(12):19-20 *abs/comm*

Prenatal house calls for high-risk pregnancies? 8(10):21-2

Peters KM

A 38-year-old woman with urinary frequency, urgency, and pelvic pain, 8(7):42-5, 47-51

Peterson JF

Impact of guidelines for peptic ulcer disease management, 8(12):15,19 *abs/comm*

Plorde JJ

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25-32

Pohlman AS

Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):33-9

Polsky D

Is the nurse responsible for resource use in home health care? 8(12):29-35

Poon E

Exercise programs prevent disability in elderly patients with knee osteoarthritis, 8(12):12,15 *abs/comm*

Quallich LG

Management of acetaminophen hepatotoxicity: a survey of practicing physicians, 8(6):25-32

Resar RK

Medication safety: one organization's approach to the challenge, 8(10):27-34

Rice EA

A 35-year-old woman with somatic complaints, 8(9):49–59

Rich MW

Does multidisciplinary management of chronic heart failure improve clinical outcomes? 8(2):41–9

Rosenson RS

Managing the hypercholesterolemic patient: when statins are not enough, 8(8):47–55

Rozich JD

Medication safety: one organization's approach to the challenge, 8(10):27–34

Russo R

Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

Sabol J

A disease management program utilizing "life coaches" for children with asthma, 8(6):38–42

Saigal C

Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

Saint S

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

Scalzi CC

Is the nurse responsible for resource use in home health care? 8(12):29–35

Schwartz S

Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9

Shehab TM

Management of acetaminophen hepatotoxicity: a survey of practicing physicians, 8(6):25–32

Silverman DC

The care path not taken: the paradox of underused proven treatments, 8(12):39–51

Smith RC

Evidence-based patient-centered interviewing, 8(7):28–34

Spyropoulos AC

The Lovelace outpatient treatment program, 8(12):64–8 p

Stiller A

Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

Sullivan KP

An active and cost-conserving approach to the management of low back pain, 8(1):38–47

Sutton PR

Chronic stable angina: diagnosis and risk stratification, 8(5):37–44

Chronic stable angina: treatment and follow-up, 8(6):52–67

Szczech LA

Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34–40

Tapson VF

Outpatient management of acute deep venous thrombosis, 8(12):62–71

Tilles SA

Chronic urticaria: diagnostic and therapeutic challenges, 8(10):53–9

Tonneau B

Are critical pathways effective in shortening hospital stay? 8(4):12–3 *abs/comm*

Can pravastatin reduce risk of diabetes? 8(3):14–5 *abs/comm*

Can statins reduce risk of dementia? 8(1):13–4 *abs/comm*

Cardiovascular benefits of a low-fat diet: evidence still inconclusive, 8(5):22–3 *abs/comm*

Cardiovascular events in diabetic women who exercise, 8(3):15, 18 *abs/comm*

Coated aspirin does not confer benefit, 8(5):16, 21 *abs/comm*

Congestive heart failure disease management, 8(12):23–4 *abs/comm*

Cost-utility of depression screening, 8(4):11–2 *abs/comm*

Effect of thiazolidinediones on glycemia, 8(6):11, 15 *abs/comm*

Epoetin alfa reduces need for transfusions in hip arthroplasty, 8(1):16–7 *abs/comm*

Home blood pressure monitoring: does it improve control? 8(7):11–2 *abs/comm*

Immunomodulating therapy for heart failure, 8(3):12–3 *abs/comm*

Low-salt diet controls hypertension in older patients, 8(5):14–6 *abs/comm*

Neuraxial blockade reduces postoperative complications, 8(2):11, 15 *abs/comm*

New treatment options for diabetic patients with hypertension and microalbuminuria, 8(2):15, 19 *abs/comm*

Providing individualized feedback to physicians to improve clinical efficiency, 8(9):11–2 *abs/comm*

Tube feeding does not improve survival in patients with dementia, 8(4):17–8 *abs/comm*

Two shakes and a sensible dinner, 8(8):14–6 *abs/comm*

Visiting nurses may cost-effectively reduce falls in the elderly, 8(10):12,14

Zanamivir reduces respiratory complications in patients with influenza, 8(1):15–6 *abs/comm*

Traber KB

Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9

Tselis AC

Treatment of multiple sclerosis, 8(4):47–54

Walter J

Chronic urticaria: diagnostic and therapeutic challenges, 8(10):53–9

Westfall L

Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22

Wilson CJ

Tai chi for the prevention of fractures in a nursing home population: an economic analysis, 8(3):19–27

Yetman RJ

Preventing misuse errors in health care organizations, 8(8):29–33

The care path not taken: the paradox of underused proven treatments, 8(12):39–51

Yunus MB

Fibromyalgia syndrome: diagnosis and management, 8(4):55–67

Zemencuk JK

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

Zimbardo KS

A disease management program utilizing "life coaches" for children with asthma, 8(6):38–42