

**Key to abbreviations:** *abs/comm* = abstract and commentary; *e* = editorial; *le* = letter; *p* = primer; *pi* = patient information.

**SUBJECTS**

**Acupuncture**

Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*

**ACE inhibitors**

ACE inhibitors for migraine prophylaxis, 8(2):19–20 *abs/comm*

**Acetaminophen**

Management of acetaminophen hepatotoxicity: a survey of practicing physicians, 8(6):25–32

**Acute coronary syndrome**

Appropriate use of glycoprotein IIb/IIIa blockade for unstable angina and non-ST segment elevation myocardial infarction, 8(4):33–45

**Advance directives**

Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

**Alternative medicine**

Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*

**Alzheimer's disease**

High blood pressure and high cholesterol: risk factors for Alzheimer's disease, 8(8):13–4 *abs/comm*

Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41–5

Tube feeding does not improve survival in patients with dementia, 8(4):17–8 *abs/comm*

**Angina**

Advantages of long-acting antianginal agents, 8(7):13–4 *abs/comm*

Chronic stable angina: diagnosis and risk stratification, 8(5):45–59

Chronic stable angina: treatment and follow-up, 8(6):52–67

Revascularization versus medical therapy for elderly chronic angina patients, 8(11):16–7 *abs/comm*

**Anticoagulation**

Anticoagulation for secondary prevention of heart disease, 8(8):12–3 *abs/comm*

**Anxiety disorder**

Anxiety disorder complicating chronic low back pain, 8(11):49–56

Collaborative care for panic disorder, 8(11):10, 12 *abs/comm*

**Appendectomy**

Laparoscopic versus open appendectomy: is there a difference? 8(5):13–4 *abs/comm*

**Aspirin**

Coated aspirin does not confer benefit, 8(5):16, 21 *abs/comm*

**Asthma**

A disease management program utilizing "life coaches" for children with asthma, 8(6):38–42

Improving physician adherence to asthma guidelines, 8(3):35–46

Why don't pediatricians follow asthma guidelines? 8(12):11–2 *abs/comm*

**Atrial fibrillation**

Rhythm or rate control in atrial fibrillation: which is better? 8(1):12–3 *abs/comm*

**Back pain**

Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*

An active and cost-conserving approach to the management of low back pain, 8(1):38–47

Anxiety disorder complicating chronic low back pain, 8(11):49–56

Multidisciplinary treatment for low back pain, 8(8):11–2 *abs/comm*

**Bacteremia**

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

**Benchmarking**

Providing individualized feedback to physicians to improve clinical efficiency, 8(9):11–2 *abs/comm*

**β Blockers**

Hospital performance improvement efforts: what works? 8(9):10–1 *abs/comm*

**Biological agents**

Use of biological agents in the treatment of rheumatoid arthritis, 8(12):54–60

**Blood pressure**

Blood pressure and mortality in very old patients, 8(7):15–6 *abs/comm*

High blood pressure in young men and long-term mortality, 8(9):14–5 *abs/comm*

Home blood pressure monitoring: does it improve control? 8(7):11–2 *abs/comm*

**Candidiasis**

Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22

**Cardiovascular disease**

Cardiovascular benefits of a low-fat diet: evidence still inconclusive, 8(5):22–3 *abs/comm*

Cardiovascular events in diabetic women who exercise, 8(3):15, 18 *abs/comm*

High blood pressure in young men and long-term mortality, 8(9):14–5 *abs/comm*

Short-term use of low-dose estrogen and cardiac events, 8(2):20–1 *abs/comm*

**Catheters**

The changing use of peripherally inserted central catheters: a review of 5000 insertions at a single hospital, 8(9):17–23

**Cervical cancer**

Selecting a cervical cytology screening test—what are the issues? 8(3):29–32

**Child abuse**

Best beginnings: an evidence-based program to prevent childhood injuries, 8(11):38–41

**Chronic fatigue syndrome**

A 35-year-old woman with somatic complaints, 8(9):49–59  
Patient education improves physical function in chronic fatigue syndrome, 8(4):18–9 *abs/comm*

**Consultation, subspecialty**

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

**Coronary artery disease**

Advantages of long-acting antianginal agents, 8(7):13–4 *abs/comm*

Anticoagulation for secondary prevention of heart disease, 8(8):12–3 *abs/comm*

Chronic stable angina: diagnosis and risk stratification, 8(5):45–59

Chronic stable angina: treatment and follow-up, 8(6):52–67

High blood pressure in young men and long-term mortality, 8(9):14–5 *abs/comm*

Prognostic value of coronary artery calcification, 8(11):42–8

Protective effect of fruits and vegetables against coronary heart disease, 8(9):15–6 *abs/comm*

Revascularization versus medical therapy for elderly chronic angina patients, 8(11):16–7 *abs/comm*

## Coronary calcium

Prognostic value of coronary artery calcification, 8(11):42–8

## Critical pathways

Are critical pathways effective in shortening hospital stay? 8(4):12–3 *abs/comm*

Critical pathways for chest pain: adding efficiency to the evaluation, 8(11):18–9 *abs/comm*

## Decision aids

Impact of a decision aid for hormone replacement therapy, 8(11):12–3 *abs/comm*

## Deep venous thrombosis

Outpatient management of acute deep venous thrombosis, 8(12):62–71

The Lovelace outpatient treatment program, 8(12):64–8 *p*

## Dementia

Can statins reduce risk of dementia? 8(1):13–4 *abs/comm*

Rehabilitation after hip fracture in patients with dementia, 8(1):10–1 *abs/comm*

Tube feeding does not improve survival in patients with dementia, 8(4):17–8 *abs/comm*

## Depression

Cost-utility of depression screening, 8(4):11–2 *abs/comm*

Quality improvement: addressing patient treatment preferences in depression, 8(11):13–5 *abs/comm*

## Diabetes

Best method to heal neuropathic diabetic foot ulcers, 8(9):13–4 *abs/comm*

Can pravastatin reduce risk of diabetes? 8(3):14–5 *abs/comm*

Cardiovascular events in diabetic women who exercise, 8(3):15, 18 *abs/comm*

Development and implementation of a standardized sliding scale insulin protocol, 8(11):31–6

Effect of thiazolidinediones on glycemia, 8(6):11, 15 *abs/comm*

New treatment options for diabetic patients with hypertension and microalbuminuria, 8(2):15, 19 *abs/comm*

Inhaled human insulin for patients with type 2 diabetes, 8(3):10 *abs/comm*

Performance improvement interventions to improve delivery of screening services in diabetes care, 8(11):23–9

## Diet

Cardiovascular benefits of a low fat diet: evidence still inconclusive, 8(5):22–3 *abs/comm*

Low-salt diet controls hypertension in older patients, 8(5):14–6 *abs/comm*

Protective effect of fruits and vegetables against coronary heart disease, 8(9):15–6 *abs/comm*

Two shakes and a sensible dinner, 8(8):14–6 *abs/comm*

## Disease management

A disease management program utilizing “life coaches” for children with asthma, 8(6):38–42

Collaborative care for panic disorder, 8(11):10, 12 *abs/comm*

Congestive heart failure disease management, 8(12):23–4 *abs/comm*

Does multidisciplinary management of chronic heart failure improve clinical outcomes? 8(2):41–49

Impact of guidelines for peptic ulcer disease management, 8(12):15,19 *abs/comm*

## Dopamine

Low-dose dopamine in patients with renal dysfunction: no benefit, 8(2):22–3 *abs/comm*

## Epoetin alfa

Epoetin alfa reduces need for transfusions in hip arthroplasty, 8(1):16–7 *abs/comm*

## Ethics

Talking about clinical practice guidelines: how much should patients be told? 8(8):26–8

## Exercise

Cardiovascular events in diabetic women who exercise, 8(3):15, 18 *abs/comm*

Exercise programs prevent disability in elderly patients with knee osteoarthritis, 8(12):12,15 *abs/comm*

## Falls

Falls in older adults: assessment and intervention in primary care, 8(3):48–57

Preventing falls, 8(3):54 *pi*

## Fibromyalgia

A 35-year-old woman with somatic complaints, 8(9):49–59

Fibromyalgia syndrome: diagnosis and management, 8(4):55–67

## Functional somatic syndromes

A 35-year-old woman with somatic complaints, 8(9):49–59

## Gastrointestinal bleeding

Coated aspirin does not confer benefit, 8(5):16, 21 *abs/comm*

## Geriatric assessment

Assessment of the geriatric patient: a practical approach, 8(7):35–40

## Glucosamine

Long-term effects of glucosamine in osteoarthritis, 8(3):11–2 *abs/comm*

## Glycoprotein IIb/IIIa

Appropriate use of glycoprotein IIb/IIIa blockade for unstable angina and non-ST segment elevation myocardial infarction, 8(4):33–45

## Guidelines

Impact of guidelines for peptic ulcer disease management, 8(12):15,19 *abs/comm*

Improving physician adherence to asthma guidelines, 8(3):35–46

Screening guideline adherence: clinic versus patient factors, 8(11):8–9, *abs/comm*

Talking about clinical practice guidelines: how much should patients be told? 8(8):26–8

Why don't pediatricians follow asthma guidelines? 8(12):11–2 *abs/comm*

## Headache

ACE inhibitors for migraine prophylaxis, 8(2):19–20 *abs/comm*

Migraine and risk of ischemic stroke: an evidence-based medicine review, 8(9):33–9

Sumatriptan for patients with migraine: a cost-effectiveness analysis, 8(12):22–3 *abs/comm*

## Heart failure

Congestive heart failure disease management, 8(12):23–4 *abs/comm*

Does multidisciplinary management of chronic heart failure improve clinical outcomes? 8(2):41–9

Immunomodulating therapy for heart failure, 8(3):12–3 *abs/comm*

Improving heart failure outcomes through specialist nurse intervention, 8(12):19–20 *abs/comm*

## Hip arthroplasty

Epoetin alfa reduces need for transfusions in hip arthroplasty, 8(1):16–7 *abs/comm*

## Hip fracture

Rehabilitation after hip fracture in patients with dementia, 8(1):10–1 *abs/comm*

Tai chi for the prevention of fractures in a nursing home population: an economic analysis, 8(3):19–27

## HIV

Psychostimulants for fatigue in HIV patients: how useful? 8(4):21–2 *abs/comm*

**Home visits**

Best beginnings: an evidence-based program to prevent childhood injuries, 8(11):38–41

Is the nurse responsible for resource use in home health care? 8(12):29–35

**Hormone replacement therapy**

Impact of a decision aid for hormone replacement therapy, 8(11):12–3 *abs/comm*

Short-term use of low-dose estrogen and cardiac events, 8(2):20–1 *abs/comm*

**Hypercholesterolemia**

Aggressive lipid-lowering therapy for hypercholesterolemia, 8(4):19–20 *abs/comm*

High blood pressure and high cholesterol: risk factors for Alzheimer's disease, 8(8):13–4 *abs/comm*

Managing the hypercholesterolemic patient: when statins are not enough, 8(8):47–55

**Hypertension**

High blood pressure and high cholesterol: risk factors for Alzheimer's disease, 8(8):13–4 *abs/comm*

High blood pressure in young men and long-term mortality, 8(9):14–5 *abs/comm*

Home blood pressure monitoring: does it improve control? 8(7):11–2 *abs/comm*

Low-salt diet controls hypertension in older patients, 8(5):14–6 *abs/comm*

New treatment options for diabetic patients with hypertension and microalbuminuria, 8(2):15, 19 *abs/comm*

Stress management therapy for hypertension, 8(7):14–5 *abs/comm*

**Hypothyroidism**

Should we be screening for thyroid disease? 8(9):27–32

**Immunization**

A project to improve influenza vaccination rates, 8(5):36 *le*

Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31–5

**Immunoglobulin**

Immunomodulating therapy for heart failure, 8(3):12–3 *abs/comm*

**Inflammatory bowel disease**

Ulcerative colitis: diagnosis and management, 8(9):40–8

**Influenza**

A project to improve influenza vaccination rates, 8(5):36 *le*

Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31–5

Zanamivir reduces respiratory complications in patients with influenza, 8(1):15–6 *abs/comm*

**Insulin**

Development and implementation of a standardized sliding scale insulin protocol, 8(11):31–6

Inhaled human insulin for patients with type 2 diabetes, 8(3):10 *abs/comm*

**Interstitial cystitis**

A 38-year-old woman with urinary frequency, urgency, and pelvic pain, 8(7):42–5, 47–51

Self-help for interstitial cystitis, 8(7):46 *pi*

**Interview, medical**

Evidence-based patient-centered interviewing, 8(7):28–34

**Kidney disease**

Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34–40

**Length of stay**

Are critical pathways effective in shortening hospital stay? 8(4):12–3 *abs/comm*

Early discharge may benefit patients with infections, 8(3):9 *abs/comm*

**Lipid lowering**

Aggressive lipid-lowering therapy for hypercholesterolemia, 8(4):19–20 *abs/comm*

Can statins reduce risk of dementia? 8(1):13–4 *abs/comm*

Managing the hypercholesterolemic patient: when statins are not enough, 8(8):47–55

**Mammography**

Do reminders improve mammography screening rates? 8(11):16–7 *abs/comm*

**Massage therapy**

Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*

**Mechanical ventilation**

Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):33–9

**Medical errors**

Preventing misuse errors in health care organizations, 8(8):29–33

**Medical information systems**

Computerized physician order entry: is

additional time required? 8(9):9–10 *abs/comm*

Web-based electrocardiogram retrieval: does it reduce electrocardiography results? 8(5):27–9

**Microalbuminuria**

New treatment options for diabetic patients with hypertension and microalbuminuria, 8(2):15, 19 *abs/comm*

**Migraine**

ACE inhibitors for migraine prophylaxis, 8(2):19–20 *abs/comm*

Migraine and risk of ischemic stroke: an evidence-based medicine review, 8(9):33–9

Sumatriptan for patients with migraine: a cost-effectiveness analysis, 8(12):22–3 *abs/comm*

**Misuse**

Preventing misuse errors in health care organizations, 8(8):29–33

**Multiple sclerosis**

Treatment of multiple sclerosis, 8(4):47–54

**Myocardial infarction**

Critical pathways for chest pain: adding efficiency to the evaluation, 8(11):18–9 *abs/comm*

Hospital performance improvement efforts: what works? 8(9):10–1 *abs/comm*

**Neuraxial blockade**

Neuraxial blockade reduces postoperative complications, 8(2):11, 15 *abs/comm*

**Opioids**

Cost-effectiveness of analgesics for acute pain management, 8(1):9–10 *abs/comm*

Fentanyl preferred to morphine for treatment of nonmalignant pain, 8(6):22–3 *abs/comm*

**Osteoarthritis**

Exercise programs prevent disability in elderly patients with knee osteoarthritis, 8(12):12, 15 *abs/comm*

Long-term effects of glucosamine in osteoarthritis, 8(3):11–2 *abs/comm*

Medical management of osteoarthritis, 8(2):51–9

**Pain management**

An active and cost-conserving approach to the management of low back pain, 8(1):38–47

Cost-effectiveness of analgesics for acute pain management, 8(1):9–10 *abs/comm*

Fentanyl preferred to morphine for treatment of nonmalignant pain, 8(6):22–3 *abs/comm*

## Panic disorder

Anxiety disorder complicating chronic low back pain, 8(11):49–56  
 Collaborative care for panic disorder, 8(11):10, 12 *abs/comm*

## Patient information

Preventing falls, 8(3):54 *pi*  
 Self-help for interstitial cystitis, 8(7):46 *pi*

## Patient satisfaction

Assessing patient satisfaction on a general medicine service: utility of an on-site survey, 8(7):21–5

## Performance improvement

Hospital performance improvement efforts: what works? 8(9):10–1 *abs/comm*  
 Performance improvement interventions to improve delivery of screening services in diabetes care, 8(11):23–9  
 Providing individualized feedback to physicians to improve clinical efficiency, 8(9):11–2 *abs/comm*

## Physician order entry

Computerized physician order entry: is additional time required? 8(9):9–10 *abs/comm*

## Physician-patient communication

Evidence-based patient-centered interviewing, 8(7):28–34  
 Therapeutic effect of doctor-patient relationships, 8(5):12–3 *abs/comm*

## Physician reminders

Education reminder messages can prevent overutilization, 8(6):21–2 *abs/comm*

## Pneumonia, community-acquired

A tool for appropriate antibiotic use in the management of community-acquired pneumonia, 8(5):37–44

## Pregnancy

Antibiotics for PROM: few benefits, significant risks, 8(5):11–2 *abs/comm*  
 Best beginnings: an evidence-based program to prevent childhood injuries, 8(11):38–41

## Prostate cancer

Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

## Prostatitis

Development and use of a validated outcome measure for chronic prostatitis, 8(1):30–7

## Quality improvement

Preventing misuse errors in health care organizations, 8(8):29–33  
 Quality improvement: addressing patient treatment preferences in depression, 8(11):13–5 *abs/comm*  
 QUERI: translating research findings into improved patient care, 8(1):27–9  
 Refining JCOM's mission to support quality, 8(3):59–60 *e*

## Renal dysfunction

Low-dose dopamine in patients with renal dysfunction: no benefit, 8(2):22–3 *abs/comm*  
 Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34–40

## Revascularization

Revascularization versus medical therapy for elderly chronic angina patients, 8(11):16–7 *abs/comm*

## Rheumatoid arthritis

Use of biological agents in the treatment of rheumatoid arthritis, 8(12):54–60

## Screening

Assessment of the geriatric patient: a practical approach, 8(7):35–40  
 Cost-utility of depression screening, 8(4):11–2 *abs/comm*  
 Do reminders improve mammography screening rates? 8(11):16–7 *abs/comm*  
 Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41–5  
 Performance improvement interventions to improve delivery of screening services in diabetes care, 8(11):23–9  
 Prognostic value of coronary artery calcification, 8(11):42–8  
 Screening guideline adherence: clinic versus patient factors, 8(11):8–9, *abs/comm*  
 Selecting a cervical cytology screening test—what are the issues? 8(3):29–32

## Sedation

Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):41–9

## Smoking cessation

Intervening with the tobacco-dependent patient, 8(6):43–51

## Somatic symptoms

A 35-year-old woman with somatic complaints, 8(9):49–59

## Statins

Can pravastatin reduce risk of diabetes? 8(3):14–5 *abs/comm*

## Steroids

Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22  
 Can statins reduce risk of dementia? 8(1):13–4 *abs/comm*

## Stress management

Stress management therapy for hypertension, 8(7):14–5 *abs/comm*

## Stroke

Migraine and risk of ischemic stroke: an evidence-based medicine review, 8(9):33–9

## Tai chi

Tai chi for the prevention of fractures in a nursing home population: an economic analysis, 8(3):19–27

## Telephonic screening

Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41–5

## Thiazolidinediones

Effect of thiazolidinediones on glycemia, 8(6): 11, 15 *abs/comm*

## Thyroid disease

Should we be screening for thyroid disease? 8(9):27–32

## Time trade-off

Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

## Tobacco use

Intervening with the tobacco-dependent patient, 8(6):43–51

## Transfusion

Epoetin alfa reduces need for transfusions in hip arthroplasty, 8(1):16–17 *abs/comm*

## Tube feeding

Tube feeding does not improve survival in patients with dementia, 8(4):17–18 *abs/comm*

## Ulcerative colitis

Ulcerative colitis: diagnosis and management, 8(9):40–48

## Ulcers, foot

Best method to heal neuropathic diabetic foot ulcers, 8(9):13–4 *abs/comm*

**Ulcers, peptic**

Impact of guidelines for peptic ulcer disease management, 8(12):15,19  
*abs/comm*

**Underuse**

The care path not taken: the paradox of underused proven treatments, 8(12):39–51

**Utilities**

Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

**Utilization**

Education reminder messages can prevent overutilization, 8(6):21–2  
*abs/comm*

Is the nurse responsible for resource use in home health care? 8(12):29–35

Web-based electrocardiogram retrieval: does it reduce electrocardiography results? 8(5):27–9

**Weight loss**

Two shakes and a sensible dinner, 8(8):14–6  
*abs/comm*

**AUTHORS**

**Abraham J**

Talking about clinical practice guidelines: how much should patients be told? 8(8):26–8

**Ainsworth VJ**

A disease management program utilizing “life coaches” for children with asthma, 8(6):38–42

**Algazy JI**

Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9

**Alter SJ**

Use of antimicrobial agents for upper respiratory infections in children, 8(10):45–52

**Artal R**

The changing use of peripherally inserted central catheters: a review of 5000 insertions at a single hospital, 8(9):17–23

**Asch DA**

Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9

**Ault MJ**

The changing use of peripherally inserted central catheters: a review of 5000 insertions at a single hospital, 8(9):17–23

**Axelrod RC**

A disease management program utilizing “life coaches” for children with asthma, 8(6):38–42

**Baker PD**

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

**Bates DW**

Refining JCOM’s mission to support quality improvement, 8(3):59–60 *e*

**Bédard M**

Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

**Bellini LM**

Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9

**Bernstein AB**

A tool for appropriate antibiotic use in the management of community-acquired pneumonia, 8(5):37–44

**Brandon TH**

Intervening with the tobacco-dependent patient, 8(6):43–51

**Brener SJ**

Appropriate use of glycoprotein IIb/IIIa blockade for unstable angina and non-ST segment elevation myocardial infarction, 8(4):33–45

**Brown JW**

Management of acetaminophen hepatotoxicity: a survey of practicing physicians, 8(6):25–32

**Bundorf MK**

Is the nurse responsible for resource use in home health care? 8(12):29–35

**Bushnell CD**

Migraine and risk of ischemic stroke: an evidence-based medicine review, 8(9):33–9

**Cabana MD**

Improving physician adherence to asthma guidelines, 8(3):35–46

**Canaris G**

Should we be screening for thyroid disease? 8(9):27–32

**Caraballo PJ**

Advantages of long-acting antianginal agents, 8(7):13–4 *abs/comm*

Anticoagulation for secondary prevention of heart disease, 8(8):12–3 *abs/comm*

Best method to heal neuropathic diabetic foot ulcers, 8(9):13–4 *abs/comm*

Blood pressure and mortality in very old patients, 8(7):15–6 *abs/comm*

Body size is a risk factor for percutaneous coronary intervention mortality, 8(10):20–1

Guidelines underused in patients hospitalized with unstable angina, 8(10):15, 19

High blood pressure and high cholesterol: risk factors for Alzheimer’s disease, 8(8):13–4 *abs/comm*

High blood pressure in young men and long-term mortality, 8(9):14–5 *abs/comm*

Multidisciplinary treatment for low back pain, 8(8):11–2 *abs/comm*

Outcomes of acute myocardial infarction in disadvantaged populations, 8(10):19–20

Protective effect of fruits and vegetables against coronary heart disease, 8(9):15–6 *abs/comm*

Stress management therapy for hypertension, 8(7):14–5 *abs/comm*

Why don’t pediatricians follow asthma guidelines? 8(12):11–2 *abs/comm*

**Casarett DJ**

Talking about clinical practice guidelines: how much should patients be told? 8(8):26–8

**Chan AW**

Appropriate use of glycoprotein IIb/IIIa blockade for unstable angina and non-ST segment elevation myocardial infarction, 8(4):33–45

## Chenoweth CE

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

## Chetney RR

A disease management program utilizing “life coaches” for children with asthma, 8(6):38–42

## Coladonato JA

Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34–40

## Collins MM

Development and use of a validated outcome measure for chronic prostatitis, 8(1):30–7

## Colón-Emeric CS

Falls in older adults: assessment and intervention in primary care, 8(3):48–57

## Copeland AL

Intervening with the tobacco-dependent patient, 8(6):43–51

## Corby ST

Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22

## Datta SK

Tai chi for the prevention of fractures in a nursing home population: an economic analysis, 8(3):19–27

## Demakis JG

QUERI: translating research findings into improved patient care, 8(1):27–9

## Dubois S

Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

## Dugan SA

An active and cost-conserving approach to the management of low back pain, 8(1):38–47

## Dwamena FC

Evidence-based patient-centered interviewing, 8(7):28–34

## Fihn SD

Chronic stable angina: diagnosis and risk stratification, 8(5):37–44

Chronic stable angina: treatment and follow-up, 8(6):52–67

## File TM Jr

A tool for appropriate antibiotic use in the management of community-acquired pneumonia, 8(5):37–44

## Fillit H

Improving early recognition of Alzheimer’s disease: a review of telephonic screening tools, 8(8):41–5

## Fontana RJ

Management of acetaminophen hepatotoxicity: a survey of practicing physicians, 8(6):25–32

## Frost DA

An active and cost-conserving approach to the management of low back pain, 8(1):38–47

## Glick HA

Is the nurse responsible for resource use in home health care? 8(12):29–35

## Goldszer RC

Assessing patient satisfaction on a general medicine service: utility of an on-site survey, 8(7):21–5

## Gornbein J

Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

## Goshorn RK

A 35-year-old woman with somatic complaints, 8(9):49–59

## Hall JB

Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):33–9

## Hanauer SB

Ulcerative colitis: diagnosis and management, 8(9):40–8

## Helgersen SD

Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31–5

## Hill J

Improving early recognition of Alzheimer’s disease: a review of telephonic screening tools, 8(8):41–5

## Hirsh MJ

Medical management of osteoarthritis, 8(2):51–9

## Hutchinson S

Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22

## Inanici F

Fibromyalgia syndrome: diagnosis and management, 8(4):55–67

## Jonas A

ACE inhibitors for migraine prophylaxis, 8(2):19–20 *abs/comm*

Aggressive lipid-lowering therapy for hypercholesterolemia, 8(4):19–20 *abs/comm*

Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*

Antibiotics for pPROM: few benefits, significant risks, 8(5):11–2 *abs/comm*

Cost-effectiveness of analgesics for acute pain management, 8(1):9–10 *abs/comm*

Early discharge may benefit patients with infections, 8(3):9 *abs/comm*

Educational reminder messages can prevent overutilization, 8(6):21–2 *abs/comm*

Fentanyl preferred to morphine for treatment of nonmalignant pain, 8(6):22–3 *abs/comm*

Inhaled human insulin for Type 2 diabetes, 8(3):10 *abs/comm*

Laparoscopic versus open appendectomy: is there a difference? 8(5):13–4 *abs/comm*

Long-term effects of glucosamine in osteoarthritis, 8(3):11–2 *abs/comm*

Low-dose Dopamine in patients with renal dysfunction: no benefit, 8(2):22–3 *abs/comm*

Patient education improves physical function in chronic fatigue syndrome, 8(4):18–9 *abs/comm*

Psychostimulants for fatigue in HIV patients: how useful? 8(4):21–2 *abs/comm*

Rehabilitation after hip fracture in patients with dementia, 8(1):10–1 *abs/comm*

Rhythm or rate control in atrial fibrillation: which is better? 8(1):12–3 *abs/comm*

Short-term use of low-dose estrogen and cardiac events, 8(2):20–1 *abs/comm*

Therapeutic effect of doctor-patient relationships, 8(5):12–3 *abs/comm*

## Kavsak H

Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

## Kefalides PT

Ulcerative colitis: diagnosis and management, 8(9):40–8

## Kerzner R

Does multidisciplinary management of chronic heart failure improve clinical outcomes? 8(2):41–9

## Khan O

Treatment of multiple sclerosis, 8(4):47–54

**Kileen MJ**

Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31-5

**Kinosian BP**

Is the nurse responsible for resource use in home health care? 8(12):29-35

**Koretz BK**

Assessment of the geriatric patient: a practical approach, 8(7):35-40

**Kress JP**

Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):33-9

**Krupinski JA**

Assessing patient satisfaction on a general medicine service: utility of an on-site survey, 8(7):21-5

**Lein C**

Evidence-based patient-centered interviewing, 8(7):28-34

**Lewis BE**

Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41-5

**Lewis TC**

Improving physician adherence to asthma guidelines, 8(3):35-46

**Lipsky BA**

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25-32

**Litwin MS**

Development and use of a validated outcome measure for chronic prostatitis, 8(1):30-7

Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17-22

**Lodewick M**

Chronic urticaria: diagnostic and therapeutic challenges, 8(10):53-9

**Lozada CJ**

Medical management of osteoarthritis, 8(2):51-9

**Lyles JS**

Evidence-based patient-centered interviewing, 8(7):28-34

**Markham MA**

Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31-5

**Markowitz JS**

A tool for appropriate antibiotic use in the management of community-acquired pneumonia, 8(5):37-44

**McCleave SH**

How to respond to a formal patient complaint, 8(10):35-42

**McInerney MJ**

Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31-5

**McQueen L**

QUERI: translating research findings into improved patient care, 8(1):27-9

**Medina CE**

Assessing patient satisfaction on a general medicine service: utility of an on-site survey, 8(7):21-5

**Mills CS**

Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41-5

**Misischia RJ**

Use of biological agents in the treatment of rheumatoid arthritis, 8(12):54-60

**Mohs RC**

Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41-5

**Molloy DW**

Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26-31

**Moore AA**

Assessment of the geriatric patient: a practical approach, 8(7):35-40

**Moreland LW**

Use of biological agents in the treatment of rheumatoid arthritis, 8(12):54-60

**Murff HJ**

Excluding pulmonary embolism without diagnostic imaging, 8(10):11-2 *abs/comm*

Hospital performance improvement efforts: what works? 8(9):10-1 *abs/comm*  
Sumatriptan for patients with migraine: a cost-effectiveness analysis, 8(12):22-3 *abs/comm*

**Myers ER**

Selecting a cervical cytology screening test—what are the issues? 8(3):29-32

**Nanda K**

Selecting a cervical cytology screening test—what are the issues? 8(3):29-32

**Nehra A**

A project to improve influenza vaccination rates, 8(5):36 *le*

**Ng PK**

The changing use of peripherally inserted central catheters: a review of 5000 insertions at a single hospital, 8(9):17-23

**Nickel JC**

Development and use of a validated outcome measure for chronic prostatitis, 8(1):30-7

**Owen WF Jr**

Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34-40

**Persell SD**

Computerized physician order entry: is additional time required? 8(9):9-10 *abs/comm*

Improving heart failure outcomes through specialist nurse intervention, 8(12):19-20 *abs/comm*

Prenatal house calls for high-risk pregnancies? 8(10):21-2

**Peters KM**

A 38-year-old woman with urinary frequency, urgency, and pelvic pain, 8(7):42-5, 47-51

**Peterson JF**

Impact of guidelines for peptic ulcer disease management, 8(12):15,19 *abs/comm*

**Plorde JJ**

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25-32

**Pohlman AS**

Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):33-9

**Polsky D**

Is the nurse responsible for resource use in home health care? 8(12):29-35

**Poon E**

Exercise programs prevent disability in elderly patients with knee osteoarthritis, 8(12):12,15 *abs/comm*

**Quallich LG**

Management of acetaminophen hepatotoxicity: a survey of practicing physicians, 8(6):25-32

**Resar RK**

Medication safety: one organization's approach to the challenge, 8(10):27-34

## Rice EA

A 35-year-old woman with somatic complaints, 8(9):49–59

## Rich MW

Does multidisciplinary management of chronic heart failure improve clinical outcomes? 8(2):41–9

## Rosenson RS

Managing the hypercholesterolemic patient: when statins are not enough, 8(8):47–55

## Rozich JD

Medication safety: one organization's approach to the challenge, 8(10):27–34

## Russo R

Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

## Sabol J

A disease management program utilizing "life coaches" for children with asthma, 8(6):38–42

## Saigal C

Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

## Saint S

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

## Scalzi CC

Is the nurse responsible for resource use in home health care? 8(12):29–35

## Schwartz S

Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9

## Shehab TM

Management of acetaminophen hepatotoxicity: a survey of practicing physicians, 8(6):25–32

## Silverman DC

The care path not taken: the paradox of underused proven treatments, 8(12):39–51

## Smith RC

Evidence-based patient-centered interviewing, 8(7):28–34

## Spyropoulos AC

The Lovelace outpatient treatment program, 8(12):64–8 p

## Stiller A

Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

## Sullivan KP

An active and cost-conserving approach to the management of low back pain, 8(1):38–47

## Sutton PR

Chronic stable angina: diagnosis and risk stratification, 8(5):37–44

Chronic stable angina: treatment and follow-up, 8(6):52–67

## Szczech LA

Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34–40

## Tapson VF

Outpatient management of acute deep venous thrombosis, 8(12):62–71

## Tilles SA

Chronic urticaria: diagnostic and therapeutic challenges, 8(10):53–9

## Tonneau B

Are critical pathways effective in shortening hospital stay? 8(4):12–3 *abs/comm*

Can pravastatin reduce risk of diabetes? 8(3):14–5 *abs/comm*

Can statins reduce risk of dementia? 8(1):13–4 *abs/comm*

Cardiovascular benefits of a low-fat diet: evidence still inconclusive, 8(5):22–3 *abs/comm*

Cardiovascular events in diabetic women who exercise, 8(3):15, 18 *abs/comm*

Coated aspirin does not confer benefit, 8(5):16, 21 *abs/comm*

Congestive heart failure disease management, 8(12):23–4 *abs/comm*

Cost-utility of depression screening, 8(4):11–2 *abs/comm*

Effect of thiazolidinediones on glycemia, 8(6):11, 15 *abs/comm*

Epoetin alfa reduces need for transfusions in hip arthroplasty, 8(1):16–7 *abs/comm*

Home blood pressure monitoring: does it improve control? 8(7):11–2 *abs/comm*

Immunomodulating therapy for heart failure, 8(3):12–3 *abs/comm*

Low-salt diet controls hypertension in older patients, 8(5):14–6 *abs/comm*

Neuraxial blockade reduces postoperative complications, 8(2):11, 15 *abs/comm*

New treatment options for diabetic patients with hypertension and microalbuminuria, 8(2):15, 19 *abs/comm*

Providing individualized feedback to physicians to improve clinical efficiency, 8(9):11–2 *abs/comm*

Tube feeding does not improve survival in patients with dementia, 8(4):17–8 *abs/comm*

Two shakes and a sensible dinner, 8(8):14–6 *abs/comm*

Visiting nurses may cost-effectively reduce falls in the elderly, 8(10):12,14

Zanamivir reduces respiratory complications in patients with influenza, 8(1):15–6 *abs/comm*

## Traber KB

Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9

## Tselis AC

Treatment of multiple sclerosis, 8(4):47–54

## Walter J

Chronic urticaria: diagnostic and therapeutic challenges, 8(10):53–9

## Westfall L

Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22

## Wilson CJ

Tai chi for the prevention of fractures in a nursing home population: an economic analysis, 8(3):19–27

## Yetman RJ

Preventing misuse errors in health care organizations, 8(8):29–33

The care path not taken: the paradox of underused proven treatments, 8(12):39–51

## Yunus MB

Fibromyalgia syndrome: diagnosis and management, 8(4):55–67

## Zemencuk JK

The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

## Zimbardo KS

A disease management program utilizing "life coaches" for children with asthma, 8(6):38–42