

Key to abbreviations: *abs/comm* = abstract with commentary.

SUBJECTS

Acute coronary syndrome

Management of patients with acute coronary syndrome without persistent ST elevation, 9(5):279–91

Alcohol

Alcohol consumption and coronary heart disease: what do the lessons of hormone replacement therapy teach us?, 9(12): 691–5

Reducing benzodiazepine use for alcohol withdrawal: symptom-triggered compared with fixed-schedule therapy, 9(7): 362–3 *abs/comm*

Alcoholic cardiomyopathy

Controlled drinking in alcoholic cardiomyopathy: what is the prognosis?, 9(3): 121–2 *abs/comm*

Aldosteronism

Secondary hypertension: diagnosis and management of an adrenal adenoma, 9(9):525–31

Amphotericin B

A meta-analysis of fluconazole versus amphotericin B for treatment of invasive *Candida* infections, 9(4):191–6

Anastrozole

Is anastrozole better than tamoxifen as adjuvant therapy for early breast cancer in postmenopausal women?, 9(8):430, 432 *abs/comm*

Angioplasty

Carotid angioplasty and stenting versus endarterectomy: larger trials needed, 9(1):13–4 *abs/comm*

Ankle-brachial index

Ankle-brachial index identifies impaired lower extremity function in peripheral vascular disease, 9(8):432–3 *abs/comm*

Antibiotics

Reducing inappropriate antibiotic use for the common cold, 9(6):307–9 *abs/comm*

Anticoagulation

Extended prophylaxis with low-molecular-weight heparin versus oral anticoagulation following hip replacement, 9(12): 658–9 *abs/comm*

Is anticoagulation in patients with cancer safer using low-molecular-weight heparin?, 9(10):545–6 *abs/comm*

Oral anticoagulation, aspirin, or both in coronary disease?, 9(10):547, 550 *abs/comm*

Patient-managed anticoagulation: effective but more costly?, 9(12):655–6 *abs/comm*

Use of six sigma to improve the safety and efficacy of acute anticoagulation with heparin, 9(8):445–53

Antipsychotics

Prevention and reversal of weight gain associated with antipsychotic treatment, 9(10):575–82

Arteritis

Giant cell arteritis: diagnosis and management, 9(2):100–7

Aspirin

Oral anticoagulation, aspirin, or both in coronary disease?, 9(10):547, 550 *abs/comm*

Asthma

Evidence-based assessment of educational interventions: the importance of the control group, 9(9):483–4 *abs/comm*

Improving care for children with asthma in 2 Medicaid health plans, 9(10):557–63

Atenolol

Benefits of losartan over atenolol for hypertension in high-risk patients, 9(5): 243, 246 *abs/comm*

Atrial fibrillation

Management of atrial fibrillation, 9(11): 631–48

Blood pressure measurement

Physician-measured blood pressures are significantly higher than ambulatory blood pressures, 9(9):484–5 *abs/comm*

Cancer, breast

Evaluating suspected breast cancer at a one-stop clinic: is this a better model?, 9(7):365–6 *abs/comm*

Is anastrozole better than tamoxifen as adjuvant therapy for early breast cancer in postmenopausal women?, 9(8):430, 432 *abs/comm*

Mammography screening in women 40–49 years: more data to fuel debate, 9(10):542, 544 *abs/comm*

Quality of life in breast cancer survivors, 9(3):123,126 *abs/comm*

Cancer, colorectal

Improving colon cancer survival with surgical technique, 9(9):485, 488–9 *abs/comm*

Strategies to improve colorectal cancer outcomes, 9(5):269–78

Cancer, lung

Helping patients with lung cancer quit smoking, 9(11):609–10 *abs/comm*

Positron emission tomography to improve care for patients with suspected non-small cell lung cancer, 9(6):303–4 *abs/comm*

Screening for lung cancer with low-dose helical computed tomography: are we getting closer?, 9(4):182, 184 *abs/comm*

Cancer, prostate

Lowering the risk of prostate cancer with NSAIDs: moving towards chemoprevention, 9(5):240, 242 *abs/comm*

PSA testing and overdiagnosis: can computers sort this out?, 9(8):433–4 *abs/comm*

Cancer, quality of life assessment

Assessing quality of life in oncology clinical practice: a review of barriers and critical success factors, 9(6):327–32

Candida infection

A meta-analysis of fluconazole versus amphotericin B for treatment of invasive *Candida* infections, 9(4):191–6

Cardiomyopathy

Controlled drinking in alcoholic cardiomyopathy: what is the prognosis?, 9(3): 121–2 *abs/comm*

Cardiovascular disease

Cholesterol lowering for primary prevention of cardiovascular events in older adults, 9(8):427–8 *abs/comm*

Do major teaching hospitals provide better care to patients with cardiovascular disease?, 9(5):236, 239 *abs/comm*

Risk factors for heart disease among women: communicating probabilities of disease, 9(6):333–40

Carotid stenosis

Carotid angioplasty and stenting versus endarterectomy: larger trials needed, 9(1):13–4 *abs/comm*

Celiac disease

Celiac disease: diagnosis and management, 9(6):341–9

Cholecystitis

Diagnosis and management of gallstone disease, 9(10):583–91

Coenzyme Q₁₀

Coenzyme Q₁₀ in early Parkinson's disease, 9(12):659, 662 *abs/comm*

Cognitive behavioral therapy

Should primary care doctors be taught cognitive behavioral therapy to treat depression?, 9(6):304, 306 *abs/comm*

Colectomy

Improving colon cancer survival with surgical technique, 9(9):485, 488–9 *abs/comm*

Common cold

Reducing inappropriate antibiotic use for the common cold, 9(6):307–9 *abs/comm*

Computed tomography

Screening for lung cancer with low-dose helical computed tomography: are we getting closer?, 9(4):182, 184 *abs/comm*

Computers

Connected: communicating and computing in the examination room, 9(11):621–4

The use of computers in population-based diabetes management, 9(7):390–6

Coronary artery disease

Alcohol consumption and coronary heart disease: what do the lessons of hormone replacement therapy teach us?, 9(12):691–5

Oral anticoagulation, aspirin, or both in coronary disease?, 9(10):547, 550 *abs/comm*

Risk factors for heart disease among women: communicating probabilities of disease, 9(6):333–40

Secondary prevention of coronary artery disease: lipid management as a priority for improvement, 9(7):371–80

The metabolic syndrome: an interplay of multiple subtle cardiovascular risk factors, 9(1):41–9

The new NCEP cholesterol guidelines: challenges for measurement and clinical practice, 9(6):319–25

Corticosteroids

Low-dose prednisone for early active rheumatoid arthritis: should you use it?, 9(2):66–7 *abs/comm*

Upper gastrointestinal bleeding in patients taking corticosteroids, 9(1):10–3 *abs/comm*

Counseling, automated

Improving physical activity levels through an automated telephone counseling system, 9(11):605–8 *abs/comm*

COX-2 inhibitors

Selective COX-2 inhibitors: towards defining their appropriate clinical role, 9(5):265–8

Delirium

Rapid assessment of delirium in mechanically ventilated patients, 9(2):61 *abs/comm*

Dementia

Telephonic screening for cognitive impairment: a feasibility study in a managed care clinic, 9(3):129–33

Depression

Should primary care doctors be taught

cognitive behavioral therapy to treat depression?, 9(6):304, 306 *abs/comm*

Diabetes mellitus

A diabetes disease management model in the primary setting, 9(12):683–88

A multifaceted model for implementing clinical practice guidelines across the continuum of care, 9(4):199–206

Benefits and limitations of home glucose monitoring in type 2 diabetes, 9(1):14–5 *abs/comm*

Can stress management improve glycemic control in type 2 diabetes?, 9(4):178, 181 *abs/comm*

Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9

Systematic implementation of customized guidelines: the staged diabetes management approach, 9(2):81–6

The use of computers in population-based diabetes management, 9(7):390–6

Diet

Diet and exercise for dyslipidemia: the challenge of putting guidelines into practice, 9(10):550–1 *abs/comm*

Disease management

A diabetes disease management model in the primary setting, 9(12):683–88

A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Disparities

Collecting data on race and ethnicity in managed care; challenges and suggestions, 9(5):249–56

Dizziness

A clinical approach to dizziness, 9(3):141–5

Domestic violence

Screening for intimate partner violence in the primary care setting: a critical review, 9(10):565–71

Drug prescribing

Is inappropriate drug prescribing associated with increased mortality or functional decline in the elderly?, 9(3):126–7 *abs/comm*

Dyslipidemia

Diet and exercise for dyslipidemia: the challenge of putting guidelines into practice, 9(10):550–1 *abs/comm*

The metabolic syndrome: an interplay of multiple subtle cardiovascular risk factors, 9(1):41–9

Electronic medical record

Connected: communicating and computing in the examination room, 9(11):621–4

Emergency department

Next-day care for patients with non-acute conditions presenting to an emergency department, 9(12):664–5 *abs/comm*

Endarterectomy

Carotid angioplasty and stenting versus endarterectomy: larger trials needed, 9(1):13–4 *abs/comm*

End-stage renal disease

What has outcomes research taught us about evidence-based treatment of end-stage renal disease?, 9(9):509–14

Ethnicity

Collecting data on race and ethnicity in managed care; challenges and suggestions, 9(5):249–56

Exercise

Benefit of exercise in fibromyalgia, 9(11):604–5 *abs/comm*

Diet and exercise for dyslipidemia: the challenge of putting guidelines into practice, 9(10):550–1 *abs/comm*

Home-based exercise program reduces chronic knee pain, 9(11):603–4 *abs/comm*

Improving physical activity levels through an automated telephone counseling system, 9(11):605–8 *abs/comm*

Fibromyalgia

Benefit of exercise in fibromyalgia, 9(11):604–5 *abs/comm*

Fluconazole

A meta-analysis of fluconazole versus amphotericin B for treatment of invasive *Candida* infections, 9(4):191–6

Gallstone disease

Celiac disease: diagnosis and management, 9(6):341–9

Diagnosis and management of gallstone disease, 9(10):583–91

Gastroesophageal reflux disease

A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Gastrointestinal bleeding

Upper gastrointestinal bleeding in patients taking corticosteroids, 9(1):10–3 *abs/comm*

Geriatric primary care

Innovative approaches to improving delivery of primary care to older adults, 9(1):33–9

Giant cell arteritis

Giant cell arteritis: diagnosis and management, 9(2):100–7

Group visits

Innovative approaches to improving

- delivery of primary care to older adults, 9(1):33–9,
- Guidelines**
 A multifaceted model for implementing clinical practice guidelines across the continuum of care, 9(4):199–206
 Impact of a guideline-based quality improvement initiative on acute myocardial infarction care, 9(5):247–8 *abs/comm*
 Overview of recent guidelines for the management of community-acquired pneumonia, 9(7):381–9
 Systematic implementation of customized guidelines: the staged diabetes management approach, 9(2):81–6
- Heart murmur**
 Heart murmur in a child, 9(3):141–5
- Helicobacter pylori**
 Cost-effectiveness of abbreviated regimens for *Helicobacter pylori* eradication in peptic ulcer disease, 9(2):71–8
 Role of *H. pylori* eradication in patients starting NSAID therapy, 9(3):117–8 *abs/comm*
 What is a cost-effective approach to proving *Helicobacter pylori* eradication after antibiotic treatment?, 9(5):242, 243 *abs/comm*
- Heparin**
 Extended prophylaxis with low-molecular-weight heparin versus oral anticoagulation following hip replacement, 9(12):658–9 *abs/comm*
 Is anticoagulation in patients with cancer safer using low-molecular-weight heparin?, 9(10):545–6 *abs/comm*
 Use of six sigma to improve the safety and efficacy of acute anticoagulation with heparin, 9(8):445–53
- Herpes, genital**
 Diagnosing and treating genital herpes infection, 9(12):696–703
- Hip fracture**
 Time to surgery and mortality following hip fracture, 9(9):489–90 *abs/comm*
- Hormone replacement therapy**
 Alcohol consumption and coronary heart disease: what do the lessons of hormone replacement therapy teach us?, 9(12):691–5
 Postmenopausal hormone replacement therapy—where are we now?, 9(9):515–23
- Hospitalists**
 Effect of hospitalists on quality and cost, 9(2):65–6 *abs/comm*
- Hypercholesterolemia**
 Cholesterol lowering for primary prevention of cardiovascular events in older adults, 9(8):427–8 *abs/comm*
 How cost-effective is screening for familial hypercholesterolemia?, 9(7):359 *abs/comm*
 The new NCEP cholesterol guidelines: challenges for measurement and clinical practice, 9(6):319–25
- Hypertension**
 Benefits of losartan over atenolol for hypertension in high-risk patients, 9(5):243, 246 *abs/comm*
 Physician-measured blood pressures are significantly higher than ambulatory blood pressures, 9(9):484–5 *abs/comm*
 Physician undertreatment of hypertension, 9(4):186, 187 *abs/comm*
 Secondary hypertension: diagnosis and management of an adrenal adenoma, 9(9):525–31
- Hypoglycemic agents**
 Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9
- Immunization**
 Influenza vaccination for the elderly: when doing more costs less, 9(2):62, 65 *abs/comm*
 Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5
- Influenza**
 Influenza vaccination for the elderly: when doing more costs less, 9(2):62, 65 *abs/comm*
- Intensive care**
 Rapid assessment of delirium in mechanically ventilated patients, 9(2):61 *abs/comm*
 Utilization management reduces unnecessary testing in the coronary care unit, 9(11):611–2 *abs/comm*
- Irritable bowel syndrome**
 Irritable bowel syndrome: an evidence-based management approach, 9(7):409–18
- Lateral epicondylitis**
 Evidence-based treatment of tennis elbow, 9(4):177–8 *abs/comm*
- Length of stay**
 Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9
- Losartan**
 Benefits of losartan over atenolol for hypertension in high-risk patients, 9(5):243, 246 *abs/comm*
- Malabsorption**
 Celiac disease: diagnosis and management, 9(6):341–9
- Mammography**
 Mammography screening in women 40–49 years: more data to fuel debate, 9(10):542, 544 *abs/comm*
- Manual therapy**
 Manual therapy holds promise for treatment of neck pain, 9(7):363–4 *abs/comm*
- Medicaid**
 Improving care for children with asthma in two Medicaid health plans, 9(10):557–63
- Medication safety**
 Case studies in medication safety improvement, 9(9):501–6
- Menopause**
 Postmenopausal hormone replacement therapy—where are we now?, 9(9):515–23
- Metabolic syndrome**
 The metabolic syndrome: an interplay of multiple subtle cardiovascular risk factors, 9(1):41–9
- Methotrexate**
 Mortality reduction seen with methotrexate for rheumatoid arthritis, 9(6):306–7 *abs/comm*
- Myocardial infarction**
 Impact of a guideline-based quality improvement initiative on acute myocardial infarction care, 9(5):247–8 *abs/comm*
- Myopathy, idiopathic inflammatory**
 Approach to diagnosis and management of an idiopathic inflammatory myopathy, 9(8):455–61
- NSAIDs**
 Lowering the risk of prostate cancer with NSAIDs: moving towards chemoprevention, 9(5):240, 242 *abs/comm*
 Role of *H. pylori* eradication in patients starting NSAID therapy, 9(3):117–8 *abs/comm*
- Osteoarthritis**
 Home-based exercise program reduces chronic knee pain, 9(11):603–4 *abs/comm*
- Osteoporosis**
 Diagnosis and management of postmenopausal osteoporosis, 9(7):397–407
- Pain management**
 First steps in quality improvement: a pilot program for the management of acute sickle cell pain, 9(1):19–26
 Home-based exercise program reduces chronic knee pain, 9(11):603–4 *abs/comm*
 Manual therapy holds promise for treatment of neck pain, 9(7):363–4 *abs/comm*
- Palliative care**
 Care not cure: dialogues at the transition, 9(12):677–81

Parkinson's disease

Coenzyme Q₁₀ in early Parkinson's disease, 9(12):659, 662 *abs/comm*

Patient education

Presenting benefits before risks: does it affect decision making?, 9(10):541-2 *abs/comm*

Patient safety

A program to remove patients from unnecessary contact precautions, 9(10):553-6

Case studies in medication safety improvement, 9(9):501-6

Peptic ulcer disease

A program to improve the management of patients on long-term acid suppression medication, 9(6):312-8

Cost-effectiveness of abbreviated regimens for *Helicobacter pylori* eradication in peptic ulcer disease, 9(2):71-8

Role of H. pylori eradication in patients starting NSAID therapy, 9(3):117-8 *abs/comm*

Peripheral vascular disease

Ankle-brachial index identifies impaired lower extremity function in peripheral vascular disease, 9(8):432-3 *abs/comm*

Physical examination

The annual examination and testing: what the public expects, 9(7):360, 362 *abs/comm*

Physical therapy

Manual therapy holds promise for treatment of neck pain, 9(7):363-4 *abs/comm*

Physician-patient communication

Care not cure: dialogues at the transition, 9(12):677-81

Connected: communicating and computing in the examination room, 9(11):621-4

Strangers in crisis: communication skills for the emergency department clinician and hospitalist, 9(8):439-44

Physician profiling

Physician profiling: methodologic safeguards needed, 9(3):118, 121 *abs/comm*

Pneumonia, community-acquired

Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613-9

Improving patient's experiences with pneumonia care, 9(12):655-6 *abs/comm*

Overview of recent guidelines for the management of community-acquired pneumonia, 9(7):381-9

Pneumonia, nursing home-acquired

Processes of care predict survival following nursing home-acquired pneumonia, 9(5):249-56

Polymyalgia rheumatica

Giant cell arteritis: diagnosis and management, 9(2):100-7

Polymyositis

Approach to diagnosis and management of an idiopathic inflammatory myopathy, 9(8):455-61

Positron emission tomography

Positron emission tomography to improve care for patients with suspected non-small cell lung cancer, 9(6):303-4 *abs/comm*

Pregnancy

Toward improving birth outcomes in Medicaid managed care, 9(3):135-9

Premenstrual syndrome

Recognizing and treating premenstrual dysphoric disorder, 9(2):87-98

Prenatal care

Toward improving birth outcomes in Medicaid managed care, 9(3):135-9

Proteinuria

Proteinuria: harbinger of serious clinical consequence?, 9(11):625-30

Quality of life assessment

Assessing quality of life in oncology clinical practice: a review of barriers and critical success factors, 9(6):327-32

Race

Collecting data on race and ethnicity in managed care: challenges and suggestions, 9(5):249-56

Rheumatoid arthritis

Low-dose prednisone for early active rheumatoid arthritis: should you use it?, 9(2):66-7 *abs/comm*

Mortality reduction seen with methotrexate for rheumatoid arthritis, 9(6):306-7 *abs/comm*

Rhinosinusitis

Management of rhinosinusitis in adults: clinical applications of recent evidence and treatment recommendations, 9(8):455-61

Risk calculators

Risk factors for heart disease among women: communicating probabilities of disease, 9(6):333-40

Satisfaction, physician

Improving physician satisfaction on an academic general medical service, 9(1):27-32

Schizophrenia

Initial presentation of schizophrenia: assessment, management, and long-term outcomes, 9(4):208-16

Screening

PSA testing and overdiagnosis: can computers sort this out?, 9(8):433-4 *abs/comm*

Screening for lung cancer with low-dose helical computed tomography: are we getting closer?, 9(4):182, 184 *abs/comm*

Strategies to improve colorectal cancer outcomes, 9(5):269-78

Telephonic screening for cognitive impairment: a feasibility study in a managed care clinic, 9(3):129-33

Shared decision making

Presenting benefits before risks: does it affect decision making?, 9(10):541-2 *abs/comm*

Sickle cell disease

First steps in quality improvement: a pilot program for the management of acute sickle cell pain, 9(1):19-26

Six sigma

Use of six sigma to improve the safety and efficacy of acute anticoagulation with heparin, 9(8):445-53

Smoking cessation

Computer-tailored smoking cessation program holds promise, 9(1):9-10 *abs/comm*

Helping patients with lung cancer quit smoking, 9(11):609-10 *abs/comm*

Improving the armamentarium for smoking cessation, 9(8):428-9 *abs/comm*

Stool antigen test

What is a cost-effective approach to proving *helicobacter pylori* eradication after antibiotic treatment?, 9(5):242, 243 *abs/comm*

Stress management

Can stress management improve glycemic control in type 2 diabetes?, 9(4):178, 181 *abs/comm*

Stroke

Beliefs regarding the effectiveness of stroke prevention practices: differences among provider specialties, 9(12):667-75

Syncope

How often does a standard evaluation of syncope identify an underlying etiology?, 9(4):184-5 *abs/comm*

Tamoxifen

Is anastrozole better than tamoxifen as adjuvant therapy for early breast cancer in postmenopausal women?, 9(8):430, 432 *abs/comm*

Tobacco use

Computer-tailored smoking cessation program holds promise, 9(1):9-10 *abs/comm*

Helping patients with lung cancer quit smoking, 9(11):609-10 *abs/comm*

Improving the armamentarium for smoking cessation, 9(8):428–9 *abs/comm*

Upper respiratory infections

Reducing inappropriate antibiotic use for the common cold, 9(6):307–9 *abs/comm*

Urinary tract infections

Management decisions regarding urinary tract infections in ambulatory women, 9(4):217–27

AUTHORS

Ahl E

Improving care for children with asthma in 2 Medicaid health plans, 9(10):557–63

Ansell BJ

The metabolic syndrome: an interplay of multiple subtle cardiovascular risk factors, 9(1):41–9

Artymowicz RJ

Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Baker LH

Connected: communicating and computing in the examination room, 9(11):621–4

Bardon CG

A program to remove patients from unnecessary contact precautions, 9(10):553–6

Barta PJ

Improving care for children with asthma in 2 Medicaid health plans, 9(10):557–63

Bastian LA

Risk factors for heart disease among women: communicating probabilities of disease, 9(6):333–40

Batra P

Recognizing and treating premenstrual dysphoric disorder, 9(2):87–98

Beaulieu JE

Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Benjamin EM

Systematic implementation of customized guidelines: the staged diabetes management approach, 9(2):81–6

Benton RP

A multifaceted model for implementing clinical practice guidelines across the continuum of care, 9(4):199–206

Berland D

First steps in quality improvement: a pilot program for the management of acute sickle cell pain, 9(1):19–26

Utilization management

Utilization management reduces unnecessary testing in the coronary care unit, 9(11):611–2 *abs/comm*

Vertigo

A clinical approach to dizziness, 9(3):141–5

Violence

Screening for intimate partner violence in the primary care setting: a critical review, 9(10):565–71

Biswas MS

Risk factors for heart disease among women: communicating probabilities of disease, 9(6):333–40

Blak BT

Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9

Botteman MF

Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9

Bradley R

Systematic implementation of customized guidelines: the staged diabetes management approach, 9(2):81–6

Brown M

Improving physician satisfaction on an academic general medical service, 9(1):27–32

Brown PD

Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Bub S

A diabetes disease management model in the primary care setting, 9(12):683–88

Campbell RK

Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9

Carlson MJ

Improving care for children with asthma in 2 Medicaid health plans, 9(10):557–63

Cash BD

Irritable bowel syndrome: an evidence-based management approach, 9(7):409–18

Cella D

Assessing quality of life in oncology clinical practice: a review of barriers and critical success factors, 9(6):327–32

Chey WD

Irritable bowel syndrome: an evidence-based management approach, 9(7):409–18

Christakis DA

A meta-analysis of fluconazole versus

Warfarin

Is anticoagulation in patients with cancer safer using low-molecular-weight heparin?, 9(10):545–6 *abs/comm*

Weight gain

Prevention and reversal of weight gain associated with antipsychotic treatment, 9(10):575–82

amphotericin B for treatment of invasive Candida infections, 9(4):191–6

Chuang CH

Screening for intimate partner violence in the primary care setting: a critical review, 9(10):565–71

Clarke BL

Diagnosis and management of postmenopausal osteoporosis, 9(7):397–407

Coblyn JS

Selective COX-2 inhibitors: towards defining their appropriate clinical role, 9(5):265–8

Cohen DL

Secondary hypertension: diagnosis and management of an adrenal adenoma, 9(9):525–31

Coleman EA

Innovative approaches to improving delivery of primary care to older adults, 9(1):33–9

Coletti L

Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5

Danford DA

Heart murmur in a child, 9(3):141–5

Datta SK

Cost-effectiveness of abbreviated regimens for Helicobacter pylori eradication in peptic ulcer disease, 9(2):71–8

Davis K

Assessing quality of life in oncology clinical practice: a review of barriers and critical success factors, 9(6):327–32

Day D

Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Derose SF

A multifaceted model for implementing clinical practice guidelines across the continuum of care, 9(4):199–206

Dolor RJ

Management of rhinosinusitis in adults: clinical applications of recent evidence and treatment recommendations, 9(8):455–61

Doyle AM

Proteinuria: harbinger of serious clinical consequence?, 9(11):625–30

Dzau V

Improving physician satisfaction on an academic general medical service, 9(1):27–32

Ecord M

Processes of care predict survival following nursing home–acquired pneumonia, 9(5):249–56

Edell L

Use of six sigma to improve the safety and efficacy of acute anticoagulation with heparin, 9(8):445–53

Edelman C

Approach to diagnosis and management of an idiopathic inflammatory myopathy, 9(8):455–61

Farber MS

Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Farbstein K

Case studies in medication safety improvement, 9(9):501–6

Fazio SB

Alcohol consumption and coronary heart disease: what do the lessons of hormone replacement therapy teach us?, 9(12):691–5

Fekete T

Management decisions regarding urinary tract infections in ambulatory women, 9(4):217–27

Ferris TG

A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Flaws JA

Postmenopausal hormone replacement therapy—where are we now?, 9(9):515–23

Frederickson EB

Processes of care predict survival following nursing home–acquired pneumonia, 9(5):249–56

Garrison MM

A meta-analysis of fluconazole versus amphotericin B for treatment of invasive *Candida* infections, 9(4):191–6

Gill S

Strategies to improve colorectal cancer outcomes, 9(5):269–78

Gold KF

Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9

Goldberg RM

Strategies to improve colorectal cancer outcomes, 9(5):269–78

Goldman MP

Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Goldstein MG

Strangers in crisis: communication skills for the emergency department clinician and hospitalist, 9(8):439–44

Goldszer RC

A program to remove patients from unnecessary contact precautions, 9(10):553–6
Improving physician satisfaction on an academic general medical service, 9(1):27–32

Gordon GH

Care not cure: dialogues at the transition, 9(12):677–81

Grant RW

The use of computers in population-based diabetes management, 9(7):390–6

Greenberg PD

A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Haefemeyer JW

Telephonic screening for cognitive impairment: a feasibility study in a managed care clinic, 9(3):129–33

Harper DM

Recognizing and treating premenstrual dysphoric disorder, 9(2):87–98

Hennen N

Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5

Hoffman W

Collecting data on race and ethnicity in managed care; challenges and suggestions, 9(5):249–56

Hogan J

A program to remove patients from unnecessary contact precautions, 9(10):553–6

Hollander H

Toward improving birth outcomes in Medicaid managed care, 9(3):135–9

Horner RD

Beliefs regarding the effectiveness of stroke prevention practices: differences among provider specialties, 9(12):667–75

Hurwitz S

Improving physician satisfaction on an academic general medical service, 9(1):27–32

Husni ME

Selective COX-2 inhibitors: towards defining their appropriate clinical role, 9(5):265–8

Hutt E

Processes of care predict survival following nursing home–acquired pneumonia, 9(5):249–56

Hyatt JD

A multifaceted model for implementing clinical practice guidelines across the continuum of care, 9(4):199–206

Jacobson BC

A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Johnson M

Collecting data on race and ethnicity in managed care; challenges and suggestions, 9(5):249–56

Johnson PA

A program to remove patients from unnecessary contact precautions, 9(10):553–6

Johnston DC

Beliefs regarding the effectiveness of stroke prevention practices: differences among provider specialties, 9(12):667–75

Johnston DE

Diagnosis and management of gallstone disease, 9(10):583–91

Kahlert T

A program to remove patients from unnecessary contact precautions, 9(10):553–6

Keller V

Connected: communicating and computing in the examination room, 9(11):621–4
Strangers in crisis: communication skills for the emergency department clinician and hospitalist, 9(8):439–44

Kemmerly S

Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5

Kernan W

Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Knopman DA

Telephonic screening for cognitive impairment: a feasibility study in a managed care clinic, 9(3):129–33

Kooy MV

Use of six sigma to improve the safety and efficacy of acute anticoagulation with heparin, 9(8):445–53

Kramer AM

Processes of care predict survival following nursing home-acquired pneumonia, 9(5):249–56

Krebs W

Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Lankford CSR

Postmenopausal hormone replacement therapy—where are we now?, 9(9):515–23

Lee CE

Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Lee DH

Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5

Lee I

Proteinuria: harbinger of serious clinical consequence?, 9(11):625–30

Lee TH

A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Lewis JS

Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Liebschutz JM

Screening for intimate partner violence in the primary care setting: a critical review, 9(10):565–71

Loftus CG

Celiac disease: diagnosis and management, 9(6):341–9

Lubowski TJ

Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9

Maclean JR

Collecting data on race and ethnicity in managed care; challenges and suggestions, 9(5):249–56

Marr KA

A meta-analysis of fluconazole versus amphotericin B for treatment of invasive *Candida* infections, 9(4):191–6

Masaschi NL

Improving physician satisfaction on an academic general medical service, 9(1):27–32

Matchar DB

Cost-effectiveness of abbreviated regimens for *Helicobacter pylori* eradication in peptic ulcer disease, 9(2):71–8

Mawji Z

A diabetes disease management model in the primary care setting, 9(12):683–88

Meigs JB

The use of computers in population-based diabetes management, 9(7):390–6

Merkle LN

A diabetes disease management model in the primary care setting, 9(12):683–88

Mintz M

The new NCEP cholesterol guidelines: challenges for measurement and clinical practice, 9(6):319–25

Montanez A

First steps in quality improvement: a pilot program for the management of acute sickle cell pain, 9(1):19–26

Mukamal KJ

Alcohol consumption and coronary heart disease: what do the lessons of hormone replacement therapy teach us?, 9(12):691–5

Murff HJ

Benefits and limitations of home glucose monitoring in type 2 diabetes, 9(1):14–5 *abs/comm*

Coenzyme Q₁₀ in early Parkinson's disease, 9(12):659, 662 *abs/comm*

Diet and exercise for dyslipidemia: the challenge of putting guidelines into practice, 9(10):550–1 *abs/comm*

Effect of hospitalists on quality and cost, 9(2):65–6 *abs/comm*

Evidence-based assessment of educational interventions: the importance of the control group, 9(9):483–4 *abs/comm*

Evidence-based treatment of tennis elbow, 9(4):177–8 *abs/comm*

Impact of a guideline-based quality improvement initiative on acute myocardial infarction care, 9(5):247–8 *abs/comm*

Improving physical activity levels through an automated telephone counseling system, 9(11):605, 608 *abs/comm*

Improving the armamentarium for smoking cessation, 9(8):428–9 *abs/comm*

Physician profiling: methodologic safeguards needed, 9(3):118, 121 *abs/comm*

Reducing benzodiazepine use for alcohol withdrawal: symptom-triggered compared with fixed-schedule therapy, 9(7):362–3 *abs/comm*

Reducing inappropriate antibiotic use for the common cold, 9(6):307–9 *abs/comm*

Murray JA

Celiac disease: diagnosis and management, 9(6):341–9

Nazareth I

A clinical approach to dizziness, 9(3):141–5

Noordsy D

Initial presentation of schizophrenia: assessment, management, and long-term outcomes, 9(4):208–16

Prevention and reversal of weight gain associated with antipsychotic treatment, 9(10):575–82

Oddone EZ

Beliefs regarding the effectiveness of stroke prevention practices: differences among provider specialties, 9(12):667–75

O'Keefe C

Prevention and reversal of weight gain associated with antipsychotic treatment, 9(10):575–82

Pashos CL

Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9

Patel MR

Management of patients with acute coronary syndrome without persistent ST elevation, 9(5):279–91

Pawilson LG

The new NCEP cholesterol guidelines: challenges for measurement and clinical practice, 9(6):319–25

Payonk C

A diabetes disease management model in the primary care setting, 9(12):683–88

Persell SD

Benefit of exercise in fibromyalgia, 9(11):604–5 *abs/comm*

Benefits of losartan over atenolol for hypertension in high-risk patients, 9(5):243, 246 *abs/comm*

Carotid angioplasty and stenting versus endarterectomy: larger trials needed, 9(1):13–4 *abs/comm*

Cholesterol lowering for primary prevention of cardiovascular events in older adults, 9(8):427–8 *abs/comm*

Extended prophylaxis with low-molecular-weight heparin versus oral anticoagulation following hip replacement, 9(12):658–9 *abs/comm*

Influenza vaccination for the elderly: when doing more costs less, 9(2):62, 65 *abs/comm*

Mortality reduction seen with methotrexate for rheumatoid arthritis, 9(6):306–7 *abs/comm*

Oral anticoagulation, aspirin, or both in coronary disease?, 9(10):547, 550

Physician undertreatment of hypertension, 9(4):186, 187 *abs/comm*

Role of *H. pylori* eradication in patients starting NSAID therapy, 9(3):117–8 *abs/comm*

The annual examination and testing: what the public expects, 9(7):360, 362 *abs/comm*

Time to surgery and mortality following hip fracture, 9(9):489–90 *abs/comm*

Peterson ED
Management of patients with acute coronary syndrome without persistent ST elevation, 9(5):279–91

Peterson JF
Ankle-brachial index identifies impaired lower extremity function in peripheral vascular disease, 9(8):432–3 *abs/comm*

Home-based exercise program reduces chronic knee pain, 9(11):603–4 *abs/comm*

How cost-effective is screening for familial hypercholesterolemia?, 9(7):359 *abs/comm*

How often does a standard evaluation of syncope identify an underlying etiology?, 9(4):184–5 *abs/comm*

Is inappropriate drug prescribing associated with increased mortality or functional decline in the elderly?, 9(3):126–7 *abs/comm*

Mammography screening in women 40–49 years: more data to fuel debate, 9(10):542, 544 *abs/comm*

Next-day care for patients with non-acute conditions presenting to an emergency department, 9(12):664–5 *abs/comm*

Physician-measured blood pressures are significantly higher than ambulatory blood pressures, 9(9):484–5 *abs/comm*

Rapid assessment of delirium in mechanically ventilated patients, 9(2):61 *abs/comm*

Should primary care doctors be taught cognitive behavioral therapy to treat depression?, 9(6):304, 306 *abs/comm*

Upper gastrointestinal bleeding in patients taking corticosteroids, 9(1):10–3 *abs/comm*

What is a cost-effective approach to proving *Helicobacter pylori* eradication after antibiotic treatment?, 9(5):242, 243 *abs/comm*

Poon E
Can stress management improve glycemic control in type 2 diabetes?, 9(4):178, 181 *abs/comm*

Computer-tailored smoking cessation program holds promise, 9(1):9–10 *abs/comm*

Controlled drinking in alcoholic cardiomyopathy: what is the prognosis?, 9(3):121–2 *abs/comm*

Do major teaching hospitals provide better care to patients with cardiovascular disease?, 9(5):236, 239 *abs/comm*

Improving patient's experiences with pneumonia care, 9(12):655–6 *abs/comm*

Is anastrozole better than tamoxifen as adjuvant therapy for early breast cancer in postmenopausal women?, 9(8):430, 432 *abs/comm*

Low-dose prednisone for early active rheumatoid arthritis: should you use it?, 9(2):66–7 *abs/comm*

Manual therapy holds promise for treatment of neck pain, 9(7):363–4 *abs/comm*

Presenting benefits before risks: does it affect decision making?, 9(10):541–2 *abs/comm*

Utilization management reduces unnecessary testing in the coronary care unit, 9(11):611–2 *abs/comm*

Qureshi J
Giant cell arteritis: diagnosis and management, 9(2):100–7

Ravikrishnan KP
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–

Rein MF
Diagnosing and treating genital herpes infection, 9(12):696–703

Renner PM
The new NCEP cholesterol guidelines: challenges for measurement and clinical practice, 9(6):319–25

Rhew DC
Overview of recent guidelines for the management of community-acquired pneumonia, 9(7):381–9

Roe MT
Management of patients with acute coronary syndrome without persistent ST elevation, 9(5):279–91

Rogers RL
Collecting data on race and ethnicity in managed care: challenges and suggestions, 9(5):249–56

Ruddy F
Rapid implementation of a pneumococcal

vaccine program in a multispecialty teaching hospital, 9(3):141–5

Runkle C
Strangers in crisis: communication skills for the emergency department clinician and hospitalist, 9(8):439–44

Rush WK
Initial presentation of schizophrenia: assessment, management, and long-term outcomes, 9(4):208–16

Scheckner HM
Use of six sigma to improve the safety and efficacy of acute anticoagulation with heparin, 9(8):445–53

Schnipper JL
Secondary prevention of coronary artery disease: lipid management as a priority for improvement, 9(7):371–80

Shadick N
A program to remove patients from unnecessary contact precautions, 9(10):553–6

Shaffer DN
Cost-effectiveness of abbreviated regimens for *Helicobacter pylori* eradication in peptic ulcer disease, 9(2):71–8

Shea TL
A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8

Simonson D
Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5

Solomon DH
Selective COX-2 inhibitors: towards defining their appropriate clinical role, 9(5):265–8

Spigel DR
Evaluating suspected breast cancer at a one-stop clinic: is this a better model?, 9(7):365–6 *abs/comm*

Helping patients with lung cancer quit smoking, 9(11):609–10 *abs/comm*

Improving colon cancer survival with surgical technique, 9(9):485, 488–9 *abs/comm*

Is anticoagulation in patients with cancer safer using low-molecular-weight heparin?, 9(10):545–6 *abs/comm*

Lowering the risk of prostate cancer with NSAIDs: moving towards chemoprevention, 9(5):240, 242 *abs/comm*

Positron emission tomography to improve care for patients with suspected non-small cell lung cancer, 9(6):303–4 *abs/comm*

PSA testing and overdiagnosis: can computers sort this out?, 9(8):433–4 *abs/comm*

- Quality of life in breast cancer survivors, 9(3):123,126 *abs/comm*
- Screening for lung cancer with low-dose helical computed tomography: are we getting closer?, 9(4):182, 184 *abs/comm*
- Stafford RS**
Secondary prevention of coronary artery disease: lipid management as a priority for improvement, 9(7):371–80
- Stankaitis JA**
Toward improving birth outcomes in Medicaid managed care, 9(3):135–9
- Stechuchak K**
Beliefs regarding the effectiveness of stroke prevention practices: differences among provider specialties, 9(12):667–75
- Stephens JM**
Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9
- Stern G**
A diabetes disease management model in the primary care setting, 9(12):683–88
- Stillman P**
A diabetes disease management model in the primary care setting, 9(12):683–88
- Sun T**
Rapid implementation of a pneumococcal vaccine program in a multispecialty teaching hospital, 9(3):141–5
- Sutton PR**
Management of atrial fibrillation, 9(11):631–48
- Swavely D**
A diabetes disease management model in the primary care setting, 9(12):683–88
- Szczech LA**
What has outcomes research taught us about evidence-based treatment of end-stage renal disease?, 9(9):509–14
- Tamplin E**
A program to remove patients from unnecessary contact precautions, 9(10):553–6
- Tomic D**
Postmenopausal hormone replacement therapy—where are we now?, 9(9):515–23
- Townsend RR**
Secondary hypertension: diagnosis and management of an adrenal adenoma, 9(9):525–31
- Trowbridge JF**
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9
- von Sternberg T**
Telephonic screening for cognitive impairment: a feasibility study in a managed care clinic, 9(3):129–33
- Walkinshaw CS**
Persistence patterns with oral hypoglycemic agents in type 2 diabetes, 9(9):491–9
- Wang TC**
A program to improve the management of patients on long-term acid suppression medication, 9(6):312–8
- Wasser TE**
A diabetes disease management model in the primary care setting, 9(12):683–88
- Whiteman MK**
Postmenopausal hormone replacement therapy—where are we now?, 9(9):515–23
- Whittemore A**
A program to remove patients from unnecessary contact precautions, 9(10):553–6
- Wilke WS**
Giant cell arteritis: diagnosis and management, 9(2):100–7
- Williams JW**
Management of rhinosinusitis in adults: clinical applications of recent evidence and treatment recommendations, 9(8):455–61
- Winer EP**
Quality of life in breast cancer survivors, 9(3):123,126
- Winshall JS**
Improving physician satisfaction on an academic general medical service, 9(1):27–32
- Yanak F**
Antimicrobial selection and length of hospital stay in patients with community-acquired pneumonia, 9(11):613–9
- Yardley L**
A clinical approach to dizziness, 9(3):141–5
- Yeh J**
Management of atrial fibrillation, 9(11):631–648
- Yokoe DS**
A program to remove patients from unnecessary contact precautions, 9(10):553–6
- Young, M**
A diabetes disease management model in the primary care setting, 9(12):683–88
- Zerr DM**
A meta-analysis of fluconazole versus amphotericin B for treatment of invasive Candida infections, 9(4):191–6