

Key to abbreviations: *abs/comm* = abstract with commentary; *e* = editorial.

SUBJECTS

Abdominal pain

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

Accreditation

Hospital quality of care: the link between accreditation and mortality, 10(9):473–80

Acute myocardial infarction

Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7

Do patients with acute myocardial infarction who arrive via ambulance receive better quality care?, 10(2):64–5 *abs/comm*

Evaluation of the emergency department patient with possible myocardial ischemia, 10(10):547–58

Attention-deficit hyperactivity disorder

Continuity of care is associated with early and consistent treatment of attention-deficit/hyperactivity disorder during a single school year, 10(7):371–5

Alcohol abuse

Adolescent substance use: prevention and management by primary care clinicians, 10(3):166–74

Alendronate

Alendronate to prevent accelerated bone loss after postmenopausal HRT is discontinued, 10(6):305–6 *abs/comm*

Alzheimer's disease

A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

Anorexia

Improving appetite in patients with advanced cancer: putting fish oil to the test, 10(3):129–30 *abs/comm*

Anticoagulation

Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643–5

Antidepressants

Central nervous system active medications and the risk of fracture in older women, 10(6):308, 313 *abs/comm*

The evaluation and management of depression in primary care: an evidence-based review. Part 2: treatment, 10(2):104–18

Appendicitis

Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23

Aspirin

Daily aspirin and prophylaxis against recurrent colorectal adenoma, 10(10):530 *abs/comm*

NSAIDs may block cardioprotective effect of aspirin, 10(11):585, 588 *abs/comm*

Asthma

Industry perspectives: asthma care, 10(6):344 *e*

Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

The 2002 asthma guidelines update: a review of the new recommendations, 10(6):329–35

Atrial fibrillation

Atrial fibrillation prophylaxis after cardiac surgery does not reduce length of stay, 10(5):253–4 *abs/comm*

Bacteremia

Catheter design and bacteremia in patients with cancer, 10(11):584–5 *abs/comm*

Benchmarking

Accepting critically ill patients in transfer: how will it affect common hospital benchmarks?, 10(9):464–5 *abs/comm*

Blood donation

Targeting repeat blood donors can increase supply, 10(6):303–4 *abs/comm*

Blood transfusion

Improved outcomes with perioperative erythropoietin, 10(10):523–4 *abs/comm*

Cancer

Diagnosing cancer in the presence of involuntary weight loss, 10(10):520, 523 *abs/comm*

Following patients with advanced cancer: satisfaction with nurse-led care, 10(1):16–8 *abs/comm*

Cancer, breast

Adopting new breast cancer staging: the impact of stage migration, 10(12):638, 641 *abs/comm*

Screening for cancer in older women: a guide to prudent prevention, 10(9):493–502

Value of short-term follow-up recommendations in mammography, 10(5):250–1 *abs/comm*

Cancer, cervical

Implementing cervical cancer screening in underserved communities, 10(8):405 *abs/comm*

Screening for cancer in older women: a guide to prudent prevention, 10(9):493–502

Cancer, colorectal

Daily aspirin and prophylaxis against recurrent colorectal adenoma, 10(10):530 *abs/comm*

Improving appetite in patients with advanced cancer: putting fish oil to the test, 10(3):129–30 *abs/comm*

Screening for colorectal cancer: analysis of evidence and cost-effectiveness, 10(2):87–94

Screening for colorectal lesions: how well does virtual colonoscopy perform?, 10(9):463–4 *abs/comm*

Surgery and survival in rectal cancer: benefits of high-volume hospitals, 10(7):361, 363 *abs/comm*

Cancer, lung

Following patients with advanced cancer: satisfaction with nurse-led care, 10(1):16–8 *abs/comm*

Screening for lung cancer, 10(12):661–8

Spiral CT with selective PET scanning detects early lung cancers in heavy smokers, 10(10):519–20 *abs/comm*

Capsule endoscopy

A review of capsule endoscopy, 10(5):273–7

Case management

Seniors-at-home: a case management program for frail elders, 10(11):603–7

Catheters

Catheter design and bacteremia in patients with cancer, 10(11):584–5 *abs/comm*

Chest pain

Evaluation of the emergency department patient with possible myocardial ischemia, 10(10):547–58

Chlamydia

New opportunities for an old problem: preventing genital chlamydial infections in U.S. women, 10(8):447–55

Chronic fatigue syndrome

Combination therapy with hydrocortisone and fludrocortisone does not improve symptoms in chronic fatigue syndrome, 10(9):470–1 *abs/comm*

Collaborative improvement

Clinical collaboratives for improving patient care, 10(12):651–6

Community-acquired pneumonia

A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8

Conjunctivitis

Management of conjunctivitis, 10(7):388–94

Continuity of care

The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257–62

COPD

Oral prednisone for outpatient treatment of COPD exacerbations, 10(8):411–2 *abs/comm*

Self-management program reduces hospital utilization in patients with COPD, 10(5):254–5 *abs/comm*

Coronary artery disease

Do skeletal fractures decrease risk for subsequent coronary events in women with heart disease?, 10(11):581–2 *abs/comm*

Folic acid does not reduce cardiovascular events in patients with coronary artery disease, 10(8):410–1 *abs/comm*

Pravastatin's efficacy in the elderly at high risk for vascular disease, 10(1):14–5 *abs/comm*

Rethinking the role of conventional diet therapy for coronary artery disease, 10(1):10–1 *abs/comm*

Treating diabetic dyslipidemia with gemfibrozil for secondary prevention of coronary heart disease, 10(2):68–9 *abs/comm*

Coronary artery bypass graft

Depression is a predictor of mortality after coronary artery bypass surgery, 10(10):526–7 *abs/comm*

Impact of public dissemination of coronary artery bypass graft outcomes on surgical mortality, 10(11):577–8 *abs/comm*

Crohn's disease

Crohn's disease: an evidence-based approach to medical management, 10(5):279–89

Data collection

Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159–65

Dementia

A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

Depression

Depression is a predictor of mortality after coronary artery bypass surgery, 10(10):526–7 *abs/comm*

Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

The evaluation and management of depression in primary care: an evidence-based review. Part 1: epidemiology and clinical assessment, 10(2):95–103

The evaluation and management of depression in primary care: an evidence-based review. Part 2: treatment, 10(2):104–19

Diabetes

Development and implementation of a hospital pathway for patients with diabetic foot lesions, 10(5):267–72

Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541–6

Morning insulin glargine is better than bedtime insulin glargine or bedtime NPH insulin in combination with

glimpiride, 10(8):406–7 *abs/comm*

Treating diabetic dyslipidemia with gemfibrozil for secondary prevention of coronary heart disease, 10(2):68–9 *abs/comm*

What is the role of self-monitoring of blood glucose in non-insulin-treated diabetes?, 10(1):7, 10 *abs/comm*

Diet

Rethinking the role of conventional diet therapy for coronary artery disease, 10(1):10–1 *abs/comm*

Disease management

Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

Dyslipidemia

Cholesterol management in a population of managed care enrollees, 10(3):147–54

Industry perspectives: cholesterol management, 10(3):176 *e*

No improvement in nationwide cholesterol levels during the 1990s, 10(7):353–4 *abs/comm*

Real-life results of statin therapy fall short, 10(3):132 *abs/comm*

Treating diabetic dyslipidemia with gemfibrozil for secondary prevention of coronary heart disease, 10(2):68–9 *abs/comm*

Diuretics

Thiazide diuretics are associated with lower risk of hip fractures, 10(11):578, 581 *abs/comm*

Dyspepsia

Managing dyspepsia: is the test-and-treat strategy effective in primary care?, 10(12):634–5 *abs/comm*

Echinacea

Echinacea is not effective for treatment of the common cold, 10(3):128–9 *abs/comm*

Electronic medical record

Industry perspectives: electronic medical records, 10(7):396 *e*

Using the EMR as a decision support tool to improve quality, 10(7):383–7

Emergency medical services

Do patients with acute myocardial infarction who arrive via ambulance receive better quality care?, 10(2):64–5 *abs/comm*

Erythropoietin

Improved outcomes with perioperative erythropoietin, 10(10):523–4 *abs/comm*

Exercise

Counseling to increase exercise: getting patients to prompt physicians, 10(6):304–5 *abs/comm*

Fibromyalgia

Tramadol and acetaminophen combination tablets: a new therapeutic choice for fibromyalgia pain?, 10(7):358, 360 *abs/comm*

Folic acid

Folic acid does not reduce cardiovascular events in patients with coronary artery disease, 10(8):410–1 *abs/comm*

Fracture

Are physicians compliant with clinical practice guidelines for osteoporosis in older adults with prior fracture?, 10(12):636–7 *abs/comm*

Central nervous system active medications and the risk of fracture in older women, 10(6):308, 313 *abs/comm*

Do skeletal fractures decrease risk for subsequent coronary events in women with heart disease?, 10(11):581–2 *abs/comm*

Thiazide diuretics are associated with lower risk of hip fractures, 10(11):578, 581 *abs/comm*

Frailty

Quality of care in the vulnerable elderly, 10(12):635–6 *abs/comm*

Seniors-at-home: a case management program for frail elders, 10(11):603–7

Gastroesophageal reflux disease

Laparoscopic fundoplication for reflux disease: gap between efficacy and effectiveness, 10(3):127–8 *abs/comm*

Resource use and expenditures associated with medical therapy for gastroesophageal reflux disease in Ohio Medicaid beneficiaries, 10(2):73–8

Gout

Diagnosis and management of gout, 10(6):336–42

Guidelines

Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7

Are physicians compliant with clinical practice guidelines for osteoporosis in older adults with prior fracture?, 10(12):636–7 *abs/comm*

Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531–4

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

The 2002 asthma guidelines update: a review of the new recommendations, 10(6):329–35

Using the EMR as a decision support tool to improve quality, 10(7):383–7

Headache

Chronic daily headache: classification, diagnosis, and management, 10(11):608–15

Helicobacter pylori

Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

Herbal therapy

Echinacea is not effective for treatment of the common cold, 10(3):128–9 *abs/comm*

HIV

Early detection and management of HIV infection, 10(9):503–10

Hormone replacement therapy

Alendronate to prevent accelerated bone loss after postmenopausal HRT is discontinued, 10(6):305–6 *abs/comm*

Effect of hormone replacement on cognitive function in postmenopausal women, 10(2):63–4 *abs/comm*

Hospital discharge

Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257–62

Hospitalist

Effect of experienced hospitalist care on mortality, cost, and length of stay, 10(1):15–6 *abs/comm*

Hospital volume

Surgery and survival in rectal cancer: benefits of high-volume hospitals, 10(7):361, 363 *abs/comm*

Hypertension

Renal artery stenosis in the hypertensive patient, 10(11):617–22

Systolic hypertension in older patients, 10(1):47–55

Hypercholesterolemia

Cholesterol management in a population of managed care enrollees, 10(3):147–54

Industry perspectives

Industry perspectives: cholesterol management, 10(3):176 *e*

Industry perspectives: asthma care, 10(6):344 *e*

Industry perspectives: electronic medical records, 10(7):396 *e*

Inflammatory bowel disease

Crohn's disease: an evidence-based approach to medical management, 10(5):279–89

Influenza

Neuraminidase inhibitors are effective for treatment and prevention of influenza, 10(7):360–1 *abs/comm*

Physician perceptions about the flu: a survey of U.S. primary care providers, 10(3):139–44

Informed consent

Beyond informed consent: the shared decision making process, 10(6):323–8

Insulin therapy

Morning insulin glargine is better than bedtime insulin glargine or bedtime NPH insulin in combination with glimepiride, 10(8):406–7 *abs/comm*

Intensive care unit

Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

Internet

How does health information on the internet affect the patient-doctor relationship?, 10(9):465–6 *abs/comm*

Laparoscopy

Laparoscopic fundoplication for reflux disease: gap between efficacy and effectiveness, 10(3):127–8 *abs/comm*

Leapfrog Group

Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

Length of stay

Atrial fibrillation prophylaxis after cardiac surgery does not reduce length of stay, 10(5):253–4 *abs/comm*

Mammography

Using a personalized targeted mailing to increase mammography screening, 10(8):417–8 *abs/comm*

Value of short-term follow-up recommendations in mammography, 10(5):250–1 *abs/comm*

Medical errors

Disclosing unanticipated outcomes and medical errors, 10(1):19–23

Neuraminidase inhibitors

Neuraminidase inhibitors are effective for treatment and prevention of influenza, 10(7):360–1 *abs/comm*

Nicotine replacement therapy

Improving tobacco dependence medication use in a medicaid managed care organization: a practical systems-level approach, 10(10):535–9

NSAIDs

NSAIDs may block cardioprotective effect of aspirin, 10(11):585, 588 *abs/comm*

Nurse-led care

Following patients with advanced cancer: satisfaction with nurse-led care, 10(1):16–8 *abs/comm*

Opiates

Central nervous system active medications and the risk of fracture in older women, 10(6):308, 313 *abs/comm*

Osteoarthritis

Acetaminophen for osteoarthritis on the knees: could the guidelines be wrong?, 10(3):133–4 *abs/comm*

Osteoporosis

Are physicians compliant with clinical practice guidelines for osteoporosis in older adults with prior fracture?, 10(12):636–7 *abs/comm*

Pacemaker

Pacemaker therapy for vasovagal syncope does not prevent recurrent syncopal events, 10(7):354–5 *abs/comm*

Panic disorder

Diagnosis and treatment of panic disorder, 10(12):669–80

Pathways

Development and implementation of a hospital pathway for patients with diabetic foot lesions, 10(5):267-72

Patient safety

Learning with leaders to create safe health care: the executive session on patient safety, 10(11):597-601

Patient satisfaction

Do women's clinics improve patient satisfaction?, 10(6):307-8 *abs/comm*

Pharmaceutical advertisements

Does pharmaceutical advertising contain accurate promotional statements?, 10(2):65-6 *abs/comm*

Physician-patient communication

Beyond informed consent: the shared decision making process, 10(6):323-8
How does health information on the internet affect the patient-doctor relationship?, 10(9):465-6 *abs/comm*

Physician assessment of patients' comprehension of new information—does it improve outcomes?, 10(5):252-3 *abs/comm*

The "Intensive"—a program to improve communication performance, 10(3):155-8

Pleural effusion

Evaluating suspected malignant pleural effusions: is sending more fluid better?, 10(2):67-8 *abs/comm*

Posttraumatic stress disorder

Posttraumatic stress disorder: detection and management in primary care, 10(10):559-68

Prednisone

Oral prednisone for outpatient treatment of COPD exacerbations, 10(8):411-2 *abs/comm*

Public reporting

Impact of public dissemination of coronary artery bypass graft outcomes on surgical mortality, 10(11):577-8 *abs/comm*

Red eye

Management of conjunctivitis, 10(7):388-94

Registries

Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541-6

Renal artery stenosis

Renal artery stenosis in the hypertensive patient, 10(11):617-22

Renal failure

Hospital-acquired acute renal failure—what hospitalists need to know, 10(4):214-23

Reports cards

Accepting critically ill patients in transfer: how will it affect common hospital benchmarks?, 10(9):464-5 *abs/comm*

Respiratory syncytial virus

Managing the high cost of specialty drugs: a case study of palivizumab, 10(9):489-92

Restless legs syndrome

How common is restless legs syndrome?, 10(12):632 *abs/comm*

Screening

A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419-29

Diagnosing cancer in the presence of involuntary weight loss, 10(10):520, 523 *abs/comm*

Implementing cervical cancer screening in underserved communities, 10(8):405 *abs/comm*

Screening for colorectal cancer: analysis of evidence and cost-effectiveness, 10(2):87-94

Spiral CT with selective PET scanning detects early lung cancers in heavy smokers, 10(10):519-20 *abs/comm*

Using a personalized targeted mailing to increase mammography screening, 10(8):417-8 *abs/comm*

Self-monitoring blood glucose

What is the role of self-monitoring of blood glucose in non-insulin-treated diabetes?, 10(1):7, 10 *abs/comm*

Sexually transmitted disease

New opportunities for an old problem: preventing genital chlamydial infections in U.S. women, 10(8):447-55

Six sigma

Bridges to excellence: building a business case for quality care, 10(8):439-46

Specialty drugs

Managing the high cost of specialty drugs: a case study of palivizumab, 10(9):489-92

Statins

Pravastatin's efficacy in the elderly at high risk for vascular disease, 10(1):14-5 *abs/comm*

Real-life results of statin therapy fall short, 10(3):132 *abs/comm*

Screening for statin-related toxicity: low yield, 10(5):247, 250 *abs/comm*

Syncope

Evaluating testing strategies for the diagnosis of syncope, 10(9):466-7 *abs/comm*

Pacemaker therapy for vasovagal syncope does not prevent recurrent syncopal events, 10(7):354-5 *abs/comm*

Syncope: diagnosis and evidence-based management, 10(1):39-46

Thoracentesis

Evaluating suspected malignant pleural effusions: is sending more fluid better?, 10(2):67-8 *abs/comm*

Tobacco

Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535-9

Tramadol

Tramadol and acetaminophen combination tablets: a new therapeutic choice for fibromyalgia pain?, 10(7):358, 360 *abs/comm*

Ulcer

Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365-70

Ultrasonography

Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19-23

Utilization management

A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376-82

Warfarin

Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643-5

White coat hypertension

Systolic hypertension in older patients, 10(1):47-55

Wireless endoscopy

A review of capsule endoscopy, 10(5):273-7

Women's health clinics

Do women's clinics improve patient satisfaction?, 10(6):307-8 *abs/comm*

AUTHORS
Abbo M

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

Abreu MT

Crohn's disease: an evidence-based approach to medical management, 10(5):279–89

Albanese R

Posttraumatic stress disorder: detection and management in primary care, 10(10):559–68

Arana GW

Posttraumatic stress disorder: detection and management in primary care, 10(10):559–68

Armstrong J

New opportunities for an old problem: preventing genital chlamydial infections in U.S. women, 10(8):447–55

Armstrong PF

Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159–65

Bates DM

Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23
Improving care in the hospital: hospitalists and JCOM, 10(4):184 *e*

Benis LJ

Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643–5

Bini EJ

A review of capsule endoscopy, 10(5):273–7

Bock BC

Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535–9

Bogner H

Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

Brads-Pitt T

Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

Brennan PJ

A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82

Britton O

Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202
Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12

Brooks DC

Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23

Burnett DA

A review of capsule endoscopy, 10(5):273–7

Bush P

Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159–65

Callahan CW

Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

Carethers JM

Screening for colorectal cancer: analysis of evidence and cost-effectiveness, 10(2):87–94

Catanzaro A

Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

Chak A

Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

Chan DS

Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

Chang AY

Inpatient evaluation and management of acute decompensated heart failure, 10(4):231–9

Chen LX

Diagnosis and management of gout, 10(6):336–42

Cheng D

Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):1–23

Christakis DA

Continuity of care is associated with early and consistent treatment of attention-deficit/hyperactivity disorder during a single school year, 10(7):371–5

Clancy CT

The evaluation and management of depression in primary care: an evidence-based review. Part 1: epidemiology and clinical assessment, 10(2):95–103
The evaluation and management of depression in primary care: an evidence-based review. Part 2: treatment, 10(2):104–19

Cooper GS

Resource use and expenditures associated with medical therapy for gastroesophageal reflux disease in Ohio Medicaid beneficiaries, 10(2):73–8
Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

Cummings JP

A review of capsule endoscopy, 10(5):273–7

Curley C

A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82

Datto CJ

Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

de Brantes F

Bridges to excellence: building a business case for quality care, 10(8):439–46

DelVecchio M

Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

DeRuntz PJ

Development of a brochure for patients describing a hospitalist service, 10(4):204–8

Disbot M

A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82

- Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85
- Dolor RJ**
Physician perceptions about the flu: a survey of U.S. primary care providers, 10(3):139–44
- Dorman T**
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7
- Dorn GH**
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8
- Doubilet PM**
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23
- Epstein L**
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5
- Erbelding EJ**
Early detection and management of HIV infection, 10(9):503–10
- Eslami M**
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23
- Fick D**
Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531–4
- Fillit H**
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29
- Finn KM**
Hospital-acquired acute renal failure—what hospitalists need to know, 10(4):214–23
- Friedman RS**
The evaluation and management of depression in primary care: an evidence-based review. Part 1: epidemiology and clinical assessment, 10(2):95–103
The evaluation and management of depression in primary care: an evidence-based review. Part 2: treatment, 10(2):104–19
- Frueh BC**
Posttraumatic stress disorder: detection and management in primary care, 10(10):559–68
- Galvin RS**
Bridges to excellence: building a business case for quality care, 10(8):439–46
- Gibbs K**
Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541–6
- Glauber JH**
Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535–9
- Goldman L**
The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257–62
- Goldstein M**
The “Intensive”—a program to improve communication performance, 10(3):155–8
- Goldszer RC**
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5
- Gonet JA**
Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70
- Goonan E**
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5
- Gounder PP**
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8
- Grossman SA**
Syncope: diagnosis and evidence-based management, 10(1):39–46
- Handin DR**
Glycemic control in the hospitalized patient with diabetes mellitus, 10(4):224–30
- Hanno P**
A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82
- Harley CR**
Cholesterol management in a population of managed care enrollees, 10(3):147–54
- Heflin MT**
Screening for cancer in older women: a guide to prudent prevention, 10(9):493–502
- Herrera L**
Early detection and management of HIV infection, 10(9):503–10
- Hicks LS**
Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202
Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12
- Hill J**
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29
- Hird L**
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5
- Hofmann SG**
Diagnosis and treatment of panic disorder, 10(12):669–80
- Holzer SS**
Physician perceptions about the flu: a survey of U.S. primary care providers, 10(3):139–44
- Holzmueller CG**
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7
- Horowitz D**
A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82
Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85
- Horrigan LA**
Beyond informed consent: the shared decision making process, 10(6):323–8
- Hricak H**
Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95
- Huddleston JM**
Orthopedic surgery nurses' assessment of a hospitalist model of perioperative care, 10(4):193–7
- Hummel J**
Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541–6

Imamura DT

Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317-22

Janas JJ

Using the EMR as a decision support tool to improve quality, 10(7):383-7

Jesse RL

Evaluation of the emergency department patient with possible myocardial ischemia, 10(10):547-58

Jha AK

Combination therapy with hydrocortisone and fludrocortisone does not improve symptoms in chronic fatigue syndrome, 10(9):470-1 *abs/comm*

Do skeletal fractures decrease risk for subsequent coronary events in women with heart disease?, 10(11):581-2 *abs/comm*

Tramadol and acetaminophen combination tablets: a new therapeutic choice for fibromyalgia pain?, 10(7):358, 360 *abs/comm*

Johnson M

Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531-4

Jones K

A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376-82

Joshi K

Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643-5

Joshi MS

Hospital quality of care: the link between accreditation and mortality, 10(9):473-80

Jung B

Screening for colorectal cancer: analysis of evidence and cost-effectiveness, 10(2):87-94

Katz IR

Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79-85

Keller V

Beyond informed consent: the shared decision making process, 10(6):323-8

Keller VF

The "Intensive"—a program to improve communication performance, 10(3):155-8

Kelly HW

The 2002 asthma guidelines update: a review of the new recommendations, 10(6):329-35

Keroack MD

A review of capsule endoscopy, 10(5):273-7

Kerr K

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589-95

The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257-62

Khorasani R

Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19-23

Kim HJ

Diagnosis and treatment of panic disorder, 10(12):669-80

Kirkwood KS

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589-95

Kirshenbaum J

Process improvements to support earlier discharge times on a cardiology service, 10(5):263-5

Knight AM

Development of a brochure for patients describing a hospitalist service, 10(4):204-8

Knight JR

Adolescent substance use: prevention and management by primary care clinicians, 10(3):166-74

Kohen R

Syncope: diagnosis and evidence-based management, 10(1):39-46

Kontos MC

Evaluation of the emergency department patient with possible myocardial ischemia, 10(10):547-58

Koroukian SM

Resource use and expenditures associated with medical therapy for gastroesophageal reflux disease in Ohio Medicaid beneficiaries, 10(2):73-8

Kosseff AL

Clinical collaboratives for improving patient care, 10(12):651-6

Krauss J

Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531-4

Landry L

A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431-8

Larson DR

Orthopedic surgery nurses' assessment of a hospitalist model of perioperative care, 10(4):193-7

Lee TH

Bridges to excellence: building a business case for quality care, 10(8):439-46

Levin M

Chronic daily headache: classification, diagnosis, and management, 10(11):608-15

Levy S

Adolescent substance use: prevention and management by primary care clinicians, 10(3):166-74

Lewis BE

A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419-29

Ley C

Learning with leaders to create safe health care: the executive session on patient safety, 10(11):597-601

Lighter DE

Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159-65

Lippert J

Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19-23

Lozano P

Continuity of care is associated with early and consistent treatment of attention-deficit/hyperactivity disorder during a single school year, 10(7):371-5

MacGregor A

Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159-65

Maclean JR

Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531-4

Magruder KM

Posttraumatic stress disorder: detection and management in primary care, 10(10):559–68

Mange KC

Renal artery stenosis in the hypertensive patient, 10(11):617–22

Matuszewski KA

A review of capsule endoscopy, 10(5):273–7

McDonough KL

Cholesterol management in a population of managed care enrollees, 10(3):147–54

McKean SCW

Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202

Hospitalists—an integral part of the health care system, 10(4):184 *e*

Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12

McWilliams M

Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202

Midthun DE

Screening for lung cancer, 10(12):661–8

Mills CS

A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

Milstein A

Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

Mitchell MA

Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7

Mohs RC

A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

Moore ML

Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

Morath JM

Learning with leaders to create safe health care: the executive session on patient safety, 10(11):597–601

Mourad WA

Resource use and expenditures associated with medical therapy for gastroesoph-

ageal reflux disease in Ohio Medicaid beneficiaries, 10(2):73–8

Murff HJ

Acetaminophen for osteoarthritis on the knees: could the guidelines be wrong?, 10(3):133–4 *abs/comm*

Alendromate to prevent accelerated bone loss after postmenopausal HRT is discontinued, 10(6):305–6 *abs/comm*

Atrial fibrillation prophylaxis after cardiac surgery does not reduce length of stay, 10(5):253–4 *abs/comm*

Daily aspirin and prophylaxis against recurrent colorectal adenoma, 10(10):530 *abs/comm*

Effect of hormone replacement on cognitive function in postmenopausal women, 10(2):63–4 *abs/comm*

Evaluating testing strategies for the diagnosis of syncope, 10(9):466–7 *abs/comm*

Folic acid does not reduce cardiovascular events in patients with coronary artery disease, 10(8):410–1 *abs/comm*

Impact of public dissemination of coronary artery bypass graft outcomes on surgical mortality, 10(11):577–8 *abs/comm*

Managing dyspepsia: is the test-and-treat strategy effective in primary care?, 10(12):634–5 *abs/comm*

Pacemaker therapy for vasovagal syncope does not prevent recurrent syncopal events, 10(7):354–5 *abs/comm*

Rethinking the role of conventional diet therapy for coronary artery disease, 10(1):10–1 *abs/comm*

Nelson MA

Cholesterol management in a population of managed care enrollees, 10(3):147–54

Niemeier SJ

Clinical collaboratives for improving patient care, 10(12):651–6

Norris TE

Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541–6

O'Connell D

Disclosing unanticipated outcomes and medical errors, 10(1):19–23

Oddone EZ

Screening for cancer in older women: a guide to prudent prevention, 10(9):493–502

Pagel JM

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

Pantilat SZ

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257–62

Perrin JM

Improving tobacco dependence medication use in a medicaid managed care organization: a practical systems-level approach, 10(10):535–9

Persell SD

Counseling to increase exercise: getting patients to prompt physicians, 10(6):304–5 *abs/comm*

Depression is a predictor of mortality after coronary artery bypass surgery, 10(10):526–7 *abs/comm*

How common is restless legs syndrome?, 10(12):632 *abs/comm*

How does health information on the internet affect the patient-doctor relationship?, 10(9):465–6 *abs/comm*

Morning insulin glargine is better than bedtime insulin glargine or bedtime NPH insulin in combination with glimepiride, 10(8):406–7 *abs/comm*

No improvement in nationwide cholesterol levels during the 1990s, 10(7):353–4 *abs/comm*

NSAIDs may block cardioprotective effect of aspirin, 10(11):585, 588 *abs/comm*

Physician assessment of patients' comprehension of new information—does it improve outcomes?, 10(5):252–3 *abs/comm*

Real-life results of statin therapy fall short, 10(3):132 *abs/comm*

Treating diabetic dyslipidemia with gemfibrozil for secondary prevention of coronary heart disease, 10(2):68–9 *abs/comm*

What is the role of self-monitoring of blood glucose in non-insulin-treated diabetes?, 10(1):7, 10 *abs/comm*

Peterson JF

Accepting critically ill patients in transfer: how will it affect common hospital benchmarks?, 10(9):464–5 *abs/comm*

Central nervous system active medications and the risk of fracture in older women, 10(6):308, 313 *abs/comm*

Does pharmaceutical advertising contain accurate promotional statements?, 10(2):65–6 *abs/comm*

Echinacea is not effective for treatment of the common cold, 10(3):128–9 *abs/comm*

Effect of experienced hospitalist care on

mortality, cost, and length of stay, 10(1):15–6 *abs/comm*

Neuraminidase inhibitors are effective for treatment and prevention of influenza, 10(7):360–1 *abs/comm*

Quality of care in the vulnerable elderly, 10(12):635–6 *abs/comm*

Screening for statin-related toxicity: low yield, 10(5):247, 250 *abs/comm*

Spiral CT with selective PET scanning detects early lung cancers in heavy smokers, 10(10):519–20 *abs/comm*

Thiazide diuretics are associated with lower risk of hip fractures, 10(11):578, 581 *abs/comm*

Using a personalized targeted mailing to increase mammography screening, 10(8):417–8 *abs/comm*

Platt FW
Disclosing unanticipated outcomes and medical errors, 10(1):19–23

Plevak MF
Orthopedic surgery nurses' assessment of a hospitalist model of perioperative care, 10(4):193–7

Poon EG
Do patients with acute myocardial infarction who arrive via ambulance receive better quality care?, 10(2):64–65 *abs/comm*

Do women's clinics improve patient satisfaction?, 10(6):307–8 *abs/comm*

Laparoscopic fundoplication for reflux disease: gap between efficacy and effectiveness, 10(3):127–8 *abs/comm*

Pravastatin's efficacy in the elderly at high risk for vascular disease, 10(1):14–5 *abs/comm*

Self-management program reduces hospital utilization in patients with COPD, 10(5):254–5 *abs/comm*

Pronovost PJ
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

Rassen AG
Seniors-at-home: a case management program for frail elders, 10(11):603–7

Ratko TA
A review of capsule endoscopy, 10(5):273–7

Reese PP
Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202

Rhew DC
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8

Rigotti NA
Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535–9

Rockey Moore MB
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

Rogers R
Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531–4

Roy CL
Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12

Rudolph JR
Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7

Schaechter JD
Systolic hypertension in older patients, 10(1):47–55

Schneider JW
Inpatient evaluation and management of acute decompensated heart failure, 10(4):231–9

Schnipper JL
Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12

Schumacher HR
Diagnosis and management of gout, 10(6):336–42

Seltzer SE
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23

Sequist TD
Are physicians compliant with clinical practice guidelines for osteoporosis in older adults with prior fracture?, 10(12):636–7 *abs/comm*

Diagnosing cancer in the presence of involuntary weight loss, 10(10):520, 523 *abs/comm*

Oral prednisone for outpatient treatment of COPD exacerbations, 10(8):411–2 *abs/comm*

Sewell MC
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

Singal N
Management of conjunctivitis, 10(7):388–94

Sivak MV
Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

Sklar T
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8

Slomovic AR
Management of conjunctivitis, 10(7):388–94

Spigel DR
Adopting new breast cancer staging: the impact of stage migration, 10(12):638, 641 *abs/comm*

Catheter design and bacteremia in patients with cancer, 10(11):584–5 *abs/comm*

Evaluating suspected malignant pleural effusions: is sending more fluid better?, 10(2):67–8 *abs/comm*

Following patients with advanced cancer: satisfaction with nurse-led care, 10(1):16–8 *abs/comm*

Implementing cervical cancer screening in underserved communities, 10(8):405 *abs/comm*

Improved outcomes with perioperative erythropoietin, 10(10):523–4 *abs/comm*

Improving appetite in patients with advanced cancer: putting fish oil to the test, 10(3):129–30 *abs/comm*

Screening for colorectal lesions: how well does virtual colonoscopy perform?, 10(9):463–4 *abs/comm*

Surgery and survival in rectal cancer: benefits of high-volume hospitals, 10(7):361, 363 *abs/comm*

Targeting repeat blood donors can increase supply, 10(6):303–4 *abs/comm*

Value of short-term follow-up recommendations in mammography, 10(5):250–1 *abs/comm*

Sterling JE
Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7

Tanasijevic M
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

Thomas J

Managing the high cost of specialty drugs: a case study of palivizumab, 10(9):489-92

Thompson DA

Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481-7

Thompson R

Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79-85

Townsend RR

Systolic hypertension in older patients, 10(1):47-55

Tsymuk M

A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419-29

Underwood GH

Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317-22

Vaughan BL

Adolescent substance use: prevention and management by primary care clinicians, 10(3):166-74

Wachter RW

The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257-62

Waller J

Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531-4

Weingart SN

Learning with leaders to create safe health care: the executive session on patient safety, 10(11):597-601

Weingarten SR

A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431-8

Welton ML

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589-95

Whelan CT

Development and implementation of a hospital pathway for patients with diabetic foot lesions, 10(5):267-72

White MK

Beyond informed consent: the shared decision making process, 10(6):323-8

Disclosing unanticipated outcomes and medical errors, 10(1):19-23

The "Intensive"—a program to improve communication performance, 10(3):155-8

Williams SA

Cholesterol management in a population of managed care enrollees, 10(3):147-54

Winickoff JP

Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535-9

Witsell DL

Physician perceptions about the flu: a survey of U.S. primary care providers, 10(3):139-44

Wong JY

A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431-8

Wong RCK

Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365-70

Wright SM

Development of a brochure for patients describing a hospitalist service, 10(4):204-8

Wu BJ

Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643-5

Zaidel O

Crohn's disease: an evidence-based approach to medical management, 10(5):279-89