

**Key to abbreviations:** *abs/comm* = abstract with commentary; *e* = editorial.

**SUBJECTS**

**Abdominal pain**

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

**Accreditation**

Hospital quality of care: the link between accreditation and mortality, 10(9):473–80

**Acute myocardial infarction**

Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7

Do patients with acute myocardial infarction who arrive via ambulance receive better quality care?, 10(2):64–5 *abs/comm*

Evaluation of the emergency department patient with possible myocardial ischemia, 10(10):547–58

**Attention-deficit hyperactivity disorder**

Continuity of care is associated with early and consistent treatment of attention-deficit/hyperactivity disorder during a single school year, 10(7):371–5

**Alcohol abuse**

Adolescent substance use: prevention and management by primary care clinicians, 10(3):166–74

**Alendronate**

Alendronate to prevent accelerated bone loss after postmenopausal HRT is discontinued, 10(6):305–6 *abs/comm*

**Alzheimer's disease**

A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

**Anorexia**

Improving appetite in patients with advanced cancer: putting fish oil to the test, 10(3):129–30 *abs/comm*

**Anticoagulation**

Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643–5

**Antidepressants**

Central nervous system active medications and the risk of fracture in older women, 10(6):308, 313 *abs/comm*

The evaluation and management of depression in primary care: an evidence-based review. Part 2: treatment, 10(2):104–18

**Appendicitis**

Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23

**Aspirin**

Daily aspirin and prophylaxis against recurrent colorectal adenoma, 10(10):530 *abs/comm*

NSAIDs may block cardioprotective effect of aspirin, 10(11):585, 588 *abs/comm*

**Asthma**

Industry perspectives: asthma care, 10(6):344 *e*

Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

The 2002 asthma guidelines update: a review of the new recommendations, 10(6):329–35

**Atrial fibrillation**

Atrial fibrillation prophylaxis after cardiac surgery does not reduce length of stay, 10(5):253–4 *abs/comm*

**Bacteremia**

Catheter design and bacteremia in patients with cancer, 10(11):584–5 *abs/comm*

**Benchmarking**

Accepting critically ill patients in transfer: how will it affect common hospital benchmarks?, 10(9):464–5 *abs/comm*

**Blood donation**

Targeting repeat blood donors can increase supply, 10(6):303–4 *abs/comm*

**Blood transfusion**

Improved outcomes with perioperative erythropoietin, 10(10):523–4 *abs/comm*

**Cancer**

Diagnosing cancer in the presence of involuntary weight loss, 10(10):520, 523 *abs/comm*

Following patients with advanced cancer: satisfaction with nurse-led care, 10(1):16–8 *abs/comm*

**Cancer, breast**

Adopting new breast cancer staging: the impact of stage migration, 10(12):638, 641 *abs/comm*

Screening for cancer in older women: a guide to prudent prevention, 10(9):493–502

Value of short-term follow-up recommendations in mammography, 10(5):250–1 *abs/comm*

**Cancer, cervical**

Implementing cervical cancer screening in underserved communities, 10(8):405 *abs/comm*

Screening for cancer in older women: a guide to prudent prevention, 10(9):493–502

**Cancer, colorectal**

Daily aspirin and prophylaxis against recurrent colorectal adenoma, 10(10):530 *abs/comm*

Improving appetite in patients with advanced cancer: putting fish oil to the test, 10(3):129–30 *abs/comm*

Screening for colorectal cancer: analysis of evidence and cost-effectiveness, 10(2):87–94

Screening for colorectal lesions: how well does virtual colonoscopy perform?, 10(9):463–4 *abs/comm*

Surgery and survival in rectal cancer: benefits of high-volume hospitals, 10(7):361, 363 *abs/comm*

**Cancer, lung**

Following patients with advanced cancer: satisfaction with nurse-led care, 10(1):16–8 *abs/comm*

Screening for lung cancer, 10(12):661–8

Spiral CT with selective PET scanning detects early lung cancers in heavy smokers, 10(10):519–20 *abs/comm*

**Capsule endoscopy**

A review of capsule endoscopy, 10(5):273–7

**Case management**

Seniors-at-home: a case management program for frail elders, 10(11):603–7

**Catheters**

Catheter design and bacteremia in patients with cancer, 10(11):584–5 *abs/comm*

**Chest pain**

Evaluation of the emergency department patient with possible myocardial ischemia, 10(10):547–58

**Chlamydia**

New opportunities for an old problem: preventing genital chlamydial infections in U.S. women, 10(8):447–55

**Chronic fatigue syndrome**

Combination therapy with hydrocortisone and fludrocortisone does not improve symptoms in chronic fatigue syndrome, 10(9):470–1 *abs/comm*

**Collaborative improvement**

Clinical collaboratives for improving patient care, 10(12):651–6

**Community-acquired pneumonia**

A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8

**Conjunctivitis**

Management of conjunctivitis, 10(7):388–94

**Continuity of care**

The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257–62

**COPD**

Oral prednisone for outpatient treatment of COPD exacerbations, 10(8):411–2 *abs/comm*

Self-management program reduces hospital utilization in patients with COPD, 10(5):254–5 *abs/comm*

**Coronary artery disease**

Do skeletal fractures decrease risk for subsequent coronary events in women with heart disease?, 10(11):581–2 *abs/comm*

Folic acid does not reduce cardiovascular events in patients with coronary artery disease, 10(8):410–1 *abs/comm*

Pravastatin's efficacy in the elderly at high risk for vascular disease, 10(1):14–5 *abs/comm*

Rethinking the role of conventional diet therapy for coronary artery disease, 10(1):10–1 *abs/comm*

Treating diabetic dyslipidemia with gemfibrozil for secondary prevention of coronary heart disease, 10(2):68–9 *abs/comm*

**Coronary artery bypass graft**

Depression is a predictor of mortality after coronary artery bypass surgery, 10(10):526–7 *abs/comm*

Impact of public dissemination of coronary artery bypass graft outcomes on surgical mortality, 10(11):577–8 *abs/comm*

**Crohn's disease**

Crohn's disease: an evidence-based approach to medical management, 10(5):279–89

**Data collection**

Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159–65

**Dementia**

A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

**Depression**

Depression is a predictor of mortality after coronary artery bypass surgery, 10(10):526–7 *abs/comm*

Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

The evaluation and management of depression in primary care: an evidence-based review. Part 1: epidemiology and clinical assessment, 10(2):95–103

The evaluation and management of depression in primary care: an evidence-based review. Part 2: treatment, 10(2):104–19

**Diabetes**

Development and implementation of a hospital pathway for patients with diabetic foot lesions, 10(5):267–72

Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541–6

Morning insulin glargine is better than bedtime insulin glargine or bedtime NPH insulin in combination with

glimperide, 10(8):406–7 *abs/comm*

Treating diabetic dyslipidemia with gemfibrozil for secondary prevention of coronary heart disease, 10(2):68–9 *abs/comm*

What is the role of self-monitoring of blood glucose in non-insulin-treated diabetes?, 10(1):7, 10 *abs/comm*

**Diet**

Rethinking the role of conventional diet therapy for coronary artery disease, 10(1):10–1 *abs/comm*

**Disease management**

Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

**Dyslipidemia**

Cholesterol management in a population of managed care enrollees, 10(3):147–54

Industry perspectives: cholesterol management, 10(3):176 *e*

No improvement in nationwide cholesterol levels during the 1990s, 10(7):353–4 *abs/comm*

Real-life results of statin therapy fall short, 10(3):132 *abs/comm*

Treating diabetic dyslipidemia with gemfibrozil for secondary prevention of coronary heart disease, 10(2):68–9 *abs/comm*

**Diuretics**

Thiazide diuretics are associated with lower risk of hip fractures, 10(11):578, 581 *abs/comm*

**Dyspepsia**

Managing dyspepsia: is the test-and-treat strategy effective in primary care?, 10(12):634–5 *abs/comm*

**Echinacea**

Echinacea is not effective for treatment of the common cold, 10(3):128–9 *abs/comm*

**Electronic medical record**

Industry perspectives: electronic medical records, 10(7):396 *e*

Using the EMR as a decision support tool to improve quality, 10(7):383–7

**Emergency medical services**

Do patients with acute myocardial infarction who arrive via ambulance receive better quality care?, 10(2):64–5 *abs/comm*

**Erythropoietin**

Improved outcomes with perioperative erythropoietin, 10(10):523–4 *abs/comm*

**Exercise**

Counseling to increase exercise: getting patients to prompt physicians, 10(6):304–5 *abs/comm*

**Fibromyalgia**

Tramadol and acetaminophen combination tablets: a new therapeutic choice for fibromyalgia pain?, 10(7):358, 360 *abs/comm*

**Folic acid**

Folic acid does not reduce cardiovascular events in patients with coronary artery disease, 10(8):410–1 *abs/comm*

**Fracture**

Are physicians compliant with clinical practice guidelines for osteoporosis in older adults with prior fracture?, 10(12):636–7 *abs/comm*

Central nervous system active medications and the risk of fracture in older women, 10(6):308, 313 *abs/comm*

Do skeletal fractures decrease risk for subsequent coronary events in women with heart disease?, 10(11):581–2 *abs/comm*

Thiazide diuretics are associated with lower risk of hip fractures, 10(11):578, 581 *abs/comm*

**Frailty**

Quality of care in the vulnerable elderly, 10(12):635–6 *abs/comm*

Seniors-at-home: a case management program for frail elders, 10(11):603–7

**Gastroesophageal reflux disease**

Laparoscopic fundoplication for reflux disease: gap between efficacy and effectiveness, 10(3):127–8 *abs/comm*

Resource use and expenditures associated with medical therapy for gastroesophageal reflux disease in Ohio Medicaid beneficiaries, 10(2):73–8

**Gout**

Diagnosis and management of gout, 10(6):336–42

**Guidelines**

Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7

Are physicians compliant with clinical practice guidelines for osteoporosis in older adults with prior fracture?, 10(12):636–7 *abs/comm*

Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531–4

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

The 2002 asthma guidelines update: a review of the new recommendations, 10(6):329–35

Using the EMR as a decision support tool to improve quality, 10(7):383–7

**Headache**

Chronic daily headache: classification, diagnosis, and management, 10(11):608–15

***Helicobacter pylori***

Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

**Herbal therapy**

Echinacea is not effective for treatment of the common cold, 10(3):128–9 *abs/comm*

**HIV**

Early detection and management of HIV infection, 10(9):503–10

**Hormone replacement therapy**

Alendronate to prevent accelerated bone loss after postmenopausal HRT is discontinued, 10(6):305–6 *abs/comm*

Effect of hormone replacement on cognitive function in postmenopausal women, 10(2):63–4 *abs/comm*

**Hospital discharge**

Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257–62

**Hospitalist**

Effect of experienced hospitalist care on mortality, cost, and length of stay, 10(1):15–6 *abs/comm*

**Hospital volume**

Surgery and survival in rectal cancer: benefits of high-volume hospitals, 10(7):361, 363 *abs/comm*

**Hypertension**

Renal artery stenosis in the hypertensive patient, 10(11):617–22  
Systolic hypertension in older patients, 10(1):47–55

**Hypercholesterolemia**

Cholesterol management in a population of managed care enrollees, 10(3):147–54

**Industry perspectives**

Industry perspectives: cholesterol management, 10(3):176 *e*

Industry perspectives: asthma care, 10(6):344 *e*

Industry perspectives: electronic medical records, 10(7):396 *e*

**Inflammatory bowel disease**

Crohn's disease: an evidence-based approach to medical management, 10(5):279–89

**Influenza**

Neuraminidase inhibitors are effective for treatment and prevention of influenza, 10(7):360–1 *abs/comm*

Physician perceptions about the flu: a survey of U.S. primary care providers, 10(3):139–44

**Informed consent**

Beyond informed consent: the shared decision making process, 10(6):323–8

**Insulin therapy**

Morning insulin glargine is better than bedtime insulin glargine or bedtime NPH insulin in combination with glimepiride, 10(8):406–7 *abs/comm*

**Intensive care unit**

Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

**Internet**

How does health information on the internet affect the patient-doctor relationship?, 10(9):465–6 *abs/comm*

**Laparoscopy**

Laparoscopic fundoplication for reflux disease: gap between efficacy and effectiveness, 10(3):127–8 *abs/comm*

**Leapfrog Group**

Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

**Length of stay**

Atrial fibrillation prophylaxis after cardiac surgery does not reduce length of stay, 10(5):253–4 *abs/comm*

**Mammography**

Using a personalized targeted mailing to increase mammography screening, 10(8):417–8 *abs/comm*

Value of short-term follow-up recommendations in mammography, 10(5):250–1 *abs/comm*

**Medical errors**

Disclosing unanticipated outcomes and medical errors, 10(1):19–23

**Neuraminidase inhibitors**

Neuraminidase inhibitors are effective for treatment and prevention of influenza, 10(7):360–1 *abs/comm*

**Nicotine replacement therapy**

Improving tobacco dependence medication use in a medicaid managed care organization: a practical systems-level approach, 10(10):535–9

**NSAIDs**

NSAIDs may block cardioprotective effect of aspirin, 10(11):585, 588 *abs/comm*

**Nurse-led care**

Following patients with advanced cancer: satisfaction with nurse-led care, 10(1):16–8 *abs/comm*

**Opiates**

Central nervous system active medications and the risk of fracture in older women, 10(6):308, 313 *abs/comm*

**Osteoarthritis**

Acetaminophen for osteoarthritis on the knees: could the guidelines be wrong?, 10(3):133–4 *abs/comm*

**Osteoporosis**

Are physicians compliant with clinical practice guidelines for osteoporosis in older adults with prior fracture?, 10(12):636–7 *abs/comm*

**Pacemaker**

Pacemaker therapy for vasovagal syncope does not prevent recurrent syncopal events, 10(7):354–5 *abs/comm*

**Panic disorder**

Diagnosis and treatment of panic disorder, 10(12):669–80

## Pathways

Development and implementation of a hospital pathway for patients with diabetic foot lesions, 10(5):267-72

## Patient safety

Learning with leaders to create safe health care: the executive session on patient safety, 10(11):597-601

## Patient satisfaction

Do women's clinics improve patient satisfaction?, 10(6):307-8 *abs/comm*

## Pharmaceutical advertisements

Does pharmaceutical advertising contain accurate promotional statements?, 10(2):65-6 *abs/comm*

## Physician-patient communication

Beyond informed consent: the shared decision making process, 10(6):323-8

How does health information on the internet affect the patient-doctor relationship?, 10(9):465-6 *abs/comm*

Physician assessment of patients' comprehension of new information—does it improve outcomes?, 10(5):252-3 *abs/comm*

The "Intensive"—a program to improve communication performance, 10(3):155-8

## Pleural effusion

Evaluating suspected malignant pleural effusions: is sending more fluid better?, 10(2):67-8 *abs/comm*

## Posttraumatic stress disorder

Posttraumatic stress disorder: detection and management in primary care, 10(10):559-68

## Prednisone

Oral prednisone for outpatient treatment of COPD exacerbations, 10(8):411-2 *abs/comm*

## Public reporting

Impact of public dissemination of coronary artery bypass graft outcomes on surgical mortality, 10(11):577-8 *abs/comm*

## Red eye

Management of conjunctivitis, 10(7):388-94

## Registries

Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541-6

## Renal artery stenosis

Renal artery stenosis in the hypertensive patient, 10(11):617-22

## Renal failure

Hospital-acquired acute renal failure—what hospitalists need to know, 10(4):214-23

## Reports cards

Accepting critically ill patients in transfer: how will it affect common hospital benchmarks?, 10(9):464-5 *abs/comm*

## Respiratory syncytial virus

Managing the high cost of specialty drugs: a case study of palivizumab, 10(9):489-92

## Restless legs syndrome

How common is restless legs syndrome?, 10(12):632 *abs/comm*

## Screening

A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419-29

Diagnosing cancer in the presence of involuntary weight loss, 10(10):520, 523 *abs/comm*

Implementing cervical cancer screening in underserved communities, 10(8):405 *abs/comm*

Screening for colorectal cancer: analysis of evidence and cost-effectiveness, 10(2):87-94

Spiral CT with selective PET scanning detects early lung cancers in heavy smokers, 10(10):519-20 *abs/comm*

Using a personalized targeted mailing to increase mammography screening, 10(8):417-8 *abs/comm*

## Self-monitoring blood glucose

What is the role of self-monitoring of blood glucose in non-insulin-treated diabetes?, 10(1):7, 10 *abs/comm*

## Sexually transmitted disease

New opportunities for an old problem: preventing genital chlamydial infections in U.S. women, 10(8):447-55

## Six sigma

Bridges to excellence: building a business case for quality care, 10(8):439-46

## Specialty drugs

Managing the high cost of specialty drugs: a case study of palivizumab, 10(9):489-92

## Statins

Pravastatin's efficacy in the elderly at high risk for vascular disease, 10(1):14-5 *abs/comm*

Real-life results of statin therapy fall short, 10(3):132 *abs/comm*

Screening for statin-related toxicity: low yield, 10(5):247, 250 *abs/comm*

## Syncope

Evaluating testing strategies for the diagnosis of syncope, 10(9):466-7 *abs/comm*

Pacemaker therapy for vasovagal syncope does not prevent recurrent syncopal events, 10(7):354-5 *abs/comm*

Syncope: diagnosis and evidence-based management, 10(1):39-46

## Thoracentesis

Evaluating suspected malignant pleural effusions: is sending more fluid better?, 10(2):67-8 *abs/comm*

## Tobacco

Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535-9

## Tramadol

Tramadol and acetaminophen combination tablets: a new therapeutic choice for fibromyalgia pain?, 10(7):358, 360 *abs/comm*

## Ulcer

Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365-70

## Ultrasonography

Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19-23

## Utilization management

A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376-82

## Warfarin

Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643-5

## White coat hypertension

Systolic hypertension in older patients, 10(1):47-55

## Wireless endoscopy

A review of capsule endoscopy, 10(5):273-7

## Women's health clinics

Do women's clinics improve patient satisfaction?, 10(6):307-8 *abs/comm*

**AUTHORS**
**Abbo M**

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

**Abreu MT**

Crohn's disease: an evidence-based approach to medical management, 10(5):279–89

**Albanese R**

Posttraumatic stress disorder: detection and management in primary care, 10(10):559–68

**Arana GW**

Posttraumatic stress disorder: detection and management in primary care, 10(10):559–68

**Armstrong J**

New opportunities for an old problem: preventing genital chlamydial infections in U.S. women, 10(8):447–55

**Armstrong PF**

Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159–65

**Bates DM**

Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23  
Improving care in the hospital: hospitalists and JCOM, 10(4):184 *e*

**Benis LJ**

Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643–5

**Bini EJ**

A review of capsule endoscopy, 10(5):273–7

**Bock BC**

Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535–9

**Bogner H**

Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

**Brads-Pitt T**

Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

**Brennan PJ**

A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82

**Britton O**

Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202  
Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12

**Brooks DC**

Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23

**Burnett DA**

A review of capsule endoscopy, 10(5):273–7

**Bush P**

Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159–65

**Callahan CW**

Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

**Carethers JM**

Screening for colorectal cancer: analysis of evidence and cost-effectiveness, 10(2):87–94

**Catanzaro A**

Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

**Chak A**

Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

**Chan DS**

Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317–22

**Chang AY**

Inpatient evaluation and management of acute decompensated heart failure, 10(4):231–9

**Chen LX**

Diagnosis and management of gout, 10(6):336–42

**Cheng D**

Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):1–23

**Christakis DA**

Continuity of care is associated with early and consistent treatment of attention-deficit/hyperactivity disorder during a single school year, 10(7):371–5

**Clancy CT**

The evaluation and management of depression in primary care: an evidence-based review. Part 1: epidemiology and clinical assessment, 10(2):95–103  
The evaluation and management of depression in primary care: an evidence-based review. Part 2: treatment, 10(2):104–19

**Cooper GS**

Resource use and expenditures associated with medical therapy for gastroesophageal reflux disease in Ohio Medicaid beneficiaries, 10(2):73–8  
Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

**Cummings JP**

A review of capsule endoscopy, 10(5):273–7

**Curley C**

A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82

**Datto CJ**

Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85

**de Brantes F**

Bridges to excellence: building a business case for quality care, 10(8):439–46

**DelVecchio M**

Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

**DeRuntz PJ**

Development of a brochure for patients describing a hospitalist service, 10(4):204–8

**Disbot M**

A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82

- Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85
- Dolor RJ**  
Physician perceptions about the flu: a survey of U.S. primary care providers, 10(3):139–44
- Dorman T**  
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7
- Dorn GH**  
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8
- Doubilet PM**  
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23
- Epstein L**  
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5
- Erbelding EJ**  
Early detection and management of HIV infection, 10(9):503–10
- Eslami M**  
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23
- Fick D**  
Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531–4
- Fillit H**  
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29
- Finn KM**  
Hospital-acquired acute renal failure—what hospitalists need to know, 10(4):214–23
- Friedman RS**  
The evaluation and management of depression in primary care: an evidence-based review. Part 1: epidemiology and clinical assessment, 10(2):95–103  
The evaluation and management of depression in primary care: an evidence-based review. Part 2: treatment, 10(2):104–19
- Frueh BC**  
Posttraumatic stress disorder: detection and management in primary care, 10(10):559–68
- Galvin RS**  
Bridges to excellence: building a business case for quality care, 10(8):439–46
- Gibbs K**  
Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541–6
- Glauber JH**  
Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535–9
- Goldman L**  
The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257–62
- Goldstein M**  
The “Intensive”—a program to improve communication performance, 10(3):155–8
- Goldszer RC**  
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5
- Gonet JA**  
Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70
- Goonan E**  
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5
- Gounder PP**  
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8
- Grossman SA**  
Syncope: diagnosis and evidence-based management, 10(1):39–46
- Handin DR**  
Glycemic control in the hospitalized patient with diabetes mellitus, 10(4):224–30
- Hanno P**  
A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82
- Harley CR**  
Cholesterol management in a population of managed care enrollees, 10(3):147–54
- Heflin MT**  
Screening for cancer in older women: a guide to prudent prevention, 10(9):493–502
- Herrera L**  
Early detection and management of HIV infection, 10(9):503–10
- Hicks LS**  
Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202  
Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12
- Hill J**  
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29
- Hird L**  
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5
- Hofmann SG**  
Diagnosis and treatment of panic disorder, 10(12):669–80
- Holzer SS**  
Physician perceptions about the flu: a survey of U.S. primary care providers, 10(3):139–44
- Holzmueller CG**  
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7
- Horowitz D**  
A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376–82  
Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79–85
- Horrigan LA**  
Beyond informed consent: the shared decision making process, 10(6):323–8
- Hricak H**  
Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95
- Huddleston JM**  
Orthopedic surgery nurses' assessment of a hospitalist model of perioperative care, 10(4):193–7
- Hummel J**  
Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541–6

**Imamura DT**

Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317-22

**Janas JJ**

Using the EMR as a decision support tool to improve quality, 10(7):383-7

**Jesse RL**

Evaluation of the emergency department patient with possible myocardial ischemia, 10(10):547-58

**Jha AK**

Combination therapy with hydrocortisone and fludrocortisone does not improve symptoms in chronic fatigue syndrome, 10(9):470-1 *abs/comm*

Do skeletal fractures decrease risk for subsequent coronary events in women with heart disease?, 10(11):581-2 *abs/comm*

Tramadol and acetaminophen combination tablets: a new therapeutic choice for fibromyalgia pain?, 10(7):358, 360 *abs/comm*

**Johnson M**

Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531-4

**Jones K**

A physician-led strategic initiative to improve clinical efficiency and reduce costs in a large academic health system, 10(7):376-82

**Joshi K**

Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643-5

**Joshi MS**

Hospital quality of care: the link between accreditation and mortality, 10(9):473-80

**Jung B**

Screening for colorectal cancer: analysis of evidence and cost-effectiveness, 10(2):87-94

**Katz IR**

Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79-85

**Keller V**

Beyond informed consent: the shared decision making process, 10(6):323-8

**Keller VF**

The "Intensive"—a program to improve communication performance, 10(3):155-8

**Kelly HW**

The 2002 asthma guidelines update: a review of the new recommendations, 10(6):329-35

**Keroack MD**

A review of capsule endoscopy, 10(5):273-7

**Kerr K**

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589-95

The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257-62

**Khorasani R**

Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19-23

**Kim HJ**

Diagnosis and treatment of panic disorder, 10(12):669-80

**Kirkwood KS**

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589-95

**Kirshenbaum J**

Process improvements to support earlier discharge times on a cardiology service, 10(5):263-5

**Knight AM**

Development of a brochure for patients describing a hospitalist service, 10(4):204-8

**Knight JR**

Adolescent substance use: prevention and management by primary care clinicians, 10(3):166-74

**Kohen R**

Syncope: diagnosis and evidence-based management, 10(1):39-46

**Kontos MC**

Evaluation of the emergency department patient with possible myocardial ischemia, 10(10):547-58

**Koroukian SM**

Resource use and expenditures associated with medical therapy for gastroesophageal reflux disease in Ohio Medicaid beneficiaries, 10(2):73-8

**Kosseff AL**

Clinical collaboratives for improving patient care, 10(12):651-6

**Krauss J**

Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531-4

**Landry L**

A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431-8

**Larson DR**

Orthopedic surgery nurses' assessment of a hospitalist model of perioperative care, 10(4):193-7

**Lee TH**

Bridges to excellence: building a business case for quality care, 10(8):439-46

**Levin M**

Chronic daily headache: classification, diagnosis, and management, 10(11):608-15

**Levy S**

Adolescent substance use: prevention and management by primary care clinicians, 10(3):166-74

**Lewis BE**

A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419-29

**Ley C**

Learning with leaders to create safe health care: the executive session on patient safety, 10(11):597-601

**Lighter DE**

Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159-65

**Lippert J**

Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19-23

**Lozano P**

Continuity of care is associated with early and consistent treatment of attention-deficit/hyperactivity disorder during a single school year, 10(7):371-5

**MacGregor A**

Introduction of an automated outcomes data collection and analysis system across 22 pediatric hospitals, 10(3):159-65

**Maclean JR**

Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531-4

## Magruder KM

Posttraumatic stress disorder: detection and management in primary care, 10(10):559–68

## Mange KC

Renal artery stenosis in the hypertensive patient, 10(11):617–22

## Matuszewski KA

A review of capsule endoscopy, 10(5):273–7

## McDonough KL

Cholesterol management in a population of managed care enrollees, 10(3):147–54

## McKean SCW

Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202

Hospitalists—an integral part of the health care system, 10(4):184 *e*

Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12

## McWilliams M

Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202

## Midthun DE

Screening for lung cancer, 10(12):661–8

## Mills CS

A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

## Milstein A

Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

## Mitchell MA

Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7

## Mohs RC

A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

## Moore ML

Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

## Morath JM

Learning with leaders to create safe health care: the executive session on patient safety, 10(11):597–601

## Mourad WA

Resource use and expenditures associated with medical therapy for gastroesoph-

ageal reflux disease in Ohio Medicaid beneficiaries, 10(2):73–8

## Murff HJ

Acetaminophen for osteoarthritis on the knees: could the guidelines be wrong?, 10(3):133–4 *abs/comm*

Alendromate to prevent accelerated bone loss after postmenopausal HRT is discontinued, 10(6):305–6 *abs/comm*

Atrial fibrillation prophylaxis after cardiac surgery does not reduce length of stay, 10(5):253–4 *abs/comm*

Daily aspirin and prophylaxis against recurrent colorectal adenoma, 10(10):530 *abs/comm*

Effect of hormone replacement on cognitive function in postmenopausal women, 10(2):63–4 *abs/comm*

Evaluating testing strategies for the diagnosis of syncope, 10(9):466–7 *abs/comm*

Folic acid does not reduce cardiovascular events in patients with coronary artery disease, 10(8):410–1 *abs/comm*

Impact of public dissemination of coronary artery bypass graft outcomes on surgical mortality, 10(11):577–8 *abs/comm*

Managing dyspepsia: is the test-and-treat strategy effective in primary care?, 10(12):634–5 *abs/comm*

Pacemaker therapy for vasovagal syncope does not prevent recurrent syncopal events, 10(7):354–5 *abs/comm*

Rethinking the role of conventional diet therapy for coronary artery disease, 10(1):10–1 *abs/comm*

## Nelson MA

Cholesterol management in a population of managed care enrollees, 10(3):147–54

## Niemeier SJ

Clinical collaboratives for improving patient care, 10(12):651–6

## Norris TE

Introduction of an electronic registry to improve diabetes outcomes in a primary care network, 10(10):541–6

## O'Connell D

Disclosing unanticipated outcomes and medical errors, 10(1):19–23

## Oddone EZ

Screening for cancer in older women: a guide to prudent prevention, 10(9):493–502

## Pagel JM

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

## Pantilat SZ

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589–95

The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257–62

## Perrin JM

Improving tobacco dependence medication use in a medicaid managed care organization: a practical systems-level approach, 10(10):535–9

## Persell SD

Counseling to increase exercise: getting patients to prompt physicians, 10(6):304–5 *abs/comm*

Depression is a predictor of mortality after coronary artery bypass surgery, 10(10):526–7 *abs/comm*

How common is restless legs syndrome?, 10(12):632 *abs/comm*

How does health information on the internet affect the patient-doctor relationship?, 10(9):465–6 *abs/comm*

Morning insulin glargine is better than bedtime insulin glargine or bedtime NPH insulin in combination with glimepiride, 10(8):406–7 *abs/comm*

No improvement in nationwide cholesterol levels during the 1990s, 10(7):353–4 *abs/comm*

NSAIDs may block cardioprotective effect of aspirin, 10(11):585, 588 *abs/comm*

Physician assessment of patients' comprehension of new information—does it improve outcomes?, 10(5):252–3 *abs/comm*

Real-life results of statin therapy fall short, 10(3):132 *abs/comm*

Treating diabetic dyslipidemia with gemfibrozil for secondary prevention of coronary heart disease, 10(2):68–9 *abs/comm*

What is the role of self-monitoring of blood glucose in non-insulin-treated diabetes?, 10(1):7, 10 *abs/comm*

## Peterson JF

Accepting critically ill patients in transfer: how will it affect common hospital benchmarks?, 10(9):464–5 *abs/comm*

Central nervous system active medications and the risk of fracture in older women, 10(6):308, 313 *abs/comm*

Does pharmaceutical advertising contain accurate promotional statements?, 10(2):65–6 *abs/comm*

Echinacea is not effective for treatment of the common cold, 10(3):128–9 *abs/comm*

Effect of experienced hospitalist care on

mortality, cost, and length of stay, 10(1):15–6 *abs/comm*

Neuraminidase inhibitors are effective for treatment and prevention of influenza, 10(7):360–1 *abs/comm*

Quality of care in the vulnerable elderly, 10(12):635–6 *abs/comm*

Screening for statin-related toxicity: low yield, 10(5):247, 250 *abs/comm*

Spiral CT with selective PET scanning detects early lung cancers in heavy smokers, 10(10):519–20 *abs/comm*

Thiazide diuretics are associated with lower risk of hip fractures, 10(11):578, 581 *abs/comm*

Using a personalized targeted mailing to increase mammography screening, 10(8):417–8 *abs/comm*

**Platt FW**  
Disclosing unanticipated outcomes and medical errors, 10(1):19–23

**Plevak MF**  
Orthopedic surgery nurses' assessment of a hospitalist model of perioperative care, 10(4):193–7

**Poon EG**  
Do patients with acute myocardial infarction who arrive via ambulance receive better quality care?, 10(2):64–65 *abs/comm*

Do women's clinics improve patient satisfaction?, 10(6):307–8 *abs/comm*

Laparoscopic fundoplication for reflux disease: gap between efficacy and effectiveness, 10(3):127–8 *abs/comm*

Pravastatin's efficacy in the elderly at high risk for vascular disease, 10(1):14–5 *abs/comm*

Self-management program reduces hospital utilization in patients with COPD, 10(5):254–5 *abs/comm*

**Pronovost PJ**  
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

**Rassen AG**  
Seniors-at-home: a case management program for frail elders, 10(11):603–7

**Ratko TA**  
A review of capsule endoscopy, 10(5):273–7

**Reese PP**  
Hospitalist home visit program identifies medication errors in a vulnerable general medicine population, 10(4):198–202

**Rhew DC**  
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8

**Rigotti NA**  
Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535–9

**Rockey Moore MB**  
Updating the Leapfrog Group intensive care unit physician staffing standard, 10(1):31–7

**Rogers R**  
Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531–4

**Roy CL**  
Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12

**Rudolph JR**  
Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7

**Schaechter JD**  
Systolic hypertension in older patients, 10(1):47–55

**Schneider JW**  
Inpatient evaluation and management of acute decompensated heart failure, 10(4):231–9

**Schnipper JL**  
Overview of a workshop on the role of the hospitalist in quality improvement, 10(4):209–12

**Schumacher HR**  
Diagnosis and management of gout, 10(6):336–42

**Seltzer SE**  
Has the use of appendiceal ultrasonography been effective in reducing the negative appendectomy rate?, 10(1):19–23

**Sequist TD**  
Are physicians compliant with clinical practice guidelines for osteoporosis in older adults with prior fracture?, 10(12):636–7 *abs/comm*

Diagnosing cancer in the presence of involuntary weight loss, 10(10):520, 523 *abs/comm*

Oral prednisone for outpatient treatment of COPD exacerbations, 10(8):411–2 *abs/comm*

**Sewell MC**  
A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419–29

**Singal N**  
Management of conjunctivitis, 10(7):388–94

**Sivak MV**  
Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365–70

**Sklar T**  
A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431–8

**Slomovic AR**  
Management of conjunctivitis, 10(7):388–94

**Spigel DR**  
Adopting new breast cancer staging: the impact of stage migration, 10(12):638, 641 *abs/comm*

Catheter design and bacteremia in patients with cancer, 10(11):584–5 *abs/comm*

Evaluating suspected malignant pleural effusions: is sending more fluid better?, 10(2):67–8 *abs/comm*

Following patients with advanced cancer: satisfaction with nurse-led care, 10(1):16–8 *abs/comm*

Implementing cervical cancer screening in underserved communities, 10(8):405 *abs/comm*

Improved outcomes with perioperative erythropoietin, 10(10):523–4 *abs/comm*

Improving appetite in patients with advanced cancer: putting fish oil to the test, 10(3):129–30 *abs/comm*

Screening for colorectal lesions: how well does virtual colonoscopy perform?, 10(9):463–4 *abs/comm*

Surgery and survival in rectal cancer: benefits of high-volume hospitals, 10(7):361, 363 *abs/comm*

Targeting repeat blood donors can increase supply, 10(6):303–4 *abs/comm*

Value of short-term follow-up recommendations in mammography, 10(5):250–1 *abs/comm*

**Sterling JE**  
Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481–7

**Tanasijevic M**  
Process improvements to support earlier discharge times on a cardiology service, 10(5):263–5

**Thomas J**

Managing the high cost of specialty drugs: a case study of palivizumab, 10(9):489-92

**Thompson DA**

Acute myocardial infarction: how well do emergency physicians in community hospitals follow clinical guidelines?, 10(9):481-7

**Thompson R**

Do clinician and patient adherence predict outcome in a depression disease management program?, 10(2):79-85

**Townsend RR**

Systolic hypertension in older patients, 10(1):47-55

**Tsymuk M**

A brief telephonic instrument to screen for cognitive impairment in a managed care population, 10(8):419-29

**Underwood GH**

Performance feedback improves pediatric residents' adherence to asthma clinical guidelines, 10(6):317-22

**Vaughan BL**

Adolescent substance use: prevention and management by primary care clinicians, 10(3):166-74

**Wachter RW**

The follow-up service: easing the transition from the inpatient to the outpatient setting, 10(5):257-62

**Waller J**

Residents' attitudes toward, knowledge of, and use of clinical guidelines: a survey, 10(10):531-4

**Weingart SN**

Learning with leaders to create safe health care: the executive session on patient safety, 10(11):597-601

**Weingarten SR**

A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431-8

**Welton ML**

Retrospective analysis of a guideline for evaluating nontraumatic abdominal pain in older patients presenting to the emergency department, 10(11):589-95

**Whelan CT**

Development and implementation of a hospital pathway for patients with diabetic foot lesions, 10(5):267-72

**White MK**

Beyond informed consent: the shared decision making process, 10(6):323-8

Disclosing unanticipated outcomes and medical errors, 10(1):19-23

The "Intensive"—a program to improve communication performance, 10(3):155-8

**Williams SA**

Cholesterol management in a population of managed care enrollees, 10(3):147-54

**Winickoff JP**

Improving tobacco dependence medication use in a Medicaid managed care organization: a practical systems-level approach, 10(10):535-9

**Witsell DL**

Physician perceptions about the flu: a survey of U.S. primary care providers, 10(3):139-44

**Wong JY**

A multicenter intervention to improve the care of hospitalized patients with community-acquired pneumonia, 10(8):431-8

**Wong RCK**

Optimizing testing and treatment for *Helicobacter pylori* infection in patients with acutely bleeding gastroduodenal ulcers: an interventional study, 10(7):365-70

**Wright SM**

Development of a brochure for patients describing a hospitalist service, 10(4):204-8

**Wu BJ**

Reversing warfarin anticoagulation: utilization of fresh frozen plasma and vitamin K in a community hospital, 10(12):643-5

**Zaidel O**

Crohn's disease: an evidence-based approach to medical management, 10(5):279-89