

Key to abbreviations: *abs/comm* = abstract with commentary; *e* = editorial.

SUBJECTS

ACE inhibitor

Angiotensin receptor blockers versus angiotensin-converting enzyme inhibitors in type 2 diabetes for the prevention of nephropathy, 11(12):755 *abs/comm*

Acute coronary syndrome

Differential effects by age of an early invasive strategy for non-ST-segment elevation acute coronary syndromes, 11(9):556-7 *abs/comm*

Quality of care for non-ST-segment elevation acute coronary syndromes; what should be the status quo?, 11(10):647-54

Treatment of the post-myocardial infarction patient: a concise review, 11(7):436-43

Acne

Common dermatologic presentations: the red face, 11(1):36-50

ADHD

Attention-deficit/hyperactivity disorder in adults, 11(1):51-9

Attention-deficit/hyperactivity disorder in children: assessment, management, and outcome, 11(4):241-51

Adverse drug events

Reducing adverse drug events involving high-risk medications in acute care, 11(10):640-6

Alcohol abuse

Identification and management of alcohol use disorders in primary care, 11(7):444-60

Alzheimer's disease

Donepezil only marginally improves outcomes in Alzheimer's disease, 11(9):557-8 *abs/comm*

Anticoagulation

Major bleeding risks are associated with long-term oral anticoagulation for venous thromboembolism, 11(2):77-8 *abs/comm*

Aspirin

Clopidogrel or aspirin to prevent recurrent cardiovascular events?, 11(8):488, 498 *abs/comm*

Is aspirin beneficial for primary prevention of cardiac events in diabetes?, 11(2):76-7 *abs/comm*

Asthma

Should regular use of β agonists be recommended for patients with persistent asthma?, 11(7):412, 415 *abs/comm*

Attention-deficit/hyperactivity disorder

Attention-deficit/hyperactivity disorder in adults, 11(1):51-9

Attention-deficit/hyperactivity disorder in children: assessment, management, and outcome, 11(4):241-51

Beta blockers

A clinical pathway to improve surgical risk assessment and use of perioperative β blockade in noncardiac surgery patients, 11(7):429-33

Bipolar disorder

Bipolar disorder for the primary care physician, 11(9):595-606

Bone loss

Reducing bone loss from androgen deprivation in prostate cancer using raloxifene, 11(9):552, 555 *abs/comm*

Bronchitis

Acute exacerbations of chronic bronchitis: diagnosis and therapy, 11(10):659-73

C-reactive protein

C-reactive protein test to diagnose pneumonia in adults, 11(5):269-70 *abs/comm*

Emerging use of inflammatory biomarkers in assessing risk for cardiovascular disease, 11(11):718-28

COPD

Acute exacerbations of chronic bronchitis: diagnosis and therapy, 11(10):659-73

Cancer

Improving diagnostic accuracy in patients with suspected lymphoma, 11(11):691-2 *abs/comm*

Weekly erythropoietin improves anemia associated with cancer treatment, 11(12):751 *abs/comm*

Cancer, breast

Early genetic counseling and testing for breast cancer patients and impact on surgical decision, 11(7):408, 412 *abs/comm*

Helping patients decide: use of a decision aid for breast cancer surgery, 11(9):546, 550 *abs/comm*

Improving genetic testing for breast cancer susceptibility in primary care: are computers the answer?, 11(11):686-7 *abs/comm*

Reducing mammography-associated anxiety with rapid reporting, 11(5):270, 273-4 *abs/comm*

Cancer, colorectal

Adherence to screening guidelines for colorectal cancer: the impact of genetic testing and counseling, 11(4):201, 205 *abs/comm*

Colorectal cancer mortality and biennial screening with fecal occult blood tests, 11(8):498-9 *abs/comm*

Improving rates of colorectal cancer screening through direct mailing of fecal occult blood tests, 11(7):415-6 *abs/comm*

Cancer, lung

Staging lung cancer using positron emission tomography and the impact on care, 11(8):486-8 *abs/comm*

Treatment delay and survival in patients with non-small cell lung cancer, 11(2):68, 71 *abs/comm*

Cancer, prostate

Reducing bone loss from androgen deprivation in prostate cancer using raloxifene, 11(9):552, 555 *abs/comm*

Cardiovascular disease

Emerging use of inflammatory biomarkers in

assessing risk for cardiovascular disease, 11(11):718-28

Cholesterol lowering with atorvastatin for the primary prevention of cardiovascular disease in diabetic adults, 11(11):682, 685 *abs/comm*

Clopidogrel or aspirin to prevent recurrent cardiovascular events?, 11(8):488, 498 *abs/comm*

Vitamin supplementation and cardiovascular disease, 11(3):167-79

Case management

Does case management improve physiologic outcomes for patients with poorly controlled diabetes?, 11(7):407-8 *abs/comm*

Chronic kidney disease

Chronic kidney disease: a brief review for the primary care physician, 11(12):784-90

Chronic obstructive pulmonary disease

Acute exacerbations of chronic bronchitis: diagnosis and therapy, 11(10):659-73

Clopidogrel

Clopidogrel or aspirin to prevent recurrent cardiovascular events?, 11(8):488, 498 *abs/comm*

Community-acquired pneumonia

The effect of a community-acquired pneumonia guideline on duration of intravenous antibiotics and length of stay, 11(1):12-4 *abs/comm*

Computerized alerts

Overriding computerized alerts in primary care, 11(1):14-5 *abs/comm*

Congestive heart failure

Benefits of tai chi for elderly patients with congestive heart failure, 11(11):690-1 *abs/comm*

Spirolactone: the missing drug in the treatment of patients hospitalized with congestive heart failure, 11(9):568-73

Using the Six Sigma approach to meet quality standards for cardiac medication administration, 11(8):510-6

Coronary artery disease

Impact of nonphysician coaching on cardiovascular risk factors in patients with coronary heart disease, 11(3):142-3 *abs/comm*

Quality of care for non-ST-segment elevation acute coronary syndromes; what should be the status quo?, 11(10):647-54

Counseling, genetic

Early genetic counseling and testing for breast cancer patients and impact on surgical decision, 11(7):408, 412 *abs/comm*

Decision aids

Helping patients decide: use of a decision aid for breast cancer surgery, 11(9):546, 550 *abs/comm*

Improving genetic testing for breast cancer susceptibility in primary care: are computers the answer?, 11(11):686-7 *abs/comm*

Decision support

Overriding computerized alerts in primary care, 11(1):14-5 *abs/comm*

Deep vein thrombosis

Below-knee stockings reduce post-thrombotic syndrome in patients with proximal deep vein thrombosis, 11(10):622, 628 *abs/comm*

Dementia

Hormone replacement therapy and the risk of dementia: the Women's Health Initiative Memory Study, 11(8):500-1 *abs/comm*

Dermatitis

Common dermatologic presentations: the red face, 11(1):36-50

Diabetes

Achieving optimal glycemic control in patients with poorly controlled diabetes: bedtime insulin versus pioglitazone, 11(4):195-6 *abs/comm*

Angiotensin receptor blockers versus angiotensin-converting enzyme inhibitors in type 2 diabetes for the prevention of nephropathy, 11(12):755 *abs/comm*

Cholesterol lowering with atorvastatin for the primary prevention of cardiovascular disease in diabetic adults, 11(11):682, 685 *abs/comm*

Diabetes disease management program is more effective for patients with low literacy, 11(12):752 *abs/comm*

Does case management improve physiologic outcomes for patients with poorly controlled diabetes?, 11(7):407-8 *abs/comm*

Is aspirin beneficial for primary prevention of cardiac events in diabetes?, 11(2):76-7 *abs/comm*

Medication underuse in diabetes due to cost, 11(5):265-6 *abs/comm*

Multiple interventions to improve provider adherence to diabetes care guidelines, 11(4):232-40

Optimizing outcomes in adolescents with type 1 diabetes and their families, 11(5):299-306

Soft drinks, obesity, and risk for development of type 2 diabetes, 11(10):616-7 *abs/comm*

Subcutaneous insulin lispro is safe and cost-effective for diabetic ketoacidosis, 11(10):615-6 *abs/comm*

Diabetic ketoacidosis

Subcutaneous insulin lispro is safe and cost-effective for diabetic ketoacidosis, 11(10):615-6 *abs/comm*

Diet

Healthy lifestyle and mediterranean diet decreases mortality in the elderly, 11(11):688-9 *abs/comm*

Donepezil

Donepezil only marginally improves outcomes in Alzheimer's disease, 11(9):557-8 *abs/comm*

Drug costs

Helping primary care physicians lower pharmaceutical expenses: an academic medical center's experience, 11(5):290-5

Medication underuse in diabetes due to cost, 11(5):265-6 *abs/comm*

Drug substitution program

Helping primary care physicians lower pharmaceutical expenses: an academic medical center's experience, 11(5):290-5

Drug utilization review

Assessment of a retrospective drug utilization review alert letter program, 11(3):150-4

Efficiency

Commentary: waste, defects, and rework, 11(9):583 *e*

Endoscopy

Specialist referral versus direct testing: optimizing care of patients with colorectal symptoms, 11(1):10-1 *abs/comm*

Erectile dysfunction

An experience in creating a men's health electronic registry in a primary care setting, 11(4):223-8

Exercise

Benefits of tai chi for elderly patients with congestive heart failure, 11(11):690-1 *abs/comm*

Exercise and the elderly: a scientific rationale for exercise prescription, 11(2):106-16

Exercise and the elderly: guidelines and practical prescription applications for the clinician, 11(2):117-27

Prescribing exercise for weight loss: less is not more, but it's not bad, 11(3):143-4 *abs/comm*

Fecal occult blood test

Colorectal cancer mortality and biennial screening with fecal occult blood tests, 11(8):498-9 *abs/comm*

Improving rates of colorectal cancer screening through direct mailing of fecal occult blood tests, 11(7):415-6 *abs/comm*

Fitness

Exercise and the elderly: a scientific rationale for exercise prescription, 11(2):106-16

Exercise and the elderly: guidelines and practical prescription applications for the clinician, 11(2):117-27

Gabapentin

Improving neuropathic pain due to cancer using gabapentin, 11(10):620-1 *abs/comm*

Gastroesophageal reflux disease

Nocturnal gastroesophageal reflux disease, 11(12):791-803

Genetic testing

Adherence to screening guidelines for colorectal cancer: the impact of genetic testing and counseling, 11(4):201, 205 *abs/comm*

Early genetic counseling and testing for breast cancer patients and impact on surgical decision, 11(7):408, 412 *abs/comm*

Improving genetic testing for breast cancer susceptibility in primary care: are computers the answer?, 11(11):686-7 *abs/comm*

Guidelines

Adherence to screening guidelines for colorectal cancer: the impact of genetic testing and counseling, 11(4):201, 205 *abs/comm*

Multiple interventions to improve provider adherence to diabetes care guidelines, 11(4):232-40

The effect of a community-acquired pneumonia guideline on duration of intravenous antibiotics and length of stay, 11(1):12-4 *abs/comm*

Hepatitis C

Hepatitis C: update on management of chronic infection, 11(8):523-33

HIV

Quality of HIV care within the Veterans Affairs health system: a comparison using outcomes from the HIV Costs and Services Utilization Study, 11(12):765-74

Hormone replacement therapy

Hormone replacement therapy and the risk of dementia: the Women's Health Initiative Memory Study, 11(8):500-1 *abs/comm*

Hospital mortality

Weekend versus weekday hospital admissions: is there a difference in mortality?, 11(9):551-2 *abs/comm*

Hospitalists

Inpatient resource utilization; effect of physician specialty and experience, 11(7):417-8 *abs/comm*

Hypercholesterolemia

Cholesterol lowering with atorvastatin for the primary prevention of cardiovascular disease in diabetic adults, 11(11):682, 685 *abs/comm*

Effects of statin therapy in children with familial hypercholesterolemia, 11(9):545-6 *abs/comm*

Initiation of lipid-lowering medication in the hospital: does it predict long-term use?, 11(1):11-2 *abs/comm*

Hypertension

Improvement in hypertension control: is the glass half empty or half full?, 11(2):71, 75 *abs/comm*

Tea consumption and hypertension: possible benefits?, 11(10):618-9 *abs/comm*

Telemedicine and hypertension, 11(8):517-22

Hypoventilation

Prevalence and effects of obesity-associated hypoventilation in hospitalized patients, 11(3):140 *abs/comm*

Incident reporting systems

Building a better incident reporting system: perspectives from a multisite project, 11(5):275-80

Information technology

An experience in creating a men's health electronic registry in a primary care setting, 11(4):223-8

Technologies for receiving test results in primary care practices and the impact of managed care, 11(4):216-22

Insulin

Achieving optimal glycemic control in patients with poorly controlled diabetes: bedtime insulin versus pioglitazone, 11(4):195-6 *abs/comm*

Subcutaneous insulin lispro is safe and cost-effective for diabetic ketoacidosis, 11(10):615-6 *abs/comm*

Intensive care

A practical tool to reduce medication errors during patient transfer from an intensive care unit, 11(1):26, 29-33

Building a better incident reporting system: perspectives from a multisite project, 11(5):275-80

Levofloxacin

Moxifloxacin versus levofloxacin for uncomplicated skin and skin structure infections: treatment durations, failures, and charges, 11(2):83–8

Lymphoma

Improving diagnostic accuracy in patients with suspected lymphoma, 11(11):691–2 *abs/comm*

Mammography

Reducing mammography-associated anxiety with rapid reporting, 11(5):270, 273–4 *abs/comm*

Medical errors

A practical tool to reduce medication errors during patient transfer from an intensive care unit, 11(1):26, 29–33

Building a better incident reporting system: perspectives from a multisite project, 11(5):275–80

How often do elderly patients receive inappropriate medications?, 11(4):199–200 *abs/comm*

Reducing adverse drug events involving high-risk medications in acute care, 11(10):640–6

Metformin

Assessment of a retrospective drug utilization review alert letter program, 11(3):150–4

Misuse

How often do elderly patients receive inappropriate medications?, 11(4):199–200 *abs/comm*

Moxifloxacin

Moxifloxacin versus levofloxacin for uncomplicated skin and skin structure infections: treatment durations, failures, and charges, 11(2):83–8

Myocardial infarction

Clopidogrel or aspirin to prevent recurrent cardiovascular events?, 11(8):488, 498 *abs/comm*

Treatment of the post-myocardial infarction patient: a concise review, 11(7):436–43

Using the Six Sigma approach to meet quality standards for cardiac medication administration, 11(8):510–6

Neuralgia

Peripheral neuropathic pain syndromes; three case studies, 11(11):718–28

Nicotine replacement therapy

Individualizing nicotine replacement can increase smoking cessation rates, 11(5):268–9 *abs/comm*

Nurse coaching

Impact of nonphysician coaching on cardiovascular risk factors in patients with coronary heart disease, 11(3):142–3 *abs/comm*

Obesity

Prevalence and effects of obesity-associated hypoventilation in hospitalized patients, 11(3):140 *abs/comm*

Soft drinks, obesity, and risk for development of type 2 diabetes, 11(10):616–7 *abs/comm*

Osteoarthritis

Patient preferences for treatment of knee osteoarthritis, 11(8):485–6 *abs/comm*

Pain, neuropathic

Improving neuropathic pain due to cancer using gabapentin, 11(10):620–1 *abs/comm*

Peripheral neuropathic pain syndromes; three case studies, 11(11):718–28

Patient satisfaction

Validation of a total score for the critical care family satisfaction survey, 11(8):502–7

Patient transfer

A practical tool to reduce medication errors during patient transfer from an intensive care unit, 11(1):26, 29–33

Percutaneous coronary intervention

Outcomes in peripheral arterial disease patients who undergo coronary revascularization with PCI and stents, 11(11):687–8 *abs/comm*

Peripheral arterial disease

Detection and treatment of peripheral arterial occlusive disease, 11(5):309–19

Outcomes in peripheral arterial disease patients who undergo coronary revascularization with PCI and stents, 11(11):687–8 *abs/comm*

Personal digital assistants

An experience in creating a men's health electronic registry in a primary care setting, 11(4):223–8

PET scan

Staging lung cancer using positron emission tomography and the impact on care, 11(8):486–8 *abs/comm*

Physical activity

Exercise and the elderly: a scientific rationale for exercise prescription, 11(2):106–16

Exercise and the elderly: guidelines and practical prescription applications for the clinician, 11(2):117–27

Physician intervention letters

Assessment of a retrospective drug utilization review alert letter program, 11(3):150–4

Physician turnover

Does continuity of care affect health care quality?, 11(2):67–8 *abs/comm*

Physician-patient communication

Recording physician-patient visits: minimal cost, minimal gain, 11(3):141–2 *abs/comm*

Pioglitazone

Achieving optimal glycemic control in patients with poorly controlled diabetes: bedtime insulin versus pioglitazone, 11(4):195–6 *abs/comm*

Pneumonia

C-reactive protein test to diagnose pneumonia in adults, 11(5):269–70 *abs/comm*

Increased pneumonia risk with gastric acid suppression therapy?, 11(12):762 *abs/comm*

Postdischarge care

Improving stroke outcomes: implementation of a postdischarge care management model, 11(11):707–14

Postdischarge physician follow-up: does it matter by whom?, 11(8):482, 485 *abs/comm*

Postpartum depression

Improving the identification and treatment of postpartum depression in a managed care organization, 11(3):157–61

Post-thrombotic syndrome

Below-knee stockings reduce post-thrombotic syndrome in patients with proximal deep vein thrombosis, 11(10):622, 628 *abs/comm*

Preventive services delivery

Developing a blueprint for effective preventive services delivery, 11(12):775–81

Psoriasis

A red, scaly rash: how to recognize and treat psoriasis, 11(7):463–74

Pulmonary embolism

A useful diagnostic strategy for suspected pulmonary embolism, 11(4):205–6 *abs/comm*

Quality improvement

Achieving the vision of the *Chasm* report, 11(1):9 *e*

How effective are quality improvement initiatives?, 11(10):619–20 *abs/comm*

Marginal success for a multimodal quality improvement initiative for cardiovascular care, 11(12):763 *abs/comm*

Quality indicators

Hospital report cards: friend or foe?, 11(2):98–102 *e*

Raloxifene

Reducing bone loss from androgen deprivation in prostate cancer using raloxifene, 11(9):552, 555 *abs/comm*

Report cards

Hospital report cards: friend or foe?, 11(2):98–102

Rheumatoid arthritis

Pharmacologic management of rheumatoid arthritis, 11(9):585–92

Rosacea

Common dermatologic presentations: the red face, 11(1):36–50

Rounding

Aligning availability of morning laboratory results with physician rounding patterns, 11(9):577–82

Screening

Adherence to screening guidelines for colorectal cancer: the impact of genetic testing and counseling, 11(4):201, 205 *abs/comm*

Colorectal cancer mortality and biennial screening with fecal occult blood tests, 11(8):498–9 *abs/comm*

Improving rates of colorectal cancer screening through direct mailing of fecal occult blood tests, 11(7):415–6 *abs/comm*

Increasing cancer screening rates in primary care: no easy solutions, 11(12):754 *abs/comm*

Should the CRAFFT substance abuse screening test be shortened?, 11(1):19–25

Sepsis

Antimicrobial therapy for sepsis: how does it affect survival?, 11(1):15–6 *abs/comm*

Shadowing

My day shadowing a nurse: learning about teamwork in health care, 11(3):165–6

Six Sigma

Using the Six Sigma approach to meet quality standards for cardiac medication administration, 11(8):510–6

Skin infection

Moxifloxacin versus levofloxacin for uncomplicated skin and skin structure infections: treatment durations, failures, and charges, 11(2):83–8

Smoking cessation

Evaluation of clinical systems for treating tobacco use: a comparison of key informant interview and document examination, 11(11):698–706

Individualizing nicotine replacement can increase smoking cessation rates, 11(5):268–9 *abs/comm*

Specialist referral

Specialist referral versus direct testing: optimizing care of patients with colorectal symptoms, 11(1):10–1 *abs/comm*

Spironolactone

Spironolactone: the missing drug in the treatment of patients hospitalized with congestive heart failure, 11(9):568–73

Statins

Cholesterol lowering with atorvastatin for the

primary prevention of cardiovascular disease in diabetic adults, 11(11):682, 685 *abs/comm*

Effects of statin therapy in children with familial hypercholesterolemia, 11(9):545–6 *abs/comm*

Stroke

Improving stroke care through development of a stroke intervention team: a case study, 11(10):632–9

Improving stroke outcomes: implementation of a postdischarge care management model, 11(11):707–14

Transient ischemic attacks and minor strokes put patients at high risk for repeat strokes, 11(3):139 *abs/comm*

Substance abuse

Identification and management of alcohol use disorders in primary care, 11(7):444–60

Should the CRAFFT substance abuse screening test be shortened?, 11(1):19–25

Syncope

A prediction rule for serious outcomes of syncope in emergency room patients may reduce admissions, 11(4):196, 199 *abs/comm*

Tai chi

Benefits of tai chi for elderly patients with congestive heart failure, 11(11):690–1 *abs/comm*

Tea

Tea consumption and hypertension: possible benefits?, 11(10):618–9 *abs/comm*

Telemedicine

Telemedicine and hypertension, 11(8):517–22

Thromboembolism

Major bleeding risks are associated with long-

term oral anticoagulation for venous thromboembolism, 11(2):77–8 *abs/comm*

Tobacco use

Evaluation of clinical systems for treating tobacco use: a comparison of key informant interview and document examination, 11(11):698–706

Transient ischemic attack

Transient ischemic attacks and minor strokes put patients at high risk for repeat strokes, 11(3):139 *abs/comm*

Tuberculosis

Diagnosis and treatment of latent tuberculosis infection, 11(3):182–7

Underuse

Medication underuse in diabetes due to cost, 11(5):265–6 *abs/comm*

Urinary tract infection

Antibiotic treatment for uncomplicated urinary tract infections in the elderly: a comparison of 3-day and 7-day courses, 11(5):266, 268 *abs/comm*

Utilization

Inpatient resource utilization; effect of physician specialty and experience, 11(7):417–8 *abs/comm*

Vitamin supplementation

Vitamin supplementation and cardiovascular disease, 11(3):167–79

Weight control

Prescribing exercise for weight loss: less is not more, but it's not bad, 11(3):143–4 *abs/comm*

AUTHORS

Abou-Zamzam AM

Detection and treatment of peripheral arterial occlusive disease, 11(5):309–19

Allen K

Improving stroke outcomes: implementation of a postdischarge care management model, 11(11):707–14

Allen MH

Bipolar disorder for the primary care physician, 11(9):595–606

An LC

Evaluation of clinical systems for treating tobacco use: a comparison of key informant interview and document examination, 11(11):698–706

Anaya HD

Quality of HIV care within the Veterans Affairs health system: a comparison using outcomes from the HIV Costs and Services Utilization Study, 11(12):765–74

Arron MJ

An evidence-based approach to a perioperative care: update for the primary care physician, 11(6):351–2, 355–62, 365–6

Asch SM

Quality of HIV care within the Veterans Affairs health system: a comparison using outcomes from the HIV Costs and Services Utilization Study, 11(12):765–74

Ashkenazi A

Peripheral neuropathic pain syndromes; three case studies, 11(11):718–28

Atiq R

Attention-deficit/hyperactivity disorder in adults, 11(1):51–9

Baker K

Validation of a total score for the critical care family satisfaction survey, 11(8):502–7

Balogun RA

Chronic kidney disease: a brief review for the primary care physician, 11(12):784–90

Barthelette S

Common dermatologic presentations: the red face, 11(1):36–50

Bates DW

Achieving the vision of the *Chasm* report, 11(1):9 *e*

Berenholtz SM

A practical tool to reduce medication errors during patient transfer from an intensive care unit, 11(1):26, 29–33

Bernhardt TS

Evaluation of clinical systems for treating tobacco use: a comparison of key informant interview and document examination, 11(11):698–706

Berry D

Optimizing outcomes in adolescents with type 1 diabetes and their families, 11(5):299–306

Bland P

Evaluation of clinical systems for treating tobacco use: a comparison of key informant interview and document examination, 11(11):698–706

Bluhm JH

Evaluation of clinical systems for treating tobacco use: a comparison of key informant interview and document examination, 11(11):698–706

Bolton WK

Chronic kidney disease: a brief review for the primary care physician, 11(12):784–90

Bornstein WA

Commentary: waste, defects, and rework, 11(9):583 e

Bosworth HB

Telemedicine and hypertension, 11(8):517–22

Boyd BJ

Improving the identification and treatment of postpartum depression in a managed care organization, 11(3):157–61

Bozzette SA

Quality of HIV care within the Veterans Affairs health system: a comparison using outcomes from the HIV Costs and Services Utilization Study, 11(12):765–74

Brass LM

The secondary prevention of ischemic stroke, 11(6):371–82

Bravata DM

The secondary prevention of ischemic stroke, 11(6):371–82

Brelje TV

Assessment of a retrospective drug utilization review alert letter program, 11(3):150–4

Brennan TA

Helping primary care physicians lower pharmaceutical expenses: an academic medical center's experience, 11(5):290–5

Brinkerhoff CV

Quality of HIV care within the Veterans Affairs health system: a comparison using outcomes from the HIV Costs and Services Utilization Study, 11(12):765–74

Bussing RC

A clinical pathway to improve surgical risk assessment and use of perioperative β blockade in noncardiac surgery patients, 11(7):429–33

Carroll CL

A red, scaly rash: how to recognize and treat psoriasis, 11(7):463–74

Catrambone C

Using virtual teams to improve the care of chronically ill patients, 11(6):346–50

Cayce KA

A red, scaly rash: how to recognize and treat psoriasis, 11(7):463–74

Common dermatologic presentations: the red face, 11(1):36–50

Center B

Evaluation of clinical systems for treating tobacco use: a comparison of key informant interview and document examination, 11(11):698–706

Chabra B

Helping primary care physicians lower pharmaceutical expenses: an academic medical center's experience, 11(5):290–5

Chadha V

An evidence-based approach to a perioperative care: update for the primary care physician, 11(6):351–2, 355–62, 365–6

Chan ED

Diagnosis and treatment of latent tuberculosis infection, 11(3):182–7

Chaudhry R

Developing a blueprint for effective preventive services delivery, 11(12):775–81

Chernov AJ

Improving the identification and treatment of postpartum depression in a managed care organization, 11(3):157–61

Clough L

Improving stroke outcomes: implementation of a postdischarge care management model, 11(11):707–14

Coblyn J

Helping primary care physicians lower pharmaceutical expenses: an academic medical center's experience, 11(5):290–5

Cohn SL

An evidence-based approach to a perioperative care: update for the primary care physician, 11(6):351–2, 355–62, 365–6

Cook FE

Helping primary care physicians lower pharmaceutical expenses: an academic medical center's experience, 11(5):290–5

Crea KA

Reducing adverse drug events involving high-risk medications in acute care, 11(10):640–6

Diaz SM

An experience in creating a men's health electronic registry in a primary care setting, 11(4):223–8

Dickman F

Building a better incident reporting system: perspectives from a multisite project, 11(5):275–80

Donahoo WT

Vitamin supplementation and cardiovascular disease, 11(3):167–79

Dorman T

A practical tool to reduce medication errors during patient transfer from an intensive care unit, 11(1):26, 29–33

Building a better incident reporting system: perspectives from a multisite project, 11(5):275–80

Eagle KA

Treatment of the post-myocardial infarction patient: a concise review, 11(7):436–43

Earsing K

A practical tool to reduce medication errors during patient transfer from an intensive care unit, 11(1):26, 29–33

Elberfeld A

Using the Six Sigma approach to meet quality standards for cardiac medication administration, 11(8):510–6

Emery K

A practical tool to reduce medication errors during patient transfer from an intensive care unit, 11(1):26, 29–33

Fahey M

Building a better incident reporting system: perspectives from a multisite project, 11(5):275–80

Fass R

Nocturnal gastroesophageal reflux disease, 11(12):791–803

Feldman SR

A red, scaly rash: how to recognize and treat psoriasis, 11(7):463–74

Common dermatologic presentations: the red face, 11(1):36–50

Fibuch E

Improving stroke care through development of a stroke intervention team: a case study, 11(10):632–9

Fogg L

Using virtual teams to improve the care of chronically ill patients, 11(6):346–50

Foldes SS

Evaluation of clinical systems for treating tobacco use: a comparison of key informant interview and document examination, 11(11):698–706

Fraulo ES

Quality of care for non-ST-segment elevation acute coronary syndromes; what should be the status quo?, 11(10):647–54

Garces M

Pharmacologic management of rheumatoid arthritis, 11(9):585–92

Gates EA

Should the CRAFFT substance abuse screening test be shortened?, 11(1):19–25

Gentile JP

Attention-deficit/hyperactivity disorder in adults, 11(1):51–9

Giella P

Aligning availability of morning laboratory results with physician rounding patterns, 11(9):577–82

Gillig PM

Attention-deficit/hyperactivity disorder in adults, 11(1):51–9

Gleason PP

Assessment of a retrospective drug utilization review alert letter program, 11(3):150–4

Goldberg GA

Moxifloxacin versus levofloxacin for uncomplicated skin and skin structure infections: treatment durations, failures, and charges, 11(2):83–8

Goldszer RD

My day shadowing a nurse: learning about teamwork in health care, 11(3):165–6

Goodman K

Using the Six Sigma approach to meet quality standards for cardiac medication administration, 11(8):510–6

Gordon AJ

Identification and management of alcohol use disorders in primary care, 11(7):444–60

Gouveia-Pisano JA

An experience in creating a men's health electronic registry in a primary care setting, 11(4):223–8

Graham GF

Common dermatologic presentations: the red face, 11(1):36–50

Grey M

Optimizing outcomes in adolescents with type 1 diabetes and their families, 11(5):299–306

Haberman M

Moxifloxacin versus levofloxacin for uncomplicated skin and skin structure infections: treatment durations, failures, and charges, 11(2):83–8

Hargett BE

Aligning availability of morning laboratory results with physician rounding patterns, 11(9):577–82

Harpole LH

Technologies for receiving test results in primary care practices and the impact of managed care, 11(4):216–22

Harris SK

Should the CRAFFT substance abuse screening test be shortened?, 11(1):19–25

Hartwig SC

Assessment of a retrospective drug utilization review alert letter program, 11(3):150–4

Hazelett S

Improving stroke outcomes: implementation of a postdischarge care management model, 11(11):707–14

Hobson DB

A practical tool to reduce medication errors during patient transfer from an intensive care unit, 11(1):26, 29–33

Holzmueller CG

Building a better incident reporting system: perspectives from a multisite project, 11(5):275–80

Hornig MS

Healthy lifestyle and mediterranean diet decreases mortality in the elderly, 11(11):688–9 *abs/comm*

Helping patients decide: use of a decision aid for breast cancer surgery, 11(9):546, 550 *abs/comm*

Increased pneumonia risk with gastric acid suppression therapy?, 11(12):762 *abs/comm*

Inpatient resource utilization; effect of physician specialty and experience, 11(7):417–8 *abs/comm*

Postdischarge physician follow-up: does it matter by whom?, 11(8):482, 485 *abs/comm*

Tea consumption and hypertension: possible benefits?, 11(10):618–9 *abs/comm*

Houghton JL

Emerging use of inflammatory biomarkers in

assessing risk for cardiovascular disease, 11(11):718–28

Jarjoura D

Improving stroke outcomes: implementation of a postdischarge care management model, 11(11):707–14

Jha AK

Antimicrobial therapy for sepsis: how does it affect survival?, 11(1):15–6 *abs/comm*

Are renal function markers predictors of mortality in patients with decompensated heart failure?, 11(6):332–4 *abs/comm*

Benefits of tai chi for elderly patients with congestive heart failure, 11(11):690–1 *abs/comm*

C-reactive protein test to diagnose pneumonia in adults, 11(5):269–70 *abs/comm*

Does case management improve physiologic outcomes for patients with poorly controlled diabetes?, 11(7):407–8 *abs/comm*

Prevalence and effects of obesity-associated hypoventilation in hospitalized patients, 11(3):140 *abs/comm*

Weekend versus weekday hospital admissions: is there a difference in mortality?, 11(9):551–2 *abs/comm*

Joy SV

An experience in creating a men's health electronic registry in a primary care setting, 11(4):223–8

Kadlubek PJ

Moxifloxacin versus levofloxacin for uncomplicated skin and skin structure infections: treatment durations, failures, and charges, 11(2):83–8

Keating K

Moxifloxacin versus levofloxacin for uncomplicated skin and skin structure infections: treatment durations, failures, and charges, 11(2):83–8

Knight JR

Should the CRAFFT substance abuse screening test be shortened?, 11(1):19–25

Korthuis PT

Quality of HIV care within the Veterans Affairs health system: a comparison using outcomes from the HIV Costs and Services Utilization Study, 11(12):765–74

Kottke T

Developing a blueprint for effective preventive services delivery, 11(12):775–81

Lapidos S

Using virtual teams to improve the care of chronically ill patients, 11(6):346–50

Lee DW

Moxifloxacin versus levofloxacin for uncomplicated skin and skin structure infections: treatment durations, failures, and charges, 11(2):83–8

Lefevre F

An evidence-based approach to a perioperative care: update for the primary care physician, 11(6):351–2, 355–62, 365–6

Lewis CB

Multiple interventions to improve provider adherence to diabetes care guidelines, 11(4):232–40

Lineberry T

Multiple interventions to improve provider adherence to diabetes care guidelines, 11(4):232–40

Lins ES

A practical tool to reduce medication errors during patient transfer from an intensive care unit, 11(1):26, 29–33

Lipsett PA

A practical tool to reduce medication errors during patient transfer from an intensive care unit, 11(1):26, 29–33

Lozada CJ

Pharmacologic management of rheumatoid arthritis, 11(9):595–606

Lubomski LH

Building a better incident reporting system: perspectives from a multisite project, 11(5):275–80

Lytle BL

Quality of care for non-ST-segment elevation acute coronary syndromes; what should be the status quo?, 11(10):647–54

Magnan S

Evaluation of clinical systems for treating tobacco use: a comparison of key informant interview and document examination, 11(11):698–706

Mancewicz M

Quality of HIV care within the Veterans Affairs health system: a comparison using outcomes from the HIV Costs and Services Utilization Study, 11(12):765–74

Manley M

Evaluation of clinical systems for treating tobacco use: a comparison of key informant interview and document examination, 11(11):698–706

Marshall S

Improving stroke care through development of a stroke intervention team: a case study, 11(10):632–9

Martinez FJ

Acute exacerbations of chronic bronchitis: diagnosis and therapy, 11(10):659–73

Matchett S

Validation of a total score for the critical care family satisfaction survey, 11(8):502–7

McDermott AY

Exercise and the elderly: a scientific rationale for exercise prescription, 11(2):106–16

Exercise and the elderly: guidelines and practical prescription applications for the clinician, 11(2):117–27

Merchant S

Moxifloxacin versus levofloxacin for uncomplicated skin and skin structure infections: treatment durations, failures, and charges, 11(2):83–8

Mernitz H

Exercise and the elderly: a scientific rationale for exercise prescription, 11(2):106–16

Exercise and the elderly: guidelines and practical prescription applications for the clinician, 11(2):117–27

Miller LS

Improving the identification and treatment of postpartum depression in a managed care organization, 11(3):157–61

Minnick A

Using virtual teams to improve the care of chronically ill patients, 11(6):346–50

Moore A

Nocturnal gastroesophageal reflux disease, 11(12):791–803

Morehead D

Reducing adverse drug events involving high-risk medications in acute care, 11(10):640–6

Morgan E

Multiple interventions to improve provider adherence to diabetes care guidelines, 11(4):232–40

Morlock LL

Building a better incident reporting system: perspectives from a multisite project, 11(5):275–80

Mukherjee D

Treatment of the post-myocardial infarction patient: a concise review, 11(7):436–43

Murff HJ

Achieving optimal glycemic control in patients with poorly controlled diabetes: bedtime insulin versus pioglitazone, 11(4):195–6 *abs/comm*

Antibiotic treatment for uncomplicated urinary tract infections in the elderly: a comparison of 3-day and 7-day courses, 11(5):266, 268 *abs/comm*

Colorectal cancer mortality and biennial screening with fecal occult blood tests, 11(8):498–9 *abs/comm*

Donepezil only marginally improves outcomes in Alzheimer's disease, 11(9):557–8 *abs/comm*

Improving genetic testing for breast cancer susceptibility in primary care: are computers the answer?, 11(11):686–7 *abs/comm*

Improving rates of colorectal cancer screening through direct mailing of fecal occult blood tests, 11(7):415–6 *abs/comm*

Increasing cancer screening rates in primary care: no easy solutions, 11(12):754 *abs/comm*

Inhaled steroids for the treatment of asthma and risk of osteoporosis, 11(6):331–2 *abs/comm*

Is aspirin beneficial for primary prevention of cardiac events in diabetes?, 11(2):76–7 *abs/comm*

Prescribing exercise for weight loss: less is not more, but it's not bad, 11(3):143–4 *abs/comm*

Subcutaneous insulin lispro is safe and cost-effective for diabetic ketoacidosis, 11(10):615–6 *abs/comm*

The effect of a community-acquired pneumonia guideline on duration of intravenous antibiotics and length of stay, 11(1):12–4 *abs/comm*

Nicolle LE

Current challenges in the management of urinary tract infection, 11(6):385–95

O'Leary KJ

An evidence-based approach to a perioperative care: update for the primary care physician, 11(6):351–2, 355–62, 365–6

Oddone EZ

Technologies for receiving test results in primary care practices and the impact of managed care, 11(4):216–22

Telemedicine and hypertension, 11(8):517–22

Patton MP

Moxifloxacin versus levofloxacin for uncomplicated skin and skin structure infections: treatment durations, failures, and charges, 11(2):83–8

Pearce DJ

A red, scaly rash: how to recognize and treat psoriasis, 11(7):463–74

Persell SD

A useful diagnostic strategy for suspected pulmonary embolism, 11(4):205–6 *abs/comm*

Below-knee stockings reduce post-thrombotic syndrome in patients with proximal deep vein thrombosis, 11(10):622, 628 *abs/comm*

Cholesterol lowering with atorvastatin for the primary prevention of cardiovascular disease in diabetic adults, 11(11):682, 685 *abs/comm*

Clopidogrel or aspirin to prevent recurrent cardiovascular events?, 11(8):488, 498 *abs/comm*

Diabetes disease management program is more effective for patients with low literacy, 11(12):752 *abs/comm*

Differential effects by age of an early invasive strategy for non-ST-segment elevation acute coronary syndromes, 11(9):556–7 *abs/comm*

Impact of nonphysician coaching on cardiovascular risk factors in patients with coronary heart disease, 11(3):142–3 *abs/comm*

Improvement in hypertension control: is the glass half empty or half full?, 11(2):71, 75 *abs/comm*

Initiation of lipid-lowering medication in the hospital: does it predict long-term use?, 11(1):11–2 *abs/comm*

Medication underuse in diabetes due to cost, 11(5):265–6 *abs/comm*

Physicians fail to provide perioperative β blockers, 11(6):331–2 *abs/comm*

Should regular use of β agonists be recommended for patients with persistent asthma?, 11(7):412, 415 *abs/comm*

Peterson ED

Quality of care for non-ST-segment elevation acute coronary syndromes; what should be the status quo?, 11(10):647–54

Peterson JF

A prediction rule for serious outcomes of syncope in emergency room patients may reduce admissions, 11(4):196, 199 *abs/comm*

Individualizing nicotine replacement can increase smoking cessation rates, 11(5):268–9 *abs/comm*

Major bleeding risks are associated with long-term oral anticoagulation for venous thromboembolism, 11(2):77–8 *abs/comm*

Overriding computerized alerts in primary care, 11(1):14–5 *abs/comm*

Transient ischemic attacks and minor strokes put patients at high risk for repeat strokes, 11(3):139 *abs/comm*

Pronovost PJ

A practical tool to reduce medication errors during patient transfer from an intensive care unit, 11(1):26, 29–33

Building a better incident reporting system: perspectives from a multisite project, 11(5):275–80

Ray D

Validation of a total score for the critical care family satisfaction survey, 11(8):502–7

Reddy SI

Hepatitis C: update on management of chronic infection, 11(8):523–33

Rinke ML

A practical tool to reduce medication errors during patient transfer from an intensive care unit, 11(1):26, 29–33

Robinson RL

A clinical pathway to improve surgical risk assessment and use of perioperative β blockade in noncardiac surgery patients, 11(7):429–33

Rogers J

Helping primary care physicians lower pharmaceutical expenses: an academic medical center's experience, 11(5):290–5

Rogers LQ

A clinical pathway to improve surgical risk assessment and use of perioperative β blockade in noncardiac surgery patients, 11(7):429–33

Rosenstein AH

Hospital report cards: friend or foe?, 11(2):98–102

Rosenzweig L

Common dermatologic presentations: the red face, 11(1):36–50

Rothschild SK

Using virtual teams to improve the care of chronically ill patients, 11(6):346–50

Roumie CL

Angiotensin receptor blockers versus angiotensin-converting enzyme inhibitors in type 2 diabetes for the prevention of nephropathy, 11(12):755 *abs/comm*

Effects of statin therapy in children with familial hypercholesterolemia, 11(9):545–6 *abs/comm*

Hormone replacement therapy and the risk of dementia: the Women's Health Initiative Memory Study, 11(8):500–1 *abs/comm*

Outcomes in peripheral arterial disease patients who undergo coronary revascularization with PCI and stents, 11(11):687–8 *abs/comm*

Soft drinks, obesity, and risk for development of type 2 diabetes, 11(10):616–7 *abs/comm*

Rymer M

Improving stroke care through development of a stroke intervention team: a case study, 11(10):632-9

Saitz R

Identification and management of alcohol use disorders in primary care, 11(7):444-60

Sanford M

Developing a blueprint for effective preventive services delivery, 11(12):775-81

Scheitel S

Developing a blueprint for effective preventive services delivery, 11(12):775-81

Schneider L

Helping primary care physicians lower pharmaceutical expenses: an academic medical center's experience, 11(5):290-5

Schulman KA

Technologies for receiving test results in primary care practices and the impact of managed care, 11(4):216-22

Sequist TD

Does continuity of care affect health care quality?, 11(2):67-8 *abs/comm*

How effective are quality improvement initiatives?, 11(10):619-20 *abs/comm*

How often do elderly patients receive inappropriate medications?, 11(4):199-200 *abs/comm*

Marginal success for a multimodal quality improvement initiative for cardiovascular care, 11(12):763 *abs/comm*

Patient preferences for treatment of knee osteoarthritis, 11(8):485-6 *abs/comm*

Who prefers specialty care?, 11(6):335-6 *abs/comm*

Shapiro M

Nocturnal gastroesophageal reflux disease, 11(12):791-803

Sherrin TP

Reducing adverse drug events involving high-risk medications in acute care, 11(10):640-6

Sherritt L

Should the CRAFFT substance abuse screening test be shortened?, 11(1):19-25

Snow R

Reducing adverse drug events involving high-risk medications in acute care, 11(10):640-6

Solberg CL

Assessment of a retrospective drug utilization review alert letter program, 11(3):150-4

Spigel DR

Adherence to screening guidelines for colorectal cancer: the impact of genetic testing and counseling, 11(4):201, 205 *abs/comm*

Early genetic counseling and testing for breast

cancer patients and impact on surgical decision, 11(7):408, 412 *abs/comm*

Impact of biopsy strategy on prostate cancer detection rates, 11(6):330-1 *abs/comm*

Improving diagnostic accuracy in patients with suspected lymphoma, 11(11):691-2 *abs/comm*

Improving neuropathic pain due to cancer using gabapentin, 11(10):620-1 *abs/comm*

Recording physician-patient visits: minimal cost, minimal gain, 11(3):141-2 *abs/comm*

Reducing bone loss from androgen deprivation in prostate cancer using raloxifene, 11(9):552, 555 *abs/comm*

Reducing mammography-associated anxiety with rapid reporting, 11(5):270, 273-4 *abs/comm*

Specialist referral versus direct testing: optimizing care of patients with colorectal symptoms, 11(1):10-1 *abs/comm*

Staging lung cancer using positron emission tomography and the impact on care, 11(8):486-8 *abs/comm*

Treatment delay and survival in patients with non-small cell lung cancer, 11(2):68, 71 *abs/comm*

Weekly erythropoietin improves anemia associated with cancer treatment, 11(12):751 *abs/comm*

Spitler JR

Multiple interventions to improve provider adherence to diabetes care guidelines, 11(4):232-40

Sreih A

Spironolactone: the missing drug in the treatment of patients hospitalized with congestive heart failure, 11(9):568-73

St. John-Larkin C

Bipolar disorder for the primary care physician, 11(9):595-606

Stamm PL

Multiple interventions to improve provider adherence to diabetes care guidelines, 11(4):232-40

Stechuchak KM

Technologies for receiving test results in primary care practices and the impact of managed care, 11(4):216-22

Stiles MA

Peripheral neuropathic pain syndromes; three case studies, 11(11):718-28

Stowers AD

Multiple interventions to improve provider adherence to diabetes care guidelines, 11(4):232-40

Stroebel RJ

Developing a blueprint for effective preventive services delivery, 11(12):775-81

Sussman AJ

Helping primary care physicians lower pharmaceutical expenses: an academic medical center's experience, 11(5):290-5

Tabereaux PB

The secondary prevention of ischemic stroke, 11(6):371-82

Thompson DA

Building a better incident reporting system: perspectives from a multisite project, 11(5):275-80

Thorpe K

Improving stroke care through development of a stroke intervention team: a case study, 11(10):632-9

Todd CY

A clinical pathway to improve surgical risk assessment and use of perioperative β blockade in noncardiac surgery patients, 11(7):429-33

Ukomadu C

Hepatitis C: update on management of chronic infection, 11(8):523-33

Urban AD

Optimizing outcomes in adolescents with type 1 diabetes and their families, 11(5):299-306

Van Kooy M

Using the Six Sigma approach to meet quality standards for cardiac medication administration, 11(8):510-6

Wadd W

Assessment of a retrospective drug utilization review alert letter program, 11(3):150-4

Wang M

Quality of HIV care within the Veterans Affairs health system: a comparison using outcomes from the HIV Costs and Services Utilization Study, 11(12):765-74

Wasser T

Validation of a total score for the critical care family satisfaction survey, 11(8):502-7

Weinhardt J

Improving stroke outcomes: implementation of a postdischarge care management model, 11(11):707-14

Weston CG

Attention-deficit/hyperactivity disorder in children: assessment, management, and outcome, 11(4):241-51

Wood CV

Aligning availability of morning laboratory results with physician rounding patterns, 11(9):577-82

Wright K

Improving stroke outcomes: implementation of a postdischarge care management model, 11(11):707-14

Wu AW

Building a better incident reporting system: perspectives from a multisite project, 11(5):275-80