

Key to abbreviations: *abs/comm* = abstract with commentary; *e* = editorial; *le* = letter to the editor.

SUBJECTS

Ablation

Atrial fibrillation: primary treatment with medication versus ablation, 12(7):342-3 *abs/comm*

Academic detailing

Improving guideline-based antihypertensive medication prescribing through academic detailing, 12(6):290-1 *abs/comm*

Access

Improving access, quality of care, and patient satisfaction in a general internal medicine practice, 12(5):245-9

Acid suppression

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35-43

Acupuncture

Acupuncture shows no benefit over sham treatment for stroke rehabilitation, 12(12):607-8 *abs/comm*

Is acupuncture effective for arthritis of the knee?, 12(2):81-2 *abs/comm*

Acute coronary syndrome

Does pulmonary artery catheterization increase the risk of death in patients with acute coronary syndromes?, 12(7):335, 338 *abs/comm*

Warfarin plus aspirin versus aspirin alone after an acute coronary event, 12(10):503-4 *abs/comm*

Adolescent depression

Current perspectives on the diagnosis and treatment of adolescent depression in the primary care setting, 12(5):260-76

Adverse drug events

Advanced decision support tools needed to prevent outpatient medication prescribing errors, 12(10):492, 499 *abs/comm*

Alpha-tocopherol

Vitamin E: more harm than help?, 12(5):236-7 *abs/comm*

Alzheimer's disease

Diagnosis and treatment of Alzheimer's disease, 12(1):49-60

Ambulatory care-sensitive conditions

Hospitalization rates for ambulatory care-sensitive conditions in California Medicare HMOs, 12(11):559-62, 566-8

Antibiotics, prescribing patterns

Antibiotic prescribing patterns among nonphysician clinicians, practicing physicians, and residents, 12(9):437-8 *abs/comm*

Anticoagulation

Low-molecular-weight heparin improves survival in patients with cancer, 12(5):241-2 *abs/comm*

Patient self-management of anticoagulation: the new standard of care? 12(3):124, 130 *abs/comm*

Perioperative anticoagulation for patients with mechanical heart valves: a model comparing unfractionated and low-molecular-weight heparin, 12(1):25-31

Antidepressants

Is abnormal bleeding caused by antidepressants?, 12(1):21 *abs/comm*

Antiepileptic drugs

Seizures and epilepsy: an approach to diagnosis and management, 12(2):103-15

Antihypertensive agents

Treatment of normotensive coronary patients with amlodipine or enalapril: effects of cardiovascular outcomes, 12(2):78-9 *abs/comm*

Antiplatelet therapy

Preventing recurrent ulcer bleeding in patients on antiplatelet therapy: comparison of 2 approaches, 12(3):135-6 *abs/comm*

Arthroplasty

An operative risk management pathway to increase perioperative β -blocker utilization in patients undergoing elective total hip or knee arthroplasty, 12(12):629-35

Aspirin

The effect of aspirin and NSAID use on fecal occult blood testing results, 12(2):80-1 *abs/comm*

Low-dose aspirin and primary prevention in women, 12(5):238-9 *abs/comm*

Low-dose aspirin does not reduce cancer incidence in women, 12(9):435-6 *abs/comm*

Warfarin plus aspirin versus aspirin alone after an acute coronary event, 12(10):503-4 *abs/comm*

Years of aspirin and NSAID use can lower colon cancer risk, 12(10):491-2 *abs/comm*

Asthma

Pediatric asthma: current concepts, 12(3):158-72

Vocal cord dysfunction, 12(9):470-8

Atherosclerosis

Pioglitazone in diabetic adults with atherosclerosis—unanswered questions, 12(12):603-4 *abs/comm*

Atrial fibrillation

Atrial fibrillation: primary treatment with medication versus ablation, 12(7):342-3 *abs/comm*

Bacteriuria

Treatment of asymptomatic bacteriuria in the non-catheterized hospitalized patient, 12(8):406 *le*

β Blockers

New evidence for perioperative β blockade, 12(9):448 *abs/comm*

An operative risk management pathway to increase perioperative β -blocker utilization in patients undergoing elective total hip or knee arthroplasty, 12(12):629-35

Blood pressure

COX-2 inhibitors and the risk for hypertension, 12(4):183-4 *abs/comm*

The impact of NSAIDs and COX-2 inhibitors on blood pressure control, 12(3):136-7 *abs/comm*

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147-50

Suboptimal hypertension control among the elderly, 12(10):486, 489 *abs/comm*

Cancer

Cancer prevention after head and neck cancer using vitamin E, 12(6):285, 288 *abs/comm*

Low-dose aspirin does not reduce cancer incidence in women, 12(9):435-6 *abs/comm*

Low-molecular-weight heparin improves survival in patients with cancer, 12(5):241-2 *abs/comm*

Pain education for minority patients with cancer, 12(2):75, 78 *abs/comm*

Single-fraction radiation effective for patients with painful skeletal metastases, 12(9):439-40 *abs/comm*

Cancer, breast

Comparing group and individual breast cancer genetic counseling, 12(7):338-9 *abs/comm*

Omitting axillary dissection in early-stage breast cancer, 12(8):388-9 *abs/comm*

Radiation improves overall survival after mastectomy in women with node-positive breast cancer, 12(3):131, 134 *abs/comm*

Cancer, colorectal

Chemoprevention of colorectal adenoma with ursodeoxycholic acid, 12(8):391-2 *abs/comm*

Immunochemical fecal occult blood testing: better than guaiac-based tests but far from perfect, 12(10):489-90 *abs/comm*

Improved colorectal cancer screening rates with provider training, 12(4):189-90 *abs/comm*

Intensive patient education improves colorectal cancer screening rates, 12(7):341-2 *abs/comm*

Years of aspirin and NSAID use can lower colon cancer risk, 12(10):491-2 *abs/comm*

Cancer, endometrial

Improved quality of life with laparoscopic treatment in early-stage endometrial cancer, 12(12):602-3 *abs/comm*

Cancer, esophageal

Selenomethionine and celecoxib are ineffective as chemoprevention for esophageal squamous cell cancer, 12(12):608-9 *abs/comm*

Cancer, lung

Concurrent chemoradiotherapy scheduling may improve lung cancer survival, 12(10):499, 502 *abs/comm*

Cancer, prostate

Personalizing prostate-specific antigen screening intervals for prostate cancer detection, 12(11):551-2 *abs/comm*

Timing therapy in patients with prostate cancer, 12(1):15, 18 *abs/comm*

Cardiac monitoring

Improving utilization of telemetry in a university hospital, 12(10):519-22

Cardiac risk assessment

Reducing perioperative cardiac complications in patients undergoing noncardiac surgery, 12(6):317-28

Cardiovascular disease

Adding exercise testing to Framingham score for cardiovascular risk assessment, 12(11):543-4 *abs/comm*

Chronic kidney disease and coronary heart disease, 12(3):138-9 *le*

Combination drug therapy to raise high-density lipoprotein cholesterol, 12(5):235-6 *abs/comm*

Comparison of multidetector computed tomography with coronary angiography, 12(1):18-9 *abs/comm*

Low-dose aspirin and primary prevention in women, 12(5):238-9 *abs/comm*

Suboptimal hypertension control among the elderly, 12(10):486, 489 *abs/comm*

Treatment of normotensive coronary patients with amlodipine or enalapril: effects of cardiovascular outcomes, 12(2):78-9 *abs/comm*

Chemoradiotherapy

Concurrent chemoradiotherapy scheduling may

- improve lung cancer survival, 12(10):499, 502
abs/comm
- Child restraint systems**
Frequency of client and staff injury during physical restraint episodes: a comparison of 2 child restraint systems, 12(4):193–8
- Cholesterol**
Combination drug therapy to raise high-density lipoprotein cholesterol, 12(5):235–6 *abs/comm*
- Chronic kidney disease**
Chronic kidney disease and coronary heart disease, 12(3):138–9 *le*
Popular prediction equation underestimates glomerular filtration rate, 12(2):68, 74 *abs/comm*
- CLIA**
Determinants of quality control practices in physician office laboratories, 12(8):393–405
- Colorectal adenoma**
Chemoprevention of colorectal adenoma with ursodeoxycholic acid, 12(8):391–2 *abs/comm*
- Community-acquired pneumonia**
Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205
Guideline-concordant therapy reduces mortality in patients with community-acquired pneumonia, 12(1):14–5 *abs/comm*
- Complementary medicine**
Trends in dietary and herbal supplement use in the United States, 12(4):184–5 *abs/comm*
- Computed tomography**
Comparison of multidetector computed tomography with coronary angiography, 12(1):18–9 *abs/comm*
- Computerized physician order entry**
Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12
Does computerized ordering increase errors?, 12(5):239–40 *abs/comm*
- Congestive heart failure**
Specialty care improves short-term survival for hospitalized heart failure patients, 12(11):556–7 *abs/comm*
- Counseling**
Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52
- COX-2 inhibitors**
COX-2 inhibitors and the risk for hypertension, 12(4):183–4 *abs/comm*
The impact of NSAIDs and COX-2 inhibitors on blood pressure control, 12(3):136–7 *abs/comm*
Rofecoxib and risk for myocardial infarction, 12(3):123–4 *abs/comm*
Selenomethionine and celecoxib are ineffective as chemoprevention for esophageal squamous cell cancer, 12(12):608–9 *abs/comm*
- Crew resource management**
Crew resource management in perioperative services: navigating the implementation road map, 12(7):353–8
- Decision support**
Advanced decision support tools needed to prevent outpatient medication prescribing errors, 12(10):492, 499 *abs/comm*
- Dementia**
Diagnosis and treatment of Alzheimer's disease, 12(1):49–60
- Diabetes**
Can intensive lifestyle intervention prevent metabolic syndrome?, 12(6):292–3 *abs/comm*
Does chronic disease self-management work?, 12(11):544, 551 *abs/comm*
Exenatide: an alternative to basal insulin for failing oral antidiabetic regimens, 12(12):609, 612 *abs/comm*
Improving diabetes care with interactive technology, 12(2):67–8 *abs/comm*
Optimal first-step antihypertensive treatment for diabetes, impaired fasting glucose, and normoglycemia, 12(9):440, 447 *abs/comm*
A pharmacist-driven intervention improves diabetes care, 12(4):188–9 *abs/comm*
Pioglitazone in diabetic adults with atherosclerosis—unanswered questions, 12(12):603–4 *abs/comm*
Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7
- Diastolic dysfunction**
How common is diastolic dysfunction among the elderly with dyspnea?, 12(3):130–1 *abs/comm*
- Diet**
A self-help intervention to change patient dietary behavior in rural communities, 12(4):180, 183 *abs/comm*
- Disease management**
Heart failure disease management incorporating telemedicine: a critical review, 12(4):207–17
- Drug recall**
Rapid notification of a drug recall using information technology, 12(4):191 *abs/comm*
- Dyslipidemia**
Adherence to hypertension and dyslipidemia therapy, 12(7):343–4 *abs/comm*
Combination drug therapy to raise high-density lipoprotein cholesterol, 12(5):235–6 *abs/comm*
- Dysmenorrhea**
Diagnosis and treatment of an ovarian endometrioma in a young woman with dysmenorrhea, 12(11):577–84
- Dyspepsia**
A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43
- Dyspnea**
How common is diastolic dysfunction among the elderly with dyspnea?, 12(3):130–1 *abs/comm*
- Electronic medical records**
Optimal management of test results in primary care, 12(1):22–3 *abs/comm*
- End-stage renal disease**
ESRD progression in high-risk hypertensive patients treated with a diuretic, calcium channel blocker, or ACE inhibitor, 12(6):288–9 *abs/comm*
- Endometriosis**
Diagnosis and treatment of an ovarian endometrioma in a young woman with dysmenorrhea, 12(11):577–84
- Epilepsy**
Seizures and epilepsy: an approach to diagnosis and management, 12(2):103–15
- Exercise testing**
Adding exercise testing to Framingham score for cardiovascular risk assessment, 12(11):543–4 *abs/comm*
- Falls prevention**
Development of a home care falls prevention and intervention program, 12(12):637–42
- Fecal occult blood testing**
The effect of aspirin and NSAID use on fecal occult blood testing results, 12(2):80–1 *abs/comm*
Immunochemical fecal occult blood testing: better than guaiac-based tests but far from perfect, 12(10):489–90 *abs/comm*
Improved colorectal cancer screening rates with provider training, 12(4):189–90 *abs/comm*
- Folic acid**
Effect of folic acid supplementation on inflammatory markers, 12(8):386–7 *abs/comm*
- Fracture**
Statins reduce fracture risk in elderly male veterans, 12(11):555 *abs/comm*
- Framingham score**
Adding exercise testing to Framingham score for cardiovascular risk assessment, 12(11):543–4 *abs/comm*
- Gastrointestinal bleeding ulcer**
Preventing recurrent ulcer bleeding in patients on antiplatelet therapy: comparison of 2 approaches, 12(3):135–6 *abs/comm*
- Genetic counseling**
Comparing group and individual breast cancer genetic counseling, 12(7):338–9 *abs/comm*
- Glucosamine**
Lack of benefit of glucosamine for knee osteoarthritis, 12(1):19–20 *abs/comm*
- Glucose intolerance**
Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7
- Guidelines**
Using the 2004 AAP/AAFP clinical practice guidelines on diagnosis and management of acute otitis media, 12(12):643–53
Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205
Guideline-concordant therapy reduces mortality in patients with community-acquired pneumonia, 12(1):14–5 *abs/comm*
- Health care**
The health care scene as 2005 opens: how are we doing?, 12(1):7–8 *e*
- Heart failure**
Heart failure disease management incorporating telemedicine: a critical review, 12(4):207–17
How common is diastolic dysfunction among the elderly with dyspnea?, 12(3):130–1, *abs/comm*
- Heart valves**
Perioperative anticoagulation for patients with mechanical heart valves: a model comparing unfractionated and low-molecular-weight heparin, 12(1):25–31
- Heparin**
Low-molecular-weight heparin improves survival in patients with cancer, 12(5):241–2 *abs/comm*
Perioperative anticoagulation for patients with mechanical heart valves: a model comparing unfractionated and low-molecular-weight heparin, 12(1):25–31
- HIPAA**
Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6

Homocysteine

Effect of folic acid supplementation on inflammatory markers, 12(8):386–7 *abs/comm*

Hormone therapy

Hormone replacement therapy increases breast density on mammography, 12(11):557–8 *abs/comm*

Hormone therapy for menopausal symptoms: tracking the translation of the Women’s Health Initiative findings, 12(3):140–6

Hospital formularies

Effects of a hospital formulary on outpatient drug switching, 12(9):459–63

Hospitalization rates

Hospitalization rates for ambulatory care-sensitive conditions in California Medicare HMOs, 12(11):559–62, 566–8

Hypertension

Adherence to hypertension and dyslipidemia therapy, 12(7):343–4 *abs/comm*

COX-2 inhibitors and the risk for hypertension, 12(4):183–4 *abs/comm*

Does chronic disease self-management work?, 12(11):544, 551 *abs/comm*

ESRD progression in high-risk hypertensive patients treated with a diuretic, calcium channel blocker, or ACE inhibitor, 12(6):288–9 *abs/comm*

Improving guideline-based antihypertensive medication prescribing through academic detailing, 12(6):290–1 *abs/comm*

Optimal first-step antihypertensive treatment for diabetes, impaired fasting glucose, and normoglycemia, 12(9):440, 447 *abs/comm*

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

Racial disparities in quality of care for hypertension, 12(6):293–4 *abs/comm*

Suboptimal hypertension control among the elderly, 12(10):486, 489 *abs/comm*

Weight loss and risk of hypertension, 12(8):390 *abs/comm*

Inflammatory markers

Effect of folic acid supplementation on inflammatory markers, 12(8):386–7 *abs/comm*

Information technology

Does computerized ordering increase errors?, 12(5):239–40 *abs/comm*

Rapid notification of a drug recall using information technology, 12(4):191 *abs/comm*

Using information technology to reduce pediatric medication errors, 12(10):511–8

Intensive lifestyle intervention

Can intensive lifestyle intervention prevent metabolic syndrome?, 12(6):292–3 *abs/comm*

Liver disease

The spectrum of nonalcoholic fatty liver disease, 12(11):585–95

Malpractice

Patient satisfaction surveys may identify physicians at risk for malpractice litigation, 12(12):613–4 *abs/comm*

Mammography

Hormone replacement therapy increases breast density on mammography, 12(11):557–8 *abs/comm*

Mastectomy

Radiation improves overall survival after mastectomy in women with node-positive breast cancer, 12(3):131, 134 *abs/comm*

Medical errors

Advanced decision support tools needed to prevent outpatient medication prescribing errors, 12(10):492, 499 *abs/comm*

Does computerized ordering increase errors?, 12(5):239–40 *abs/comm*

Should we disclose harmful medical errors to patients? If so, how?, 12(5):253–9

Using information technology to reduce pediatric medication errors, 12(10):511–8

Medical interview

The medical inquiry: invite, listen, summarize, 12(8):415–8

Medication use

Effects of a hospital formulary on outpatient drug switching, 12(9):459–63

Melanoma

Prevention and detection of melanoma in the primary care setting, 12(10):523–36

Menopause

Hormone therapy for menopausal symptoms: tracking the translation of the Women’s Health Initiative findings, 12(3):140–6

Metabolic syndrome

Can intensive lifestyle intervention prevent metabolic syndrome?, 12(6):292–3 *abs/comm*

Myocardial infarction

In-hospital smoking cessation counseling after myocardial infarction, 12(5):240–1 *abs/comm*

Mortality in acute myocardial infarction patients cared for by general practice physicians: effect of specialist consultation, 12(6):295–305

Rofecoxib and risk for myocardial infarction, 12(3):123–4 *abs/comm*

Nonalcoholic fatty liver disease

The spectrum of nonalcoholic fatty liver disease, 12(11):585–95

Noncardiac surgery

New evidence for perioperative β blockade, 12(9):448 *abs/comm*

Nosocomial infections

Management of nosocomial urinary tract infections in adult patients, 12(6):306–14

NSAIDs

The effect of aspirin and NSAID use on fecal occult blood testing results, 12(2):80–1 *abs/comm*

The impact of NSAIDs and COX-2 inhibitors on blood pressure control, 12(3):136–7 *abs/comm*

Years of aspirin and NSAID use can lower colon cancer risk, 12(10):491–2 *abs/comm*

Nurse practitioners

Patient satisfaction with physician assistant, nurse practitioner, and physician care: a national survey of Medicare beneficiaries, 12(2):88–92

Obesity

Disparities in weight loss counseling and advice for obese patients, 12(9):436–7 *abs/comm*

Kaiser Permanente’s disease management approach to addressing the obesity epidemic, 12(9):464–9

Super-sizing: still bad for you, 12(6):291–2 *abs/comm*

Opioids

Effect of an opioid management system on opioid prescribing and unscheduled visits in a large primary care clinic, 12(12):621–8

Osteoarthritis

Is acupuncture effective for arthritis of the knee?, 12(2):81–2 *abs/comm*

Lack of benefit of glucosamine for knee osteoarthritis, 12(1):19–20 *abs/comm*

Otitis media

Using the 2004 AAP/AAFP clinical practice guidelines on diagnosis and management of acute otitis media, 12(12):643–53

Ovarian endometrioma

Diagnosis and treatment of an ovarian endometrioma in a young woman with dysmenorrhea, 12(11):577–84

Overactive bladder

Diagnosis and treatment of overactive bladder, 12(2):93–101

Overweight

Super-sizing: still bad for you, 12(6):291–2 *abs/comm*

Pain management

Effect of an opioid management system on opioid prescribing and unscheduled visits in a large primary care clinic, 12(12):621–8

Pain education for minority patients with cancer, 12(2):75, 78 *abs/comm*

Single-fraction radiation effective for patients with painful skeletal metastases, 12(9):439–40 *abs/comm*

Pancreatitis

Clinical approach to chronic pancreatitis, 12(8):419–28

Patient privacy

Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6

Patient safety

Crew resource management in perioperative services: navigating the implementation road map, 12(7):353–8

Patient satisfaction

Improving access, quality of care, and patient satisfaction in a general internal medicine practice, 12(5):245–9

Patient satisfaction surveys may identify physicians at risk for malpractice litigation, 12(12):613–4 *abs/comm*

Patient satisfaction with physician assistant, nurse practitioner, and physician care: a national survey of Medicare beneficiaries, 12(2):88–92

Pediatric asthma

Pediatric asthma: current concepts, 12(3):158–72

Pediatric health services

Development of a risk assessment tool for predicting pediatric health services utilization, 12(9):451–8

Performance improvement

Commentary: knowing is not enough, 12(5):250–1 *e*

Improving access, quality of care, and patient satisfaction in a general internal medicine practice, 12(5):245–9

Quality improvement not embedded in physicians’ professional culture, 12(7):339–40 *abs/comm*

Perioperative cardiac risk

Reducing perioperative cardiac complications in patients undergoing noncardiac surgery, 12(6):317–28

Physical examination

Physicians support the annual physical examination despite unproven benefits, 12(8):387–8 *abs/comm*

Physical restraint

Frequency of client and staff injury during physical restraint episodes: a comparison of 2 child restraint systems, 12(4):193–8

Physician extenders

Patient satisfaction with physician assistant, nurse

- practitioner, and physician care: a national survey of Medicare beneficiaries, 12(2):88–92
- Physician office laboratories**
Determinants of quality control practices in physician office laboratories, 12(8):393–405
- Physician-patient communication**
The medical inquiry: invite, listen, summarize, 12(8):415–8
- Physician specialty**
Mortality in acute myocardial infarction patients cared for by general practice physicians: effect of specialist consultation, 12(6):295–305
Specialty care improves short-term survival for hospitalized heart failure patients, 12(11):556–7 *abs/comm*
- Pneumonia**
Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205
- Polycystic ovary syndrome**
Diagnosis and management of polycystic ovary syndrome, 12(4):218–28
- Postoperative pulmonary complications**
Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10
- Preoperative assessment**
Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10
- Pulmonary artery catheterization**
Does pulmonary artery catheterization increase the risk of death in patients with acute coronary syndromes?, 12(7):335, 338 *abs/comm*
- Pursuing perfection**
Large-scale system change improves outcomes; the pursuing perfection program, 12(11):569–76
- Quality control**
Determinants of quality control practices in physician office laboratories, 12(8):393–405
- Quality improvement**
Large-scale system change improves outcomes; the pursuing perfection program, 12(11):569–76
- Racial disparities**
Racial disparities in quality of care for hypertension, 12(6):293–4 *abs/comm*
- Radiation therapy**
Radiation improves overall survival after mastectomy in women with node-positive breast cancer, 12(3):131, 134 *abs/comm*
- Single-fraction radiation effective for patients with painful skeletal metastases, 12(9):439–40 *abs/comm*
- Renal function**
Popular prediction equation underestimates glomerular filtration rate, 12(2):68, 74 *abs/comm*
- Risk assessment**
Development of a risk assessment tool for predicting pediatric health services utilization, 12(9):451–8
- Screening**
Intensive patient education improves colorectal cancer screening rates, 12(7):341–2 *abs/comm*
Personalizing prostate-specific antigen screening intervals for prostate cancer detection, 12(11):551–2 *abs/comm*
- Prevention and detection of melanoma in the primary care setting, 12(10):523–36
Screening for substance abuse in primary care among women veterans, 12(7):359–66
- Seizure**
Seizures and epilepsy: an approach to diagnosis and management, 12(2):103–15
- Self-management**
Does chronic disease self-management work?, 12(11):544, 551 *abs/comm*
Patient self-management of anticoagulation: the new standard of care? 12(3):124, 130 *abs/comm*
- Smoking cessation**
Improving tobacco treatment outcomes at Fallon Community Health Plan, 12(1):45–8
In-hospital smoking cessation counseling after myocardial infarction, 12(5):240–1 *abs/comm*
Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52
- Statins**
Statins reduce fracture risk in elderly male veterans, 12(11):555 *abs/comm*
- Stroke**
Acupuncture shows no benefit over sham treatment for stroke rehabilitation, 12(12):607–8 *abs/comm*
- Substance abuse**
Screening for substance abuse in primary care among women veterans, 12(7):359–66
- System improvements**
Large-scale system change improves outcomes; the pursuing perfection program, 12(11):569–76
- Systemic lupus erythematosus**
Medical management of systemic lupus erythematosus, 12(7):367–76
- Telemedicine**
Heart failure disease management incorporating telemedicine: a critical review, 12(4):207–17
- Telemetry**
Improving utilization of telemetry in a university hospital, 12(10):519–22
- Test results**
Optimal management of test results in primary care, 12(1):22–3 *abs/comm*
- Tobacco**
Improving tobacco treatment outcomes at Fallon Community Health Plan, 12(1):45–8
- Urinary dysfunction**
Diagnosis and treatment of overactive bladder, 12(2):93–101
- Urinary tract infection**
Management of nosocomial urinary tract infections in adult patients, 12(6):306–14
Treatment of asymptomatic bacteriuria in the non-catheterized hospitalized patient, 12(8):406 *le*
- Vitamin E**
Cancer prevention after head and neck cancer using vitamin E, 12(6):285, 288 *abs/comm*
Vitamin E: more harm than help?, 12(5):236–7 *abs/comm*
- Vocal cord dysfunction**
Vocal cord dysfunction, 12(9):470–8
- Warfarin**
Warfarin plus aspirin versus aspirin alone after an acute coronary event, 12(10):503–4 *abs/comm*
- Weight loss**
Weight loss and risk of hypertension, 12(8):390 *abs/comm*
- Weight management**
Disparities in weight loss counseling and advice for obese patients, 12(9):436–7 *abs/comm*
Kaiser Permanente's disease management approach to addressing the obesity epidemic, 12(9):464–9
- Women's Health Initiative**
Hormone therapy for menopausal symptoms: tracking the translation of the Women's Health Initiative findings, 12(3):140–6
- Women veterans**
Screening for substance abuse in primary care among women veterans, 12(7):359–66

AUTHORS

- Ahern GL**
Seizures and epilepsy: an approach to diagnosis and management, 12(2):103–15
- Alexander KP**
Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6
- Antonini JM**
An operative risk management pathway to increase perioperative β -blocker utilization in patients undergoing elective total hip or knee arthroplasty, 12(12):629–35
- Avery GH**
Determinants of quality control practices in physician office laboratories, 12(8):393–405
- Bachman KH**
Kaiser Permanente's disease management approach to addressing the obesity epidemic, 12(9):464–9
- Bainbridge J**
A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43
- Balogun RA**
Chronic kidney disease and coronary heart disease, 12(3):138 *le*
- Barzilay JI**
Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7
- Bastian LA**
Hormone therapy for menopausal symptoms: tracking the translation of the Women's Health Initiative findings, 12(3):140–6
- Screening for substance abuse in primary care among women veterans, 12(7):359–66
- Bates DW**
Effects of a hospital formulary on outpatient drug switching, 12(9):459–63
The health care scene as 2005 opens: how are we doing?, 12(1):7–8 *e*

Belliveau PP

Management of nosocomial urinary tract infections in adult patients, 12(6):306–14
 Treatment of asymptomatic bacteriuria in the non-catheterized hospitalized patient, 12(8):406 *le*

Bolton WK

Chronic kidney disease and coronary heart disease, 12(3):138 *le*

Bornstein WA

Commentary: knowing is not enough, 12(5):250–1

Bosworth HB

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

Boyle D

The medical inquiry: invite, listen, summarize, 12(8):415–8

Breslau ES

Hormone therapy for menopausal symptoms: tracking the translation of the Women's Health Initiative findings, 12(3):140–6

Brotman DJ

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

Burke GL

Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7

Bussing R

An operative risk management pathway to increase perioperative β -blocker utilization in patients undergoing elective total hip or knee arthroplasty, 12(12):629–35

Cipher DJ

Patient satisfaction with physician assistant, nurse practitioner, and physician care: a national survey of Medicare beneficiaries, 12(2):88–92

Claflin S

Development of a home care falls prevention and intervention program, 12(12):637–42

Coleman R

Development of a risk assessment tool for predicting pediatric health services utilization, 12(9):451–8

Correia NG

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

Cowper PA

Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6

Cujec B

Mortality in acute myocardial infarction patients cared for by general practice physicians: effect of specialist consultation, 12(6):295–305

Davis WW

Hormone therapy for menopausal symptoms: tracking the translation of the Women's Health Initiative findings, 12(3):140–6

DeBellis RJ

Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205

Management of nosocomial urinary tract infections in adult patients, 12(6):306–14

Treatment of asymptomatic bacteriuria in the non-catheterized hospitalized patient, 12(8):406 *le*

DeLong ER

Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6

Dhanani N

Hospitalization rates for ambulatory care-sensitive conditions in California Medicare HMOs, 12(11):559–62, 566–8

Dickman F

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

Dorman T

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

Dudley J

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

Dudley TK

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

Duling L

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

Dwinnell B

The medical inquiry: invite, listen, summarize, 12(8):415–8

Eaton EC

Improving tobacco treatment outcomes at Fallon Community Health Plan, 12(1):45–8

Edwards-Lee T

Diagnosis and treatment of Alzheimer's disease, 12(1):49–58

Fahey M

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

Falk S

Determinants of quality control practices in physician office laboratories, 12(8):393–405

Farquhar CM

Diagnosis and treatment of an ovarian endometrioma in a young woman with dysmenorrhea, 12(11):577–84

Feistritzer NR

Crew resource management in perioperative services: navigating the implementation road map, 12(7):353–8

Ferris TG

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

Foley P

Development of a risk assessment tool for predicting pediatric health services utilization, 12(9):451–8

Fong A

Mortality in acute myocardial infarction patients cared for by general practice physicians: effect of specialist consultation, 12(6):295–305

France DJ

Crew resource management in perioperative ser-

vices: navigating the implementation road map, 12(7):353–8

Frost SD

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

Gallagher TH

Should we disclose harmful medical errors to patients? If so, how?, 12(5):253–9

Garcia DA

Perioperative anticoagulation for patients with mechanical heart valves: a model comparing unfractionated and low-molecular-weight heparin, 12(1):25–31

Geller AC

Prevention and detection of melanoma in the primary care setting, 12(10):523–36

Gentry PW

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

Ghali P

The spectrum of nonalcoholic fatty liver disease, 12(11):585–95

Gilkeson GS

Medical management of systemic lupus erythematosus, 12(7):367–76

Girgis JA

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

Gitomer RS

Improving access, quality of care, and patient satisfaction in a general internal medicine practice, 12(5):245–9

Goeldner JL

Kaiser Permanente's disease management approach to addressing the obesity epidemic, 12(9):464–9

Goldberg KC

Effect of an opioid management system on opioid prescribing and unscheduled visits in a large primary care clinic, 12(12):621–8

Gunn S

Frequency of client and staff injury during physical restraint episodes: a comparison of 2 child restraint systems, 12(4):193–8

Hardee JT

The medical inquiry: invite, listen, summarize, 12(8):415–8

Harrison CJ

Using the 2004 AAP/AAFP clinical practice guidelines on diagnosis and management of acute otitis media, 12(12):643–53

Hasan S

An operative risk management pathway to increase perioperative β -blocker utilization in patients undergoing elective total hip or knee arthroplasty, 12(12):629–35

Henderson L

Frequency of client and staff injury during physical restraint episodes: a comparison of 2 child restraint systems, 12(4):193–8

Henderson WV

Diagnosis and treatment of Alzheimer's disease, 12(1):49–58

Henderson W

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

Higgins MS

Crew resource management in perioperative services: navigating the implementation road map, 12(7):353–8

Histon TM

Kaiser Permanente's disease management approach to addressing the obesity epidemic, 12(9):464–9

Holzmueller CG

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

Hooker RS

Patient satisfaction with physician assistant, nurse practitioner, and physician care: a national survey of Medicare beneficiaries, 12(2):88–92

Horning MS

Acupuncture shows no benefit over sham treatment for stroke rehabilitation, 12(12):607–8
abs/comm

Adherence to hypertension and dyslipidemia therapy, 12(7):343–4 *abs/comm*

Can intensive lifestyle intervention prevent metabolic syndrome?, 12(6):292–3 *abs/comm*

Does chronic disease self-management work?, 12(11):544, 551 *abs/comm*

Does computerized ordering increase errors?, 12(5):239–40 *abs/comm*

Improving diabetes care with interactive technology, 12(2):67–8 *abs/comm*

New evidence for perioperative β blockade, 12(9):448 *abs/comm*

Optimal management of test results in primary care, 12(1):22–3 *abs/comm*

Patient self-management of anticoagulation; the new standard of care?, 12(3):124, 130 *abs/comm*

Suboptimal hypertension control among the elderly, 12(10):486, 489 *abs/comm*

Trends in dietary and herbal supplement use in the United States, 12(4):184–5 *abs/comm*

Jacobson BC

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

Jaffer AK

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

Jay KN

Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52

Jerant AF

Heart failure disease management incorporating telemedicine: a critical review, 12(4):207–17

Jha AK

Antibiotic prescribing patterns among nonphysician clinicians, practicing physicians, and residents, 12(9):437–8 *abs/comm*

Does pulmonary artery catheterization increase the risk of death in patients with acute coronary syndromes?, 12(7):335, 338 *abs/comm*

Guideline-concordant therapy reduces mortality in patients with community-acquired pneumonia, 12(1):14–5 *abs/comm*

How common is diastolic dysfunction among the elderly with dyspnea?, 12(3):130–1 *abs/comm*

In-hospital smoking cessation counseling after myocardial infarction, 12(5):240–1 *abs/comm*

Specialty care improves short-term survival for hospitalized heart failure patients, 12(11):556–7
abs/comm

Jin Y

Mortality in acute myocardial infarction patients cared for by general practice physicians: effect of specialist consultation, 12(6):295–305

Johnson D

Mortality in acute myocardial infarction patients cared for by general practice physicians: effect of specialist consultation, 12(6):295–305

Johnson JR

Treatment of asymptomatic bacteriuria in the non-catheterized hospitalized patient, 12(8):406 *le*

Joshi P

Clinical approach to chronic pancreatitis, 12(8):419–28

Kabcenell A

Large-scale system change improves outcomes: the pursuing perfection program, 12(11):569–76

Kamen DL

Medical management of systemic lupus erythematosus, 12(7):367–76

Kaur S

Screening for substance abuse in primary care among women veterans, 12(7):359–66

Kim GR

Using information technology to reduce pediatric medication errors, 12(10):511–8

Kippes C

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

Koss RG

Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52

Kuller L

Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7

Kuntz A

Crew resource management in perioperative services: navigating the implementation road map, 12(7):353–8

Kuo B

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

Labiner DM

Seizures and epilepsy: an approach to diagnosis and management, 12(2):103–15

Lee J

Determinants of quality control practices in physician office laboratories, 12(8):393–405

Lee TH

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

Legro RS

Diagnosis and management of polycystic ovary syndrome, 12(4):218–28

Lehmann CU

Using information technology to reduce pediatric medication errors, 12(10):511–8

Leming-Lee S

Crew resource management in perioperative services: navigating the implementation road map, 12(7):353–8

Leslie B

The medical inquiry: invite, listen, summarize, 12(8):415–8

Libby EN

Perioperative anticoagulation for patients with mechanical heart valves: a model comparing unfractionated and low-molecular-weight heparin, 12(1):25–31

Lin CT

The medical inquiry: invite, listen, summarize, 12(8):415–8

Litaker DG

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

Loeb JM

Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52

Lubomski LH

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

Lucas MH

Should we disclose harmful medical errors to patients? If so, how?, 12(5):253–9

Lytle BL

Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6

Mahlis EM

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

Mangolds VB

Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205

Mark DB

Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6

Martin LA

Large-scale system change improves outcomes: the pursuing perfection program, 12(11):569–76

Mazzola JL

Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205

McCant FA

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

McKenna M

Development of a risk assessment tool for predicting pediatric health services utilization, 12(9):451–8

Melnick G

Hospitalization rates for ambulatory care-sensitive conditions in California Medicare HMOs, 12(11):559–62, 566–8

Michota FA

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

Morlock LL

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

Morton DJ

Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52

Moser RP

Hormone therapy for menopausal symptoms: tracking the translation of the Women's Health Initiative findings, 12(3):140–6

Murff HJ

Chemoprevention of colorectal adenoma with ursodeoxycholic acid, 12(8):391–2 *abs/comm*

The effect of aspirin and NSAID use on fecal occult blood testing results, 12(2):80–1 *abs/comm*

Immunochemical fecal occult blood testing: better than guaiac-based tests but far from perfect, 12(10):489–90 *abs/comm*

The impact of NSAIDs and COX-2 inhibitors on blood pressure control, 12(3):136–7 *abs/comm*

Improving guideline-based antihypertensive medication prescribing through academic detailing, 12(6):290–1 *abs/comm*

Intensive patient education improves colorectal cancer screening rates, 12(7):341–2 *abs/comm*

Lack of benefit of glucosamine for knee osteoarthritis, 12(1):19–20 *abs/comm*

Low-dose aspirin does not reduce cancer incidence in women, 12(9):435–6 *abs/comm*

Personalizing prostate-specific antigen screening intervals for prostate cancer detection, 12(11):551–2 *abs/comm*

Selenomethionine and celecoxib are ineffective as chemoprevention for esophageal squamous cell cancer, 12(12):608–9 *abs/comm*

A self-help intervention to change patient dietary behavior in rural communities, 12(4):180, 183 *abs/comm*

Vitamin E: more harm than help?, 12(5):236–7 *abs/comm*

Nesbitt TS

Heart failure disease management incorporating telemedicine: a critical review, 12(4):207–17

Nolan TW

Large-scale system change improves outcomes: the pursuing perfection program, 12(11):569–76

O'Connell MA

Vocal cord dysfunction, 12(9):470–8

O'Leary JF

Hospitalization rates for ambulatory care-sensitive conditions in California Medicare HMOs, 12(11):559–62, 566–8

Oddone EZ

Effect of an opioid management system on opioid prescribing and unscheduled visits in a large primary care clinic, 12(12):621–8

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

Persell SD

Adding exercise testing to Framingham score for cardiovascular risk assessment, 12(11):543–4 *abs/comm*

Combination drug therapy to raise high-density lipoprotein cholesterol, 12(5):235–6 *abs/comm*

Comparison of multidetector computed tomography with coronary angiography, 12(1):18–9 *abs/comm*

ESRD progression in high-risk hypertensive patients treated with a diuretic, calcium channel blocker, or ACE inhibitor, 12(6):288–9 *abs/comm*

Optimal first-step antihypertensive treatment for

diabetes, impaired fasting glucose, and normoglycemia, 12(9):440, 447 *abs/comm*

Pioglitazone in diabetic adults with atherosclerosis—unanswered questions, 12(12):603–4 *abs/comm*

Preventing recurrent ulcer bleeding in patients on antiplatelet therapy: comparison of 2 approaches, 12(3):135–6 *abs/comm*

Quality improvement not embedded in physicians' professional culture, 12(7):339–40 *abs/comm*

Rapid notification of a drug recall using information technology, 12(4):191 *abs/comm*

Treatment of normotensive coronary patients with amlodipine or enalapril: effects of cardiovascular outcomes, 12(2):78–9 *abs/comm*

Warfarin plus aspirin versus aspirin alone after an acute coronary event, 12(10):503–4 *abs/comm*

Weight loss and risk of hypertension, 12(8):390 *abs/comm*

Peterson ED

Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6

Pioro MH

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

Platt FW

The medical inquiry: invite, listen, summarize, 12(8):415–8

Potyk DK

Reducing perioperative cardiac complications in patients undergoing noncardiac surgery, 12(6):317–28

Pronovost PJ

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

Quan H

Mortality in acute myocardial infarction patients cared for by general practice physicians: effect of specialist consultation, 12(6):295–305

Raja-Khan N

Diagnosis and management of polycystic ovary syndrome, 12(4):218–28

Rich JS

Perioperative anticoagulation for patients with mechanical heart valves: a model comparing unfractionated and low-molecular-weight heparin, 12(1):25–31

Robinson RL

An operative risk management pathway to increase perioperative β -blocker utilization in patients undergoing elective total hip or knee arthroplasty, 12(12):629–35

Rotherth K

Kaiser Permanente's disease management approach to addressing the obesity epidemic, 12(9):464–9

Roumie CL

Atrial fibrillation: primary treatment with medication versus ablation, 12(7):342–3 *abs/comm*

COX-2 inhibitors and the risk for hypertension, 12(4):183–4 *abs/comm*

Disparities in weight loss counseling and advice for obese patients, 12(9):436–7 *abs/comm*

Effect of folic acid supplementation on inflammatory markers, 12(8):386–7 *abs/comm*

Exenatide: an alternative to basal insulin for failing oral antidiabetic regimens, 12(12):609, 612 *abs/comm*

Is abnormal bleeding caused by antidepressants?, 12(1):21 *abs/comm*

Is acupuncture effective for arthritis of the knee?, 12(2):81–2 *abs/comm*

Low-dose aspirin and primary prevention in women, 12(5):238–9 *abs/comm*

Rofecoxib and risk for myocardial infarction, 12(3):123–4 *abs/comm*

Statins reduce fracture risk in elderly male veterans, 12(11):555 *abs/comm*

Super-sizing: still bad for you, 12(6):291–2 *abs/comm*

Years of aspirin and NSAID use can lower colon cancer risk, 12(10):491–2 *abs/comm*

Rovner ES

Diagnosis and treatment of overactive bladder, 12(2):93–101

Sanders F

Crew resource management in perioperative services: navigating the implementation road map, 12(7):353–8

Savage PJ

Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7

Schaefer OP

Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205

Schloredt K

Current perspectives on the diagnosis and treatment of adolescent depression in the primary care setting, 12(5):260–76

Schroeder SA

Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52

Sekscenski E

Patient satisfaction with physician assistant, nurse practitioner, and physician care: a national survey of Medicare beneficiaries, 12(2):88–92

Sequist TD

Advanced decision support tools needed to prevent outpatient medication prescribing errors, 12(10):492, 499 *abs/comm*

Patient satisfaction surveys may identify physicians at risk for malpractice litigation, 12(12):613–4 *abs/comm*

A pharmacist-driven intervention improves diabetes care, 12(4):188–9 *abs/comm*

Physicians support the annual physical examination despite unproven benefits, 12(8):387–8 *abs/comm*

Popular prediction equation underestimates glomerular filtration rate, 12(2):68, 74 *abs/comm*

Racial disparities in quality of care for hypertension, 12(6):293–4 *abs/comm*

Shaffer DN

Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7

Shea T

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

Siddons K

Frequency of client and staff injury during physical restraint episodes: a comparison of 2 child restraint systems, 12(4):193–8

Silverman A

Improving utilization of telemetry in a university hospital, 12(10):519-22

Silverstein N

Improving utilization of telemetry in a university hospital, 12(10):519-22

Simel DL

Effect of an opioid management system on opioid prescribing and unscheduled visits in a large primary care clinic, 12(12):621-8

Sloss EM

Hospitalization rates for ambulatory care-sensitive conditions in California Medicare HMOs, 12(11):559-62, 566-8

Smith NL

Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83-7

Snyder AM

Development of a risk assessment tool for predicting pediatric health services utilization, 12(9):451-8

Spigel DR

Cancer prevention after head and neck cancer using vitamin E, 12(6):285, 288 *abs/comm*

Comparing group and individual breast cancer genetic counseling, 12(7):338-9 *abs/comm*

Concurrent chemoradiotherapy scheduling may improve lung cancer survival, 12(10):499, 502 *abs/comm*

Hormone replacement therapy increases breast density on mammography, 12(11):557-8 *abs/comm*

Improved colorectal cancer screening rates with provider training, 12(4):189-90 *abs/comm*

Improved quality of life with laparoscopic treatment in early-stage endometrial cancer, 12(12):602-3 *abs/comm*

Low-molecular-weight heparin improves survival in patients with cancer, 12(5):241-2 *abs/comm*

Omitting axillary dissection in early-stage breast cancer, 12(8):388-9 *abs/comm*

Pain education for minority patients with cancer, 12(2):75, 78 *abs/comm*

Radiation improves overall survival after mastectomy in women with node-positive breast cancer, 12(3):131, 134 *abs/comm*

Single-fraction radiation effective for patients with painful skeletal metastases, 12(9):439-40 *abs/comm*

Timing therapy in patients with prostate cancer, 12(1):15, 18 *abs/comm*

Spisszak E

Frequency of client and staff injury during physical restraint episodes: a comparison of 2 child restraint systems, 12(4):193-8

Sridharan ST

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505-10

Stevens JP

Large-scale system change improves outcomes: the pursuing perfection program, 12(11):569-76

Stoller JK

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505-10

Sun BC

Effects of a hospital formulary on outpatient drug switching, 12(9):459-63

Sussman A

Effects of a hospital formulary on outpatient drug switching, 12(9):459-63

Swetter SM

Prevention and detection of melanoma in the primary care setting, 12(10):523-36

Talwalkar JA

The spectrum of nonalcoholic fatty liver disease, 12(11):585-95

Thompson DA

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407-12

Torres MR

Seizures and epilepsy: an approach to diagnosis and management, 12(2):103-15

Toskes PP

Clinical approach to chronic pancreatitis, 12(8):419-28

Varley CK

Current perspectives on the diagnosis and treatment of adolescent depression in the primary care setting, 12(5):260-76

Vautrain R

An operative risk management pathway to increase perioperative β -blocker utilization in patients undergoing elective total hip or knee arthroplasty, 12(12):629-35

Voils CI

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147-50

Volkman KK

Pediatric asthma: current concepts, 12(3):158-72

Volturo GA

Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199-205

Wang TC

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35-43

Wasser T

Frequency of client and staff injury during physical restraint episodes: a comparison of 2 child restraint systems, 12(4):193-8

Widmann HJ

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505-10

Willey C

Development of a risk assessment tool for predicting pediatric health services utilization, 12(9):451-8

Williams SC

Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345-52

Wu AW

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407-12

Zacharisen MC

Pediatric asthma: current concepts, 12(3):158-72

Zeng F

Hospitalization rates for ambulatory care-sensitive conditions in California Medicare HMOs, 12(11):559-62, 566-8

Copyright 2005 by Turner White Communications Inc., Wayne, PA. All rights reserved.