

Key to abbreviations: *abs/comm* = abstract with commentary; *e* = editorial; *le* = letter to the editor.

SUBJECTS

**Ablation**

Atrial fibrillation: primary treatment with medication versus ablation, 12(7):342-3 *abs/comm*

**Academic detailing**

Improving guideline-based antihypertensive medication prescribing through academic detailing, 12(6):290-1 *abs/comm*

**Access**

Improving access, quality of care, and patient satisfaction in a general internal medicine practice, 12(5):245-9

**Acid suppression**

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35-43

**Acupuncture**

Acupuncture shows no benefit over sham treatment for stroke rehabilitation, 12(12):607-8 *abs/comm*

Is acupuncture effective for arthritis of the knee?, 12(2):81-2 *abs/comm*

**Acute coronary syndrome**

Does pulmonary artery catheterization increase the risk of death in patients with acute coronary syndromes?, 12(7):335, 338 *abs/comm*

Warfarin plus aspirin versus aspirin alone after an acute coronary event, 12(10):503-4 *abs/comm*

**Adolescent depression**

Current perspectives on the diagnosis and treatment of adolescent depression in the primary care setting, 12(5):260-76

**Adverse drug events**

Advanced decision support tools needed to prevent outpatient medication prescribing errors, 12(10):492, 499 *abs/comm*

**Alpha-tocopherol**

Vitamin E: more harm than help?, 12(5):236-7 *abs/comm*

**Alzheimer's disease**

Diagnosis and treatment of Alzheimer's disease, 12(1):49-60

**Ambulatory care-sensitive conditions**

Hospitalization rates for ambulatory care-sensitive conditions in California Medicare HMOs, 12(11):559-62, 566-8

**Antibiotics, prescribing patterns**

Antibiotic prescribing patterns among nonphysician clinicians, practicing physicians, and residents, 12(9):437-8 *abs/comm*

**Anticoagulation**

Low-molecular-weight heparin improves survival in patients with cancer, 12(5):241-2 *abs/comm*

Patient self-management of anticoagulation: the new standard of care? 12(3):124, 130 *abs/comm*

Perioperative anticoagulation for patients with mechanical heart valves: a model comparing unfractionated and low-molecular-weight heparin, 12(1):25-31

**Antidepressants**

Is abnormal bleeding caused by antidepressants?, 12(1):21 *abs/comm*

**Antiepileptic drugs**

Seizures and epilepsy: an approach to diagnosis and management, 12(2):103-15

**Antihypertensive agents**

Treatment of normotensive coronary patients with amlodipine or enalapril: effects of cardiovascular outcomes, 12(2):78-9 *abs/comm*

**Antiplatelet therapy**

Preventing recurrent ulcer bleeding in patients on antiplatelet therapy: comparison of 2 approaches, 12(3):135-6 *abs/comm*

**Arthroplasty**

An operative risk management pathway to increase perioperative  $\beta$ -blocker utilization in patients undergoing elective total hip or knee arthroplasty, 12(12):629-35

**Aspirin**

The effect of aspirin and NSAID use on fecal occult blood testing results, 12(2):80-1 *abs/comm*

Low-dose aspirin and primary prevention in women, 12(5):238-9 *abs/comm*

Low-dose aspirin does not reduce cancer incidence in women, 12(9):435-6 *abs/comm*

Warfarin plus aspirin versus aspirin alone after an acute coronary event, 12(10):503-4 *abs/comm*

Years of aspirin and NSAID use can lower colon cancer risk, 12(10):491-2 *abs/comm*

**Asthma**

Pediatric asthma: current concepts, 12(3):158-72

Vocal cord dysfunction, 12(9):470-8

**Atherosclerosis**

Pioglitazone in diabetic adults with atherosclerosis—unanswered questions, 12(12):603-4 *abs/comm*

**Atrial fibrillation**

Atrial fibrillation: primary treatment with medication versus ablation, 12(7):342-3 *abs/comm*

**Bacteriuria**

Treatment of asymptomatic bacteriuria in the non-catheterized hospitalized patient, 12(8):406 *le*

**$\beta$  Blockers**

New evidence for perioperative  $\beta$  blockade, 12(9):448 *abs/comm*

An operative risk management pathway to increase perioperative  $\beta$ -blocker utilization in patients undergoing elective total hip or knee arthroplasty, 12(12):629-35

**Blood pressure**

COX-2 inhibitors and the risk for hypertension, 12(4):183-4 *abs/comm*

The impact of NSAIDs and COX-2 inhibitors on blood pressure control, 12(3):136-7 *abs/comm*

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147-50

Suboptimal hypertension control among the elderly, 12(10):486, 489 *abs/comm*

**Cancer**

Cancer prevention after head and neck cancer using vitamin E, 12(6):285, 288 *abs/comm*

Low-dose aspirin does not reduce cancer incidence in women, 12(9):435-6 *abs/comm*

Low-molecular-weight heparin improves survival in patients with cancer, 12(5):241-2 *abs/comm*

Pain education for minority patients with cancer, 12(2):75, 78 *abs/comm*

Single-fraction radiation effective for patients with painful skeletal metastases, 12(9):439-40 *abs/comm*

**Cancer, breast**

Comparing group and individual breast cancer genetic counseling, 12(7):338-9 *abs/comm*

Omitting axillary dissection in early-stage breast cancer, 12(8):388-9 *abs/comm*

Radiation improves overall survival after mastectomy in women with node-positive breast cancer, 12(3):131, 134 *abs/comm*

**Cancer, colorectal**

Chemoprevention of colorectal adenoma with ursodeoxycholic acid, 12(8):391-2 *abs/comm*

Immunochemical fecal occult blood testing: better than guaiac-based tests but far from perfect, 12(10):489-90 *abs/comm*

Improved colorectal cancer screening rates with provider training, 12(4):189-90 *abs/comm*

Intensive patient education improves colorectal cancer screening rates, 12(7):341-2 *abs/comm*

Years of aspirin and NSAID use can lower colon cancer risk, 12(10):491-2 *abs/comm*

**Cancer, endometrial**

Improved quality of life with laparoscopic treatment in early-stage endometrial cancer, 12(12):602-3 *abs/comm*

**Cancer, esophageal**

Selenomethionine and celecoxib are ineffective as chemoprevention for esophageal squamous cell cancer, 12(12):608-9 *abs/comm*

**Cancer, lung**

Concurrent chemoradiotherapy scheduling may improve lung cancer survival, 12(10):499, 502 *abs/comm*

**Cancer, prostate**

Personalizing prostate-specific antigen screening intervals for prostate cancer detection, 12(11):551-2 *abs/comm*

Timing therapy in patients with prostate cancer, 12(1):15, 18 *abs/comm*

**Cardiac monitoring**

Improving utilization of telemetry in a university hospital, 12(10):519-22

**Cardiac risk assessment**

Reducing perioperative cardiac complications in patients undergoing noncardiac surgery, 12(6):317-28

**Cardiovascular disease**

Adding exercise testing to Framingham score for cardiovascular risk assessment, 12(11):543-4 *abs/comm*

Chronic kidney disease and coronary heart disease, 12(3):138-9 *le*

Combination drug therapy to raise high-density lipoprotein cholesterol, 12(5):235-6 *abs/comm*

Comparison of multidetector computed tomography with coronary angiography, 12(1):18-9 *abs/comm*

Low-dose aspirin and primary prevention in women, 12(5):238-9 *abs/comm*

Suboptimal hypertension control among the elderly, 12(10):486, 489 *abs/comm*

Treatment of normotensive coronary patients with amlodipine or enalapril: effects of cardiovascular outcomes, 12(2):78-9 *abs/comm*

**Chemoradiotherapy**

Concurrent chemoradiotherapy scheduling may

- improve lung cancer survival, 12(10):499, 502  
*abs/comm*
- Child restraint systems**  
Frequency of client and staff injury during physical restraint episodes: a comparison of 2 child restraint systems, 12(4):193–8
- Cholesterol**  
Combination drug therapy to raise high-density lipoprotein cholesterol, 12(5):235–6 *abs/comm*
- Chronic kidney disease**  
Chronic kidney disease and coronary heart disease, 12(3):138–9 *le*  
Popular prediction equation underestimates glomerular filtration rate, 12(2):68, 74 *abs/comm*
- CLIA**  
Determinants of quality control practices in physician office laboratories, 12(8):393–405
- Colorectal adenoma**  
Chemoprevention of colorectal adenoma with ursodeoxycholic acid, 12(8):391–2 *abs/comm*
- Community-acquired pneumonia**  
Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205  
Guideline-concordant therapy reduces mortality in patients with community-acquired pneumonia, 12(1):14–5 *abs/comm*
- Complementary medicine**  
Trends in dietary and herbal supplement use in the United States, 12(4):184–5 *abs/comm*
- Computed tomography**  
Comparison of multidetector computed tomography with coronary angiography, 12(1):18–9 *abs/comm*
- Computerized physician order entry**  
Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12  
Does computerized ordering increase errors?, 12(5):239–40 *abs/comm*
- Congestive heart failure**  
Specialty care improves short-term survival for hospitalized heart failure patients, 12(11):556–7 *abs/comm*
- Counseling**  
Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52
- COX-2 inhibitors**  
COX-2 inhibitors and the risk for hypertension, 12(4):183–4 *abs/comm*  
The impact of NSAIDs and COX-2 inhibitors on blood pressure control, 12(3):136–7 *abs/comm*  
Rofecoxib and risk for myocardial infarction, 12(3):123–4 *abs/comm*  
Selenomethionine and celecoxib are ineffective as chemoprevention for esophageal squamous cell cancer, 12(12):608–9 *abs/comm*
- Crew resource management**  
Crew resource management in perioperative services: navigating the implementation road map, 12(7):353–8
- Decision support**  
Advanced decision support tools needed to prevent outpatient medication prescribing errors, 12(10):492, 499 *abs/comm*
- Dementia**  
Diagnosis and treatment of Alzheimer's disease, 12(1):49–60
- Diabetes**  
Can intensive lifestyle intervention prevent metabolic syndrome?, 12(6):292–3 *abs/comm*  
Does chronic disease self-management work?, 12(11):544, 551 *abs/comm*  
Exenatide: an alternative to basal insulin for failing oral antidiabetic regimens, 12(12):609, 612 *abs/comm*  
Improving diabetes care with interactive technology, 12(2):67–8 *abs/comm*  
Optimal first-step antihypertensive treatment for diabetes, impaired fasting glucose, and normoglycemia, 12(9):440, 447 *abs/comm*  
A pharmacist-driven intervention improves diabetes care, 12(4):188–9 *abs/comm*  
Pioglitazone in diabetic adults with atherosclerosis—unanswered questions, 12(12):603–4 *abs/comm*  
Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7
- Diastolic dysfunction**  
How common is diastolic dysfunction among the elderly with dyspnea?, 12(3):130–1 *abs/comm*
- Diet**  
A self-help intervention to change patient dietary behavior in rural communities, 12(4):180, 183 *abs/comm*
- Disease management**  
Heart failure disease management incorporating telemedicine: a critical review, 12(4):207–17
- Drug recall**  
Rapid notification of a drug recall using information technology, 12(4):191 *abs/comm*
- Dyslipidemia**  
Adherence to hypertension and dyslipidemia therapy, 12(7):343–4 *abs/comm*  
Combination drug therapy to raise high-density lipoprotein cholesterol, 12(5):235–6 *abs/comm*
- Dysmenorrhea**  
Diagnosis and treatment of an ovarian endometrioma in a young woman with dysmenorrhea, 12(11):577–84
- Dyspepsia**  
A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43
- Dyspnea**  
How common is diastolic dysfunction among the elderly with dyspnea?, 12(3):130–1 *abs/comm*
- Electronic medical records**  
Optimal management of test results in primary care, 12(1):22–3 *abs/comm*
- End-stage renal disease**  
ESRD progression in high-risk hypertensive patients treated with a diuretic, calcium channel blocker, or ACE inhibitor, 12(6):288–9 *abs/comm*
- Endometriosis**  
Diagnosis and treatment of an ovarian endometrioma in a young woman with dysmenorrhea, 12(11):577–84
- Epilepsy**  
Seizures and epilepsy: an approach to diagnosis and management, 12(2):103–15
- Exercise testing**  
Adding exercise testing to Framingham score for cardiovascular risk assessment, 12(11):543–4 *abs/comm*
- Falls prevention**  
Development of a home care falls prevention and intervention program, 12(12):637–42
- Fecal occult blood testing**  
The effect of aspirin and NSAID use on fecal occult blood testing results, 12(2):80–1 *abs/comm*  
Immunochemical fecal occult blood testing: better than guaiac-based tests but far from perfect, 12(10):489–90 *abs/comm*  
Improved colorectal cancer screening rates with provider training, 12(4):189–90 *abs/comm*
- Folic acid**  
Effect of folic acid supplementation on inflammatory markers, 12(8):386–7 *abs/comm*
- Fracture**  
Statins reduce fracture risk in elderly male veterans, 12(11):555 *abs/comm*
- Framingham score**  
Adding exercise testing to Framingham score for cardiovascular risk assessment, 12(11):543–4 *abs/comm*
- Gastrointestinal bleeding ulcer**  
Preventing recurrent ulcer bleeding in patients on antiplatelet therapy: comparison of 2 approaches, 12(3):135–6 *abs/comm*
- Genetic counseling**  
Comparing group and individual breast cancer genetic counseling, 12(7):338–9 *abs/comm*
- Glucosamine**  
Lack of benefit of glucosamine for knee osteoarthritis, 12(1):19–20 *abs/comm*
- Glucose intolerance**  
Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7
- Guidelines**  
Using the 2004 AAP/AAFP clinical practice guidelines on diagnosis and management of acute otitis media, 12(12):643–53  
Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205  
Guideline-concordant therapy reduces mortality in patients with community-acquired pneumonia, 12(1):14–5 *abs/comm*
- Health care**  
The health care scene as 2005 opens: how are we doing?, 12(1):7–8 *e*
- Heart failure**  
Heart failure disease management incorporating telemedicine: a critical review, 12(4):207–17  
How common is diastolic dysfunction among the elderly with dyspnea?, 12(3):130–1, *abs/comm*
- Heart valves**  
Perioperative anticoagulation for patients with mechanical heart valves: a model comparing unfractionated and low-molecular-weight heparin, 12(1):25–31
- Heparin**  
Low-molecular-weight heparin improves survival in patients with cancer, 12(5):241–2 *abs/comm*  
Perioperative anticoagulation for patients with mechanical heart valves: a model comparing unfractionated and low-molecular-weight heparin, 12(1):25–31
- HIPAA**  
Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6

**Homocysteine**

Effect of folic acid supplementation on inflammatory markers, 12(8):386–7 *abs/comm*

**Hormone therapy**

Hormone replacement therapy increases breast density on mammography, 12(11):557–8 *abs/comm*

Hormone therapy for menopausal symptoms: tracking the translation of the Women’s Health Initiative findings, 12(3):140–6

**Hospital formularies**

Effects of a hospital formulary on outpatient drug switching, 12(9):459–63

**Hospitalization rates**

Hospitalization rates for ambulatory care-sensitive conditions in California Medicare HMOs, 12(11):559–62, 566–8

**Hypertension**

Adherence to hypertension and dyslipidemia therapy, 12(7):343–4 *abs/comm*

COX-2 inhibitors and the risk for hypertension, 12(4):183–4 *abs/comm*

Does chronic disease self-management work?, 12(11):544, 551 *abs/comm*

ESRD progression in high-risk hypertensive patients treated with a diuretic, calcium channel blocker, or ACE inhibitor, 12(6):288–9 *abs/comm*

Improving guideline-based antihypertensive medication prescribing through academic detailing, 12(6):290–1 *abs/comm*

Optimal first-step antihypertensive treatment for diabetes, impaired fasting glucose, and normoglycemia, 12(9):440, 447 *abs/comm*

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

Racial disparities in quality of care for hypertension, 12(6):293–4 *abs/comm*

Suboptimal hypertension control among the elderly, 12(10):486, 489 *abs/comm*

Weight loss and risk of hypertension, 12(8):390 *abs/comm*

**Inflammatory markers**

Effect of folic acid supplementation on inflammatory markers, 12(8):386–7 *abs/comm*

**Information technology**

Does computerized ordering increase errors?, 12(5):239–40 *abs/comm*

Rapid notification of a drug recall using information technology, 12(4):191 *abs/comm*

Using information technology to reduce pediatric medication errors, 12(10):511–8

**Intensive lifestyle intervention**

Can intensive lifestyle intervention prevent metabolic syndrome?, 12(6):292–3 *abs/comm*

**Liver disease**

The spectrum of nonalcoholic fatty liver disease, 12(11):585–95

**Malpractice**

Patient satisfaction surveys may identify physicians at risk for malpractice litigation, 12(12):613–4 *abs/comm*

**Mammography**

Hormone replacement therapy increases breast density on mammography, 12(11):557–8 *abs/comm*

**Mastectomy**

Radiation improves overall survival after mastectomy in women with node-positive breast cancer, 12(3):131, 134 *abs/comm*

**Medical errors**

Advanced decision support tools needed to prevent outpatient medication prescribing errors, 12(10):492, 499 *abs/comm*

Does computerized ordering increase errors?, 12(5):239–40 *abs/comm*

Should we disclose harmful medical errors to patients? If so, how?, 12(5):253–9

Using information technology to reduce pediatric medication errors, 12(10):511–8

**Medical interview**

The medical inquiry: invite, listen, summarize, 12(8):415–8

**Medication use**

Effects of a hospital formulary on outpatient drug switching, 12(9):459–63

**Melanoma**

Prevention and detection of melanoma in the primary care setting, 12(10):523–36

**Menopause**

Hormone therapy for menopausal symptoms: tracking the translation of the Women’s Health Initiative findings, 12(3):140–6

**Metabolic syndrome**

Can intensive lifestyle intervention prevent metabolic syndrome?, 12(6):292–3 *abs/comm*

**Myocardial infarction**

In-hospital smoking cessation counseling after myocardial infarction, 12(5):240–1 *abs/comm*

Mortality in acute myocardial infarction patients cared for by general practice physicians: effect of specialist consultation, 12(6):295–305

Rofecoxib and risk for myocardial infarction, 12(3):123–4 *abs/comm*

**Nonalcoholic fatty liver disease**

The spectrum of nonalcoholic fatty liver disease, 12(11):585–95

**Noncardiac surgery**

New evidence for perioperative  $\beta$  blockade, 12(9):448 *abs/comm*

**Nosocomial infections**

Management of nosocomial urinary tract infections in adult patients, 12(6):306–14

**NSAIDs**

The effect of aspirin and NSAID use on fecal occult blood testing results, 12(2):80–1 *abs/comm*

The impact of NSAIDs and COX-2 inhibitors on blood pressure control, 12(3):136–7 *abs/comm*

Years of aspirin and NSAID use can lower colon cancer risk, 12(10):491–2 *abs/comm*

**Nurse practitioners**

Patient satisfaction with physician assistant, nurse practitioner, and physician care: a national survey of Medicare beneficiaries, 12(2):88–92

**Obesity**

Disparities in weight loss counseling and advice for obese patients, 12(9):436–7 *abs/comm*

Kaiser Permanente’s disease management approach to addressing the obesity epidemic, 12(9):464–9

Super-sizing: still bad for you, 12(6):291–2 *abs/comm*

**Opioids**

Effect of an opioid management system on opioid prescribing and unscheduled visits in a large primary care clinic, 12(12):621–8

**Osteoarthritis**

Is acupuncture effective for arthritis of the knee?, 12(2):81–2 *abs/comm*

Lack of benefit of glucosamine for knee osteoarthritis, 12(1):19–20 *abs/comm*

**Otitis media**

Using the 2004 AAP/AAFP clinical practice guidelines on diagnosis and management of acute otitis media, 12(12):643–53

**Ovarian endometrioma**

Diagnosis and treatment of an ovarian endometrioma in a young woman with dysmenorrhea, 12(11):577–84

**Overactive bladder**

Diagnosis and treatment of overactive bladder, 12(2):93–101

**Overweight**

Super-sizing: still bad for you, 12(6):291–2 *abs/comm*

**Pain management**

Effect of an opioid management system on opioid prescribing and unscheduled visits in a large primary care clinic, 12(12):621–8

Pain education for minority patients with cancer, 12(2):75, 78 *abs/comm*

Single-fraction radiation effective for patients with painful skeletal metastases, 12(9):439–40 *abs/comm*

**Pancreatitis**

Clinical approach to chronic pancreatitis, 12(8):419–28

**Patient privacy**

Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6

**Patient safety**

Crew resource management in perioperative services: navigating the implementation road map, 12(7):353–8

**Patient satisfaction**

Improving access, quality of care, and patient satisfaction in a general internal medicine practice, 12(5):245–9

Patient satisfaction surveys may identify physicians at risk for malpractice litigation, 12(12):613–4 *abs/comm*

Patient satisfaction with physician assistant, nurse practitioner, and physician care: a national survey of Medicare beneficiaries, 12(2):88–92

**Pediatric asthma**

Pediatric asthma: current concepts, 12(3):158–72

**Pediatric health services**

Development of a risk assessment tool for predicting pediatric health services utilization, 12(9):451–8

**Performance improvement**

Commentary: knowing is not enough, 12(5):250–1 *e*

Improving access, quality of care, and patient satisfaction in a general internal medicine practice, 12(5):245–9

Quality improvement not embedded in physicians’ professional culture, 12(7):339–40 *abs/comm*

**Perioperative cardiac risk**

Reducing perioperative cardiac complications in patients undergoing noncardiac surgery, 12(6):317–28

**Physical examination**

Physicians support the annual physical examination despite unproven benefits, 12(8):387–8 *abs/comm*

**Physical restraint**

Frequency of client and staff injury during physical restraint episodes: a comparison of 2 child restraint systems, 12(4):193–8

**Physician extenders**

Patient satisfaction with physician assistant, nurse

- practitioner, and physician care: a national survey of Medicare beneficiaries, 12(2):88–92
- Physician office laboratories**  
Determinants of quality control practices in physician office laboratories, 12(8):393–405
- Physician-patient communication**  
The medical inquiry: invite, listen, summarize, 12(8):415–8
- Physician specialty**  
Mortality in acute myocardial infarction patients cared for by general practice physicians: effect of specialist consultation, 12(6):295–305  
Specialty care improves short-term survival for hospitalized heart failure patients, 12(11):556–7 *abs/comm*
- Pneumonia**  
Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205
- Polycystic ovary syndrome**  
Diagnosis and management of polycystic ovary syndrome, 12(4):218–28
- Postoperative pulmonary complications**  
Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10
- Preoperative assessment**  
Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10
- Pulmonary artery catheterization**  
Does pulmonary artery catheterization increase the risk of death in patients with acute coronary syndromes?, 12(7):335, 338 *abs/comm*
- Pursuing perfection**  
Large-scale system change improves outcomes; the pursuing perfection program, 12(11):569–76
- Quality control**  
Determinants of quality control practices in physician office laboratories, 12(8):393–405
- Quality improvement**  
Large-scale system change improves outcomes; the pursuing perfection program, 12(11):569–76
- Racial disparities**  
Racial disparities in quality of care for hypertension, 12(6):293–4 *abs/comm*
- Radiation therapy**  
Radiation improves overall survival after mastectomy in women with node-positive breast cancer, 12(3):131, 134 *abs/comm*
- Single-fraction radiation effective for patients with painful skeletal metastases, 12(9):439–40 *abs/comm*
- Renal function**  
Popular prediction equation underestimates glomerular filtration rate, 12(2):68, 74 *abs/comm*
- Risk assessment**  
Development of a risk assessment tool for predicting pediatric health services utilization, 12(9):451–8
- Screening**  
Intensive patient education improves colorectal cancer screening rates, 12(7):341–2 *abs/comm*  
Personalizing prostate-specific antigen screening intervals for prostate cancer detection, 12(11):551–2 *abs/comm*
- Prevention and detection of melanoma in the primary care setting, 12(10):523–36  
Screening for substance abuse in primary care among women veterans, 12(7):359–66
- Seizure**  
Seizures and epilepsy: an approach to diagnosis and management, 12(2):103–15
- Self-management**  
Does chronic disease self-management work?, 12(11):544, 551 *abs/comm*  
Patient self-management of anticoagulation: the new standard of care? 12(3):124, 130 *abs/comm*
- Smoking cessation**  
Improving tobacco treatment outcomes at Fallon Community Health Plan, 12(1):45–8  
In-hospital smoking cessation counseling after myocardial infarction, 12(5):240–1 *abs/comm*  
Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52
- Statins**  
Statins reduce fracture risk in elderly male veterans, 12(11):555 *abs/comm*
- Stroke**  
Acupuncture shows no benefit over sham treatment for stroke rehabilitation, 12(12):607–8 *abs/comm*
- Substance abuse**  
Screening for substance abuse in primary care among women veterans, 12(7):359–66
- System improvements**  
Large-scale system change improves outcomes; the pursuing perfection program, 12(11):569–76
- Systemic lupus erythematosus**  
Medical management of systemic lupus erythematosus, 12(7):367–76
- Telemedicine**  
Heart failure disease management incorporating telemedicine: a critical review, 12(4):207–17
- Telemetry**  
Improving utilization of telemetry in a university hospital, 12(10):519–22
- Test results**  
Optimal management of test results in primary care, 12(1):22–3 *abs/comm*
- Tobacco**  
Improving tobacco treatment outcomes at Fallon Community Health Plan, 12(1):45–8
- Urinary dysfunction**  
Diagnosis and treatment of overactive bladder, 12(2):93–101
- Urinary tract infection**  
Management of nosocomial urinary tract infections in adult patients, 12(6):306–14  
Treatment of asymptomatic bacteriuria in the non-catheterized hospitalized patient, 12(8):406 *le*
- Vitamin E**  
Cancer prevention after head and neck cancer using vitamin E, 12(6):285, 288 *abs/comm*  
Vitamin E: more harm than help?, 12(5):236–7 *abs/comm*
- Vocal cord dysfunction**  
Vocal cord dysfunction, 12(9):470–8
- Warfarin**  
Warfarin plus aspirin versus aspirin alone after an acute coronary event, 12(10):503–4 *abs/comm*
- Weight loss**  
Weight loss and risk of hypertension, 12(8):390 *abs/comm*
- Weight management**  
Disparities in weight loss counseling and advice for obese patients, 12(9):436–7 *abs/comm*  
Kaiser Permanente's disease management approach to addressing the obesity epidemic, 12(9):464–9
- Women's Health Initiative**  
Hormone therapy for menopausal symptoms: tracking the translation of the Women's Health Initiative findings, 12(3):140–6
- Women veterans**  
Screening for substance abuse in primary care among women veterans, 12(7):359–66

## AUTHORS

- Ahern GL**  
Seizures and epilepsy: an approach to diagnosis and management, 12(2):103–15
- Alexander KP**  
Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6
- Antonini JM**  
An operative risk management pathway to increase perioperative  $\beta$ -blocker utilization in patients undergoing elective total hip or knee arthroplasty, 12(12):629–35
- Avery GH**  
Determinants of quality control practices in physician office laboratories, 12(8):393–405
- Bachman KH**  
Kaiser Permanente's disease management approach to addressing the obesity epidemic, 12(9):464–9
- Bainbridge J**  
A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43
- Balogun RA**  
Chronic kidney disease and coronary heart disease, 12(3):138 *le*
- Barzilay JI**  
Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7
- Bastian LA**  
Hormone therapy for menopausal symptoms: tracking the translation of the Women's Health Initiative findings, 12(3):140–6  
Screening for substance abuse in primary care among women veterans, 12(7):359–66
- Bates DW**  
Effects of a hospital formulary on outpatient drug switching, 12(9):459–63  
The health care scene as 2005 opens: how are we doing?, 12(1):7–8 *e*

**Belliveau PP**

Management of nosocomial urinary tract infections in adult patients, 12(6):306–14  
Treatment of asymptomatic bacteriuria in the non-catheterized hospitalized patient, 12(8):406 *le*

**Bolton WK**

Chronic kidney disease and coronary heart disease, 12(3):138 *le*

**Bornstein WA**

Commentary: knowing is not enough, 12(5):250–1

**Bosworth HB**

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

**Boyle D**

The medical inquiry: invite, listen, summarize, 12(8):415–8

**Breslau ES**

Hormone therapy for menopausal symptoms: tracking the translation of the Women's Health Initiative findings, 12(3):140–6

**Brotman DJ**

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

**Burke GL**

Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7

**Bussing R**

An operative risk management pathway to increase perioperative  $\beta$ -blocker utilization in patients undergoing elective total hip or knee arthroplasty, 12(12):629–35

**Cipher DJ**

Patient satisfaction with physician assistant, nurse practitioner, and physician care: a national survey of Medicare beneficiaries, 12(2):88–92

**Claflin S**

Development of a home care falls prevention and intervention program, 12(12):637–42

**Coleman R**

Development of a risk assessment tool for predicting pediatric health services utilization, 12(9):451–8

**Correia NG**

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

**Cowper PA**

Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6

**Cujec B**

Mortality in acute myocardial infarction patients cared for by general practice physicians: effect of specialist consultation, 12(6):295–305

**Davis WW**

Hormone therapy for menopausal symptoms: tracking the translation of the Women's Health Initiative findings, 12(3):140–6

**DeBellis RJ**

Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205

Management of nosocomial urinary tract infections in adult patients, 12(6):306–14

Treatment of asymptomatic bacteriuria in the non-catheterized hospitalized patient, 12(8):406 *le*

**DeLong ER**

Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6

**Dhanani N**

Hospitalization rates for ambulatory care-sensitive conditions in California Medicare HMOs, 12(11):559–62, 566–8

**Dickman F**

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

**Dorman T**

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

**Dudley J**

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

**Dudley TK**

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

**Duling L**

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

**Dwinnell B**

The medical inquiry: invite, listen, summarize, 12(8):415–8

**Eaton EC**

Improving tobacco treatment outcomes at Fallon Community Health Plan, 12(1):45–8

**Edwards-Lee T**

Diagnosis and treatment of Alzheimer's disease, 12(1):49–58

**Fahey M**

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

**Falk S**

Determinants of quality control practices in physician office laboratories, 12(8):393–405

**Farquhar CM**

Diagnosis and treatment of an ovarian endometrioma in a young woman with dysmenorrhea, 12(11):577–84

**Feistritzer NR**

Crew resource management in perioperative services: navigating the implementation road map, 12(7):353–8

**Ferris TG**

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

**Foley P**

Development of a risk assessment tool for predicting pediatric health services utilization, 12(9):451–8

**Fong A**

Mortality in acute myocardial infarction patients cared for by general practice physicians: effect of specialist consultation, 12(6):295–305

**France DJ**

Crew resource management in perioperative ser-

vices: navigating the implementation road map, 12(7):353–8

**Frost SD**

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

**Gallagher TH**

Should we disclose harmful medical errors to patients? If so, how?, 12(5):253–9

**Garcia DA**

Perioperative anticoagulation for patients with mechanical heart valves: a model comparing unfractionated and low-molecular-weight heparin, 12(1):25–31

**Geller AC**

Prevention and detection of melanoma in the primary care setting, 12(10):523–36

**Gentry PW**

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

**Ghali P**

The spectrum of nonalcoholic fatty liver disease, 12(11):585–95

**Gilkeson GS**

Medical management of systemic lupus erythematosus, 12(7):367–76

**Girgis JA**

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

**Gitomer RS**

Improving access, quality of care, and patient satisfaction in a general internal medicine practice, 12(5):245–9

**Goeldner JL**

Kaiser Permanente's disease management approach to addressing the obesity epidemic, 12(9):464–9

**Goldberg KC**

Effect of an opioid management system on opioid prescribing and unscheduled visits in a large primary care clinic, 12(12):621–8

**Gunn S**

Frequency of client and staff injury during physical restraint episodes: a comparison of 2 child restraint systems, 12(4):193–8

**Hardee JT**

The medical inquiry: invite, listen, summarize, 12(8):415–8

**Harrison CJ**

Using the 2004 AAP/AAFP clinical practice guidelines on diagnosis and management of acute otitis media, 12(12):643–53

**Hasan S**

An operative risk management pathway to increase perioperative  $\beta$ -blocker utilization in patients undergoing elective total hip or knee arthroplasty, 12(12):629–35

**Henderson L**

Frequency of client and staff injury during physical restraint episodes: a comparison of 2 child restraint systems, 12(4):193–8

**Henderson WV**

Diagnosis and treatment of Alzheimer's disease, 12(1):49–58

**Henderson W**

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

## Higgins MS

Crew resource management in perioperative services: navigating the implementation road map, 12(7):353–8

## Histon TM

Kaiser Permanente's disease management approach to addressing the obesity epidemic, 12(9):464–9

## Holzmueller CG

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

## Hooker RS

Patient satisfaction with physician assistant, nurse practitioner, and physician care: a national survey of Medicare beneficiaries, 12(2):88–92

## Horning MS

Acupuncture shows no benefit over sham treatment for stroke rehabilitation, 12(12):607–8  
*abs/comm*

Adherence to hypertension and dyslipidemia therapy, 12(7):343–4 *abs/comm*

Can intensive lifestyle intervention prevent metabolic syndrome?, 12(6):292–3 *abs/comm*

Does chronic disease self-management work?, 12(11):544, 551 *abs/comm*

Does computerized ordering increase errors?, 12(5):239–40 *abs/comm*

Improving diabetes care with interactive technology, 12(2):67–8 *abs/comm*

New evidence for perioperative  $\beta$  blockade, 12(9):448 *abs/comm*

Optimal management of test results in primary care, 12(1):22–3 *abs/comm*

Patient self-management of anticoagulation; the new standard of care?, 12(3):124, 130 *abs/comm*

Suboptimal hypertension control among the elderly, 12(10):486, 489 *abs/comm*

Trends in dietary and herbal supplement use in the United States, 12(4):184–5 *abs/comm*

## Jacobson BC

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

## Jaffer AK

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

## Jay KN

Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52

## Jerant AF

Heart failure disease management incorporating telemedicine: a critical review, 12(4):207–17

## Jha AK

Antibiotic prescribing patterns among nonphysician clinicians, practicing physicians, and residents, 12(9):437–8 *abs/comm*

Does pulmonary artery catheterization increase the risk of death in patients with acute coronary syndromes?, 12(7):335, 338 *abs/comm*

Guideline-concordant therapy reduces mortality in patients with community-acquired pneumonia, 12(1):14–5 *abs/comm*

How common is diastolic dysfunction among the elderly with dyspnea?, 12(3):130–1 *abs/comm*

In-hospital smoking cessation counseling after myocardial infarction, 12(5):240–1 *abs/comm*

Specialty care improves short-term survival for hospitalized heart failure patients, 12(11):556–7  
*abs/comm*

## Jin Y

Mortality in acute myocardial infarction patients cared for by general practice physicians: effect of specialist consultation, 12(6):295–305

## Johnson D

Mortality in acute myocardial infarction patients cared for by general practice physicians: effect of specialist consultation, 12(6):295–305

## Johnson JR

Treatment of asymptomatic bacteriuria in the non-catheterized hospitalized patient, 12(8):406 *le*

## Joshi P

Clinical approach to chronic pancreatitis, 12(8):419–28

## Kabcenell A

Large-scale system change improves outcomes: the pursuing perfection program, 12(11):569–76

## Kamen DL

Medical management of systemic lupus erythematosus, 12(7):367–76

## Kaur S

Screening for substance abuse in primary care among women veterans, 12(7):359–66

## Kim GR

Using information technology to reduce pediatric medication errors, 12(10):511–8

## Kippes C

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

## Koss RG

Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52

## Kuller L

Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7

## Kuntz A

Crew resource management in perioperative services: navigating the implementation road map, 12(7):353–8

## Kuo B

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

## Labiner DM

Seizures and epilepsy: an approach to diagnosis and management, 12(2):103–15

## Lee J

Determinants of quality control practices in physician office laboratories, 12(8):393–405

## Lee TH

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

## Legro RS

Diagnosis and management of polycystic ovary syndrome, 12(4):218–28

## Lehmann CU

Using information technology to reduce pediatric medication errors, 12(10):511–8

## Leming-Lee S

Crew resource management in perioperative services: navigating the implementation road map, 12(7):353–8

## Leslie B

The medical inquiry: invite, listen, summarize, 12(8):415–8

## Libby EN

Perioperative anticoagulation for patients with mechanical heart valves: a model comparing unfractionated and low-molecular-weight heparin, 12(1):25–31

## Lin CT

The medical inquiry: invite, listen, summarize, 12(8):415–8

## Litaker DG

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

## Loeb JM

Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52

## Lubomski LH

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

## Lucas MH

Should we disclose harmful medical errors to patients? If so, how?, 12(5):253–9

## Lytle BL

Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6

## Mahlis EM

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

## Mangolds VB

Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205

## Mark DB

Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6

## Martin LA

Large-scale system change improves outcomes: the pursuing perfection program, 12(11):569–76

## Mazzola JL

Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205

## McCant FA

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

## McKenna M

Development of a risk assessment tool for predicting pediatric health services utilization, 12(9):451–8

## Melnick G

Hospitalization rates for ambulatory care-sensitive conditions in California Medicare HMOs, 12(11):559–62, 566–8

## Michota FA

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

## Morlock LL

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

**Morton DJ**

Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52

**Moser RP**

Hormone therapy for menopausal symptoms: tracking the translation of the Women's Health Initiative findings, 12(3):140–6

**Murff HJ**

Chemoprevention of colorectal adenoma with ursodeoxycholic acid, 12(8):391–2 *abs/comm*

The effect of aspirin and NSAID use on fecal occult blood testing results, 12(2):80–1 *abs/comm*

Immunochemical fecal occult blood testing: better than guaiac-based tests but far from perfect, 12(10):489–90 *abs/comm*

The impact of NSAIDs and COX-2 inhibitors on blood pressure control, 12(3):136–7 *abs/comm*

Improving guideline-based antihypertensive medication prescribing through academic detailing, 12(6):290–1 *abs/comm*

Intensive patient education improves colorectal cancer screening rates, 12(7):341–2 *abs/comm*

Lack of benefit of glucosamine for knee osteoarthritis, 12(1):19–20 *abs/comm*

Low-dose aspirin does not reduce cancer incidence in women, 12(9):435–6 *abs/comm*

Personalizing prostate-specific antigen screening intervals for prostate cancer detection, 12(11):551–2 *abs/comm*

Selenomethionine and celecoxib are ineffective as chemoprevention for esophageal squamous cell cancer, 12(12):608–9 *abs/comm*

A self-help intervention to change patient dietary behavior in rural communities, 12(4):180, 183 *abs/comm*

Vitamin E: more harm than help?, 12(5):236–7 *abs/comm*

**Nesbitt TS**

Heart failure disease management incorporating telemedicine: a critical review, 12(4):207–17

**Nolan TW**

Large-scale system change improves outcomes: the pursuing perfection program, 12(11):569–76

**O'Connell MA**

Vocal cord dysfunction, 12(9):470–8

**O'Leary JF**

Hospitalization rates for ambulatory care-sensitive conditions in California Medicare HMOs, 12(11):559–62, 566–8

**Oddone EZ**

Effect of an opioid management system on opioid prescribing and unscheduled visits in a large primary care clinic, 12(12):621–8

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

**Persell SD**

Adding exercise testing to Framingham score for cardiovascular risk assessment, 12(11):543–4 *abs/comm*

Combination drug therapy to raise high-density lipoprotein cholesterol, 12(5):235–6 *abs/comm*

Comparison of multidetector computed tomography with coronary angiography, 12(1):18–9 *abs/comm*

ESRD progression in high-risk hypertensive patients treated with a diuretic, calcium channel blocker, or ACE inhibitor, 12(6):288–9 *abs/comm*

Optimal first-step antihypertensive treatment for

diabetes, impaired fasting glucose, and normoglycemia, 12(9):440, 447 *abs/comm*

Pioglitazone in diabetic adults with atherosclerosis—unanswered questions, 12(12):603–4 *abs/comm*

Preventing recurrent ulcer bleeding in patients on antiplatelet therapy: comparison of 2 approaches, 12(3):135–6 *abs/comm*

Quality improvement not embedded in physicians' professional culture, 12(7):339–40 *abs/comm*

Rapid notification of a drug recall using information technology, 12(4):191 *abs/comm*

Treatment of normotensive coronary patients with amlodipine or enalapril: effects of cardiovascular outcomes, 12(2):78–9 *abs/comm*

Warfarin plus aspirin versus aspirin alone after an acute coronary event, 12(10):503–4 *abs/comm*

Weight loss and risk of hypertension, 12(8):390 *abs/comm*

**Peterson ED**

Research, managed care, and patient privacy: challenges to successful collaboration, 12(3):151–6

**Pioro MH**

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

**Platt FW**

The medical inquiry: invite, listen, summarize, 12(8):415–8

**Potyk DK**

Reducing perioperative cardiac complications in patients undergoing noncardiac surgery, 12(6):317–28

**Pronovost PJ**

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

**Quan H**

Mortality in acute myocardial infarction patients cared for by general practice physicians: effect of specialist consultation, 12(6):295–305

**Raja-Khan N**

Diagnosis and management of polycystic ovary syndrome, 12(4):218–28

**Rich JS**

Perioperative anticoagulation for patients with mechanical heart valves: a model comparing unfractionated and low-molecular-weight heparin, 12(1):25–31

**Robinson RL**

An operative risk management pathway to increase perioperative  $\beta$ -blocker utilization in patients undergoing elective total hip or knee arthroplasty, 12(12):629–35

**Rotherth K**

Kaiser Permanente's disease management approach to addressing the obesity epidemic, 12(9):464–9

**Roumie CL**

Atrial fibrillation: primary treatment with medication versus ablation, 12(7):342–3 *abs/comm*

COX-2 inhibitors and the risk for hypertension, 12(4):183–4 *abs/comm*

Disparities in weight loss counseling and advice for obese patients, 12(9):436–7 *abs/comm*

Effect of folic acid supplementation on inflammatory markers, 12(8):386–7 *abs/comm*

Exenatide: an alternative to basal insulin for failing oral antidiabetic regimens, 12(12):609, 612 *abs/comm*

Is abnormal bleeding caused by antidepressants?, 12(1):21 *abs/comm*

Is acupuncture effective for arthritis of the knee?, 12(2):81–2 *abs/comm*

Low-dose aspirin and primary prevention in women, 12(5):238–9 *abs/comm*

Rofecoxib and risk for myocardial infarction, 12(3):123–4 *abs/comm*

Statins reduce fracture risk in elderly male veterans, 12(11):555 *abs/comm*

Super-sizing: still bad for you, 12(6):291–2 *abs/comm*

Years of aspirin and NSAID use can lower colon cancer risk, 12(10):491–2 *abs/comm*

**Rovner ES**

Diagnosis and treatment of overactive bladder, 12(2):93–101

**Sanders F**

Crew resource management in perioperative services: navigating the implementation road map, 12(7):353–8

**Savage PJ**

Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7

**Schaefer OP**

Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205

**Schloredt K**

Current perspectives on the diagnosis and treatment of adolescent depression in the primary care setting, 12(5):260–76

**Schroeder SA**

Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52

**Sekscenski E**

Patient satisfaction with physician assistant, nurse practitioner, and physician care: a national survey of Medicare beneficiaries, 12(2):88–92

**Sequist TD**

Advanced decision support tools needed to prevent outpatient medication prescribing errors, 12(10):492, 499 *abs/comm*

Patient satisfaction surveys may identify physicians at risk for malpractice litigation, 12(12):613–4 *abs/comm*

A pharmacist-driven intervention improves diabetes care, 12(4):188–9 *abs/comm*

Physicians support the annual physical examination despite unproven benefits, 12(8):387–8 *abs/comm*

Popular prediction equation underestimates glomerular filtration rate, 12(2):68, 74 *abs/comm*

Racial disparities in quality of care for hypertension, 12(6):293–4 *abs/comm*

**Shaffer DN**

Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7

**Shea T**

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

**Siddons K**

Frequency of client and staff injury during physical restraint episodes: a comparison of 2 child restraint systems, 12(4):193–8

## Silverman A

Improving utilization of telemetry in a university hospital, 12(10):519–22

## Silverstein N

Improving utilization of telemetry in a university hospital, 12(10):519–22

## Simel DL

Effect of an opioid management system on opioid prescribing and unscheduled visits in a large primary care clinic, 12(12):621–8

## Sloss EM

Hospitalization rates for ambulatory care-sensitive conditions in California Medicare HMOs, 12(11):559–62, 566–8

## Smith NL

Utility of 2-hour postchallenge glucose in predicting incident diabetes in older adults with normal fasting glucose: 9-year follow-up of the Cardiovascular Health Study, 12(2):83–7

## Snyder AM

Development of a risk assessment tool for predicting pediatric health services utilization, 12(9):451–8

## Spigel DR

Cancer prevention after head and neck cancer using vitamin E, 12(6):285, 288 *abs/comm*

Comparing group and individual breast cancer genetic counseling, 12(7):338–9 *abs/comm*

Concurrent chemoradiotherapy scheduling may improve lung cancer survival, 12(10):499, 502 *abs/comm*

Hormone replacement therapy increases breast density on mammography, 12(11):557–8 *abs/comm*

Improved colorectal cancer screening rates with provider training, 12(4):189–90 *abs/comm*

Improved quality of life with laparoscopic treatment in early-stage endometrial cancer, 12(12):602–3 *abs/comm*

Low-molecular-weight heparin improves survival in patients with cancer, 12(5):241–2 *abs/comm*

Omitting axillary dissection in early-stage breast cancer, 12(8):388–9 *abs/comm*

Pain education for minority patients with cancer, 12(2):75, 78 *abs/comm*

Radiation improves overall survival after mastectomy in women with node-positive breast cancer, 12(3):131, 134 *abs/comm*

Single-fraction radiation effective for patients with painful skeletal metastases, 12(9):439–40 *abs/comm*

Timing therapy in patients with prostate cancer, 12(1):15, 18 *abs/comm*

## Spisszak E

Frequency of client and staff injury during physical restraint episodes: a comparison of 2 child restraint systems, 12(4):193–8

## Sridharan ST

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

## Stevens JP

Large-scale system change improves outcomes: the pursuing perfection program, 12(11):569–76

## Stoller JK

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

## Sun BC

Effects of a hospital formulary on outpatient drug switching, 12(9):459–63

## Sussman A

Effects of a hospital formulary on outpatient drug switching, 12(9):459–63

## Swetter SM

Prevention and detection of melanoma in the primary care setting, 12(10):523–36

## Talwalkar JA

The spectrum of nonalcoholic fatty liver disease, 12(11):585–95

## Thompson DA

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

## Torres MR

Seizures and epilepsy: an approach to diagnosis and management, 12(2):103–15

## Toskes PP

Clinical approach to chronic pancreatitis, 12(8):419–28

## Varley CK

Current perspectives on the diagnosis and treatment of adolescent depression in the primary care setting, 12(5):260–76

## Vautrain R

An operative risk management pathway to increase perioperative  $\beta$ -blocker utilization in patients undergoing elective total hip or knee arthroplasty, 12(12):629–35

## Voils CI

Overcoming clinical inertia: a visit-specific scale for measuring quality in hypertension care, 12(3):147–50

## Volkman KK

Pediatric asthma: current concepts, 12(3):158–72

## Volturo GA

Comparison of 3 techniques for implementing a guideline for community-acquired pneumonia, 12(4):199–205

## Wang TC

A population-based intervention to improve management of patients on chronic acid suppression: a group-randomized trial, 12(1):35–43

## Wasser T

Frequency of client and staff injury during physical restraint episodes: a comparison of 2 child restraint systems, 12(4):193–8

## Widmann HJ

Postoperative pulmonary complications: experience with an outpatient preoperative assessment program, 12(10):505–10

## Willey C

Development of a risk assessment tool for predicting pediatric health services utilization, 12(9):451–8

## Williams SC

Smoking cessation counseling in U.S. hospitals: a comparison of high and low performers, 12(7):345–52

## Wu AW

Computerized physician order entry, a factor in medication errors: descriptive analysis of events in the intensive care unit safety reporting system, 12(8):407–12

## Zacharisen MC

Pediatric asthma: current concepts, 12(3):158–72

## Zeng F

Hospitalization rates for ambulatory care-sensitive conditions in California Medicare HMOs, 12(11):559–62, 566–8