

Key to abbreviations: *abs/comm* = abstract with commentary.

SUBJECTS

ACE inhibitors

Benazepril is safe and effective in the treatment of advanced renal insufficiency, 13(6):318–9 *abs/comm*

ACGME competencies

Leveraging change: educational opportunities in information technology implementation, 13(7):372, 378–81

Acute coronary syndrome

Does guideline compliance accurately predict acute coronary syndrome outcomes?, 13(6):321–2 *abs/comm*

No clear advantage of dual antiplatelet therapy over aspirin alone in stable patients with high cardiovascular risk, 13(5):253–4 *abs/comm*

Trauma trumps coronary symptoms in the emergency department, 13(12):671–2 *abs/comm*

Adherence, medication

Higher mortality at 1 year for nonadherent post-MI patients, 13(12):666, 670 *abs/comm*

Prescribing generic or preferred medications aids adherence to chronic pharmacotherapy, 13(4):215–6 *abs/comm*

A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21

Adverse drug events

Implementation of a system for computerized adverse drug event surveillance and intervention at an academic medical center, 13(2):94–100

Alcohol

The challenge to find effective therapies for patients with alcohol dependence, 13(6):315–6 *abs/comm*

The impact of moderate alcohol use on drug safety parameters for warfarin and lovastatin, 13(7):368–9 *abs/comm*

Parental alcohol problems: parents' preferences for screening and intervention in the pediatric office setting, 13(3):146, 152–6

Pharmacologic management of alcohol use disorders in the primary care setting, 13(11):628–46

Alzheimer's disease

Donepezil for patients with severe Alzheimer's disease: small but significant benefits, 13(5):258–9 *abs/comm*

Anemia

Anemia is an important predictor of decline and death in community-dwelling elders, 13(5):259–60 *abs/comm*

Angina

Prognostic importance of stable angina in women and men, 13(6):316–7 *abs/comm*

Angioplasty

Reducing contrast-induced nephropathy associated with primary angioplasty, 13(8):428, 434 *abs/comm*

Antihypertensive drugs

Effects of antihypertensive drugs on bones, 13(10):540–1 *abs/comm*

Antiplatelet therapy

No clear advantage of dual antiplatelet therapy over aspirin alone in stable patients with high cardiovascular risk, 13(5):253–4 *abs/comm*

Antipsychotics

Does antipsychotic use increase risk of death among the elderly?, 13(1):8, 15 *abs/comm*

Antiretroviral therapy

Long-term treatment complications in HIV disease, 13(6):342–56

A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21

Aspirin

No clear advantage of dual antiplatelet therapy over aspirin alone in stable patients with high cardiovascular risk, 13(5):253–4 *abs/comm*

Asthma

Collaborative education program to improve management of childhood asthma, 13(12):701–5

Atrial fibrillation

Management and prevention of postoperative atrial fibrillation after cardiac surgery, 13(11):647–56

Back pain

Yoga improves function in patients with chronic low back pain, 13(3):140–1 *abs/comm*

Birth control

Update on new contraceptive choices, 13(8):447–55

β Blockers

β Blockers failed in primary prevention of gastroesophageal varices, 13(1):15–6 *abs/comm*
Is it time to redefine the role of β blockers in treating hypertension?, 13(3):142–3 *abs/comm*

Blood pressure

Determining best strategies for improving hypertension care, 13(10):552, 555 *abs/comm*
Diastolic blood pressure control in coronary artery disease: how low is too low?, 13(8):434–5 *abs/comm*

Bone fractures

Effects of antihypertensive drugs on bones, 13(10):540–1 *abs/comm*

Cancer, breast

Outcomes of family physician follow-up care for early-stage breast cancer similar to specialty care, 13(5):257–8 *abs/comm*
Reduced morbidity using sentinel node biopsy in breast cancer patients, 13(8):436, 437 *abs/comm*

Cancer, cervical

The abnormal pap test evaluation, treatment, and monitoring, 13(4):235–46

Cancer, colorectal

High-fiber diet may not protect women against colorectal cancer, 13(4):207, 210 *abs/comm*

Improving rates of colorectal cancer screening: no easy answers, 13(2):87–8 *abs/comm*

Is referral for colonoscopy overutilized by primary care physicians?, 13(12):678, 680 *abs/comm*

Patient preferences for colon imaging for cancer detection, 13(10):543–4 *abs/comm*

Strategies to improve colorectal cancer screening, 13(9):512–7

Surveillance after colorectal cancer surgery: more or less?, 13(3):143–4 *abs/comm*

Using disease-free survival as an alternate end point in colorectal cancer patients, 13(1):23–4 *abs/comm*

Cancer, lung

Annual CT screening for lung cancer may significantly improve survival, 13(12):665–6 *abs/comm*

Assessing chest radiography for early lung cancer detection, 13(2):86–7 *abs/comm*

Cancer, prostate

Delayed versus immediate prostatectomy: the question of cancer curability, 13(4):202, 207 *abs/comm*

Quality of life significantly decreased with aggressive treatment for prostate cancer, 13(7):363–4 *abs/comm*

Cancer screening

Cancer screening rates improved using telephone-based patient reminders, 13(6):319–20 *abs/comm*

Cardiac rehabilitation

Improving secondary prevention of cardiovascular disease through increased referral to cardiac rehabilitation, 13(10):572–7

Cardiac surgery

Management and prevention of postoperative atrial fibrillation after cardiac surgery, 13(11):647–56

Cardiovascular disease

Fenofibrate and cardiovascular events in patients with type 2 diabetes, 13(1):16, 22–3 *abs/comm*

Improving secondary prevention of cardiovascular disease through increased referral to cardiac rehabilitation, 13(10):572–7

Low-density lipoprotein treatment targets: how strong is the evidence?, 13(11):593–4 *abs/comm*

Multislice CT versus MRI for noninvasive detection of coronary artery stenoses, 13(11):602, 607 *abs/comm*

No clear advantage of dual antiplatelet therapy over aspirin alone in stable patients with high cardiovascular risk, 13(5):253–4 *abs/comm*

Charts, medical

The problem-integrated charting system: a symbol-enhanced method of longitudinal record keeping for complex patients, 13(5):279–87

Cholinesterase inhibitors

Donepezil for patients with severe Alzheimer's disease: small but significant benefits, 13(5):258-9*abs/comm*

Chondroitin

Glucosamine and chondroitin fail to improve knee pain caused by osteoarthritis, 13(4):213-4*abs/comm*

Cirrhosis

β Blockers failed in primary prevention of gastroesophageal varices, 13(1):15-6*abs/comm*

Clinical research, benefits of

Funding clinical research leads to improved health and long-term financial savings, 13(7):367-8*abs/comm*

Clostridium difficile infection

Rise in *Clostridium difficile* infections with use of gastric acid suppressants, 13(2):83-4*abs/comm*

Cognitive behavioral therapy

Behavioral therapy is superior to zopiclone for insomnia in older adults, 13(8):423-4*abs/comm*

Obsessive-compulsive disorder in children and adolescents, 13(7):405-11

Computed tomography

Annual CT screening for lung cancer may significantly improve survival, 13(12):665-6*abs/comm*

Multislice CT versus MRI for noninvasive detection of coronary artery stenoses, 13(11):602, 607*abs/comm*

Use of dual-modality positron emission tomography/computed tomography in oncology, 13(3):157-8, 161-75, 182-3

Contraception

Update on new contraceptive choices, 13(8):447-55

COPD

Poor adherence to guidelines for management of COPD exacerbations, 13(9):479-80*abs/comm*

Coronary artery disease

Diastolic blood pressure control in coronary artery disease: how low is too low?, 13(8):434-5*abs/comm*

Should we use C-reactive protein or other novel markers for CHD risk stratification?, 13(9):471-2*abs/comm*

COX-2 inhibitors

Similar rate of ulcer recurrence with naproxen plus lansoprazole versus celecoxib, 13(1):24, 27 *abs/comm*

C-reactive protein

Should we use C-reactive protein or other novel markers for CHD risk stratification?, 13(9):471-2*abs/comm*

Cultural competence

Improving cultural competence: organizational strategies for clinical care, 13(1):47-51

A pediatric hospital's approach to improving cultural competence, 13(1):52-6

Depression

Developing and disseminating a model to improve depression care in primary care practices, 13(9):506-11

Etanercept improves skin lesions and symptoms of depression and fatigue in patients with moderate to severe psoriasis, 13(3):135-6 *abs/comm*

To screen or not to screen: is that the question?

Improving the outcomes of depression in primary care, 13(10):562-71

Diabetes

Are diabetes disease management programs achieving clinically relevant outcomes?, 13(11):596, 600*abs/comm*

Fenofibrate and cardiovascular events in patients with type 2 diabetes, 13(1):16, 22-3 *abs/comm*

Gestational diabetes testing among pregnant Medicaid recipients: implications for clinical care, 13(6):323-32

Performance feedback can improve diabetes care provided by residents, 13(5):266-7*abs/comm*

Pharmacologic management of the patient with newly diagnosed type 2 diabetes, 13(7):392, 398-404

Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556-61

Diarrhea

Management of acute infectious diarrhea, 13(7):382-91

Diet

The benefits of nutritional supplementation in hospitalized older adults, 13(11):600-1 *abs/comm*

Do commercial weight loss programs work?, 13(10):542, 543*abs/comm*

High-fiber diet may not protect women against colorectal cancer, 13(4):207, 210*abs/comm*

Drug safety

The impact of moderate alcohol use on drug safety parameters for warfarin and lovastatin, 13(7):368-9*abs/comm*

Dysglycemia

Gatifloxacin induces dysglycemia in older patients, 13(4):211-2*abs/comm*

Dyslipidemia

An evidence-based approach to the use of combination drug therapy for mixed dyslipidemia, 13(1):57-68

Low-density lipoprotein treatment targets: how strong is the evidence?, 13(11):593-4*abs/comm*

Endocarditis, prosthetic valve

Higher mortality rates in medically treated patients with *Staphylococcus aureus* prosthetic valve endocarditis, 13(3):139-40*abs/comm*

Esophageal varices

β Blockers failed in primary prevention of gastroesophageal varices, 13(1):15-6*abs/comm*

Exercise

Further proof that almost any type of regular exercise improves cardiorespiratory fitness, 13(1):28-9*abs/comm*

Fenofibrate

Fenofibrate and cardiovascular events in patients with type 2 diabetes, 13(1):16, 22-3*abs/comm*

Fiber

High-fiber diet may not protect women against colorectal cancer, 13(4):207, 210*abs/comm*

Fibroids, uterine

Minimally invasive treatment options for uterine fibroids, 13(9):518-27

Functional disorders

The irritable bowel syndrome and its association with unexplained medical symptoms and other functional disorders, 13(5):292-304

Functional status

Anemia is an important predictor of decline and death in community-dwelling elders, 13(5):259-60*abs/comm*

Gastric acid suppressants

Rise in *Clostridium difficile* infections with use of gastric acid suppressants, 13(2):83-4*abs/comm*

Generalized anxiety disorder

Treatment of generalized anxiety disorder, 13(12):707-14

Glucosamine

Glucosamine and chondroitin fail to improve knee pain caused by osteoarthritis, 13(4):213-4*abs/comm*

Guidelines

Does guideline compliance accurately predict acute coronary syndrome outcomes?, 13(6):321-2*abs/comm*

Poor adherence to guidelines for management of COPD exacerbations, 13(9):479-80 *abs/comm*

Headache

Migraines in children: diagnosis and treatment in primary care, 13(2):119-28

When is a headache a migraine or an indication for neuroimaging?, 13(11):607, 610*abs/comm*

Health disparities

Improving cultural competence: organizational strategies for clinical care, 13(1):47-51

A pediatric hospital's approach to improving cultural competence, 13(1):52-6

Heart failure

Do treatment choices for hypertension affect risk for developing heart failure?, 13(7):367-8 *abs/comm*

Nurse management improves outcomes in minority heart failure patients, 13(10):544, 549 *abs/comm*

HIV

Long-term treatment complications in HIV disease, 13(6):342-56

A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217-21

Trends in invasive pneumococcal disease in HIV-infected adults since introduction of pediatric conjugate vaccine, 13(2):75-6*abs/comm*

Hospital discharge

Discharging pneumonia patients without observation after switching to oral antibiotics, 13(9):478-9*abs/comm*

HPV

The abnormal pap test evaluation, treatment, and monitoring, 13(4):235-46

Hypertension

Determining best strategies for improving hypertension care, 13(10):552, 553*abs/comm*

Diastolic blood pressure control in coronary artery disease: how low is too low?, 13(8):434-5*abs/comm*

- Do treatment choices for hypertension affect risk for developing heart failure?, 13(7):367–8
abs/comm
- How normal is normal blood pressure?, 13(3):136, 139*abs/comm*
- Is it time to redefine the role of β blockers in treating hypertension?, 13(3):142–3*abs/comm*
- Imaging**
- Multislice CT versus MRI for noninvasive detection of coronary artery stenoses, 13(11):602, 607*abs/comm*
- Patient preferences for colon imaging for cancer detection, 13(10):543–4*abs/comm*
- When is a headache a migraine or an indication for neuroimaging?, 13(11):607, 610*abs/comm*
- Incontinence**
- Diagnosing urinary incontinence with 3 simple questions, 13(7):364–5*abs/comm*
- Infection control**
- Infection control strategies for methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococcus: what is the evidence?, 13(6):333–41
- Prevalence of bacterial pathogens on physician handheld computers, 13(4):223–6
- Infectious diarrhea**
- Management of acute infectious diarrhea, 13(7):382–91
- Information technology**
- Leveraging change: educational opportunities in information technology implementation, 13(7):372, 378–81
- Insomnia**
- Behavioral therapy is superior to zopiclone for insomnia in older adults, 13(8):423–4*abs/comm*
- Internet**
- Increasing consumer use of the internet for health information, 13(2):76, 83*abs/comm*
- Irritable bowel syndrome**
- The irritable bowel syndrome and its association with unexplained medical symptoms and other functional disorders, 13(5):292–304
- Knee pain**
- Glucosamine and chondroitin fail to improve knee pain caused by osteoarthritis, 13(4):213–4*abs/comm*
- Leiomyoma**
- Minimally invasive treatment options for uterine fibroids, 13(9):518–27
- Length of stay**
- Long-stay patients in academic children's hospitals, 13(5):270–8
- Lovastatin**
- The impact of moderate alcohol use on drug safety parameters for warfarin and lovastatin, 13(7):368–9*abs/comm*
- Malpractice**
- What is an acceptable annual increase in malpractice premiums? The physician perspective, 13(12):694–8
- M&M conference**
- Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91
- Medical interview**
- Conversations with adolescents: what we have learned from medical student exercises with standardized patients, 13(1):39–42
- Medical records**
- The problem-integrated charting system: a symbol-enhanced method of longitudinal record keeping for complex patients, 13(5):279–87
- Medically unexplained symptoms**
- A promising primary care approach to the patient with medically unexplained symptoms, 13(8):425, 428*abs/comm*
- Medication errors**
- Implementation of a system for computerized adverse drug event surveillance and intervention at an academic medical center, 13(2):94–100
- Medication errors: not just a few bad apples, 13(2):114–5
- Medication reconciliation: are we meeting the requirements?, 13(8):441–4
- Patient reminders improve rates of drug monitoring, 13(12):672, 677*abs/comm*
- Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91
- Medication reconciliation**
- Medication reconciliation: are we meeting the requirements?, 13(8):441–4
- Medication use**
- Cost-effective medication use in critical care: Capital Health System's experiences in VHA's MUSIC program, 13(11):615–22
- Migraine**
- Migraines in children: diagnosis and treatment in primary care, 13(2):119–28
- When is a headache a migraine or an indication for neuroimaging?, 13(11):607, 610*abs/comm*
- MRSA**
- Infection control strategies for methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococcus: what is the evidence?, 13(6):333–41
- Myocardial infarction**
- Acute myocardial infarction occurring during hospitalization, 13(9):489, 492*abs/comm*
- Higher mortality at 1 year for nonadherent post-MI patients, 13(12):666, 670*abs/comm*
- Improvements can be made in door-to-drug and door-to-balloon times for STEMI, 13(11):594–5*abs/comm*
- Myoma**
- Minimally invasive treatment options for uterine fibroids, 13(9):518–27
- Myopathy**
- Characteristics and outcomes of statin-associated myopathy, 13(2):85–6*abs/comm*
- Nephropathy**
- Reducing contrast-induced nephropathy associated with primary angioplasty, 13(8):428, 434*abs/comm*
- Nosocomial infections**
- Clinical and economic outcomes of postoperative hospital-acquired pneumonia patients who receive invasive diagnostic testing or ventilation, 13(12):685–91
- Prevalence of bacterial pathogens on physician handheld computers, 13(4):223–6
- Nurse management**
- Nurse management improves outcomes in minority heart failure patients, 13(10):544, 549*abs/comm*
- Obsessive-compulsive disorder**
- Obsessive-compulsive disorder in children and adolescents, 13(7):405–11
- Osteoarthritis**
- Glucosamine and chondroitin fail to improve knee pain caused by osteoarthritis, 13(4):213–4*abs/comm*
- Overutilization**
- Is referral for colonoscopy overutilized by primary care physicians?, 13(12):678, 680*abs/comm*
- Reducing inappropriate laboratory testing through provider education and feedback, 13(9):472, 477*abs/comm*
- Pain management**
- Implementing a pain assessment initiative does not improve quality of pain management, 13(8):437–8*abs/comm*
- Pap test**
- The abnormal pap test evaluation, treatment, and monitoring, 13(4):235–46
- Patient-centered care**
- The challenge of creating a patient experience report card for individual physicians, 13(4):212–3*abs/comm*
- Patient reminders**
- Cancer screening rates improved using telephone-based patient reminders, 13(6):319–20*abs/comm*
- Patient reminders improve rates of drug monitoring, 13(12):672, 677*abs/comm*
- Pay-for-performance**
- Early experience with pay-for-performance in the United Kingdom, 13(9):480, 486*abs/comm*
- Performance feedback**
- Performance feedback can improve diabetes care provided by residents, 13(5):266–7*abs/comm*
- Performance measurement**
- Do "America's best hospitals" truly perform better?, 13(10):539–40*abs/comm*
- Periodic limb movement disorder**
- Restless legs syndrome, 13(3):184–94
- PET**
- Use of dual-modality positron emission tomography/computed tomography in oncology, 13(3):157–8, 161–75, 182–3
- Pharmacy benefits**
- Prescribing generic or preferred medications aids adherence to chronic pharmacotherapy, 13(4):215–6*abs/comm*
- Physical activity**
- Further proof that almost any type of regular exercise improves cardiorespiratory fitness, 13(1):28–9*abs/comm*
- Physician behavior**
- Engaging physicians to change practice, 13(2):103–10
- Physician-patient communication**
- Conversations with adolescents: what we have learned from medical student exercises with standardized patients, 13(1):39–42

- Increasing consumer use of the internet for health information, 13(2):76, 83*abs/comm*
- Physician performance**
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
- Physician report cards**
The challenge of creating a patient experience report card for individual physicians, 13(4):212–3*abs/comm*
- Pneumococcal disease**
Trends in invasive pneumococcal disease in HIV-infected adults since introduction of pediatric conjugate vaccine, 13(2):75–6*abs/comm*
- Pneumonia**
Clinical and economic outcomes of postoperative hospital-acquired pneumonia patients who receive invasive diagnostic testing or ventilation, 13(12):685–91
- Discharging pneumonia patients without observation after switching to oral antibiotics, 13(9):478–9*abs/comm*
- Positron emission tomography**
Use of dual-modality positron emission tomography/computed tomography in oncology, 13(3):157–8, 161–75, 182–3
- Practice-based learning**
Leveraging change: educational opportunities in information technology implementation, 13(7):372, 378–81
- Practice patterns**
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
- Pregnancy**
Gestational diabetes testing among pregnant Medicaid recipients: implications for clinical care, 13(6):323–32
- Pressure ulcers**
“Skinsational skin care” to reduce the incidence and severity of pressure ulcers in hospitalized patients, 13(9):493–500
- Prostatectomy**
Delayed versus immediate prostatectomy: the question of cancer curability, 13(4):202, 207*abs/comm*
- Proton pump inhibitor**
Similar rate of ulcer recurrence with naproxen plus lansoprazole versus celecoxib, 13(1):24, 27*abs/comm*
- Psoriasis**
Etanercept improves skin lesions and symptoms of depression and fatigue in patients with moderate to severe psoriasis, 13(3):135–6*abs/comm*
- Radiography, chest**
Assessing chest radiography for early lung cancer detection, 13(2):86–7*abs/comm*
- Record keeping**
The problem-integrated charting system: a symbol-enhanced method of longitudinal record keeping for complex patients, 13(5):279–87
- Reminders**
Patient reminders improve rates of drug monitoring, 13(12):672, 677*abs/comm*
- Performance feedback can improve diabetes care provided by residents, 13(5):266–7*abs/comm*
- Renal insufficiency**
Benazepril is safe and effective in the treatment of advanced renal insufficiency, 13(6):318–9*abs/comm*
- Report cards**
Do “America’s best hospitals” truly perform better?, 13(10):539–40*abs/comm*
- Research funding**
Funding clinical research leads to improved health and long-term financial savings, 13(7):367–8*abs/comm*
- Restless legs syndrome**
Restless legs syndrome, 13(3):184–94
- Risk markers**
Should we use C-reactive protein or other novel markers for CHD risk stratification?, 13(9):471–2*abs/comm*
- Sarcoidosis**
The diagnosis and management of sarcoidosis, 13(10):578–84
- Screening**
The abnormal pap test evaluation, treatment, and monitoring, 13(4):235–46
- Annual CT screening for lung cancer may significantly improve survival, 13(12):665–6*abs/comm*
- Cancer screening rates improved using telephone-based patient reminders, 13(6):319–20*abs/comm*
- Improving rates of colorectal cancer screening: no easy answers, 13(2):87–8*abs/comm*
- Is referral for colonoscopy overutilized by primary care physicians?, 13(12):678, 680*abs/comm*
- Parental alcohol problems: parents’ preferences for screening and intervention in the pediatric office setting, 13(3):146, 152–6
- Strategies to improve colorectal cancer screening, 13(9):512–7
- To screen or not to screen: is that the question? Improving the outcomes of depression in primary care, 13(10):562–71
- Sentinel node biopsy**
Reduced morbidity using sentinel node biopsy in breast cancer patients, 13(8):436, 437*abs/comm*
- Sepsis**
The evolving treatment of sepsis, 13(4):227–34
- Septic shock**
The evolving treatment of sepsis, 13(4):227–34
- Smoking cessation**
Smoking cessation intervention in an urban HIV clinic, 13(1):30–4, 38
- Somatoform disorder**
A promising primary care approach to the patient with medically unexplained symptoms, 13(8):425, 429*abs/comm*
- Specialty care**
Outcomes of family physician follow-up care for early-stage breast cancer similar to specialty care, 13(5):257–8*abs/comm*
- Staphylococcus aureus infection**
Higher mortality rates in medically treated patients with *Staphylococcus aureus* prosthetic valve endocarditis, 13(3):139–40*abs/comm*
- Statins**
Characteristics and outcomes of statin-associated myopathy, 13(2):85–6*abs/comm*
- Substance abuse**
The challenge to find effective therapies for patients with alcohol dependence, 13(6):315–6*abs/comm*
- Parental alcohol problems: parents’ preferences for screening and intervention in the pediatric office setting, 13(3):146, 152–6
- Test ordering**
Reducing inappropriate laboratory testing through provider education and feedback, 13(9):472, 477*abs/comm*
- Thyroid nodule**
Management of thyroid nodules, 13(8):456–64
- Tobacco use**
Smoking cessation intervention in an urban HIV clinic, 13(1):30–4, 38
- Trauma**
Trauma trumps coronary symptoms in the emergency department, 13(12):671–2*abs/comm*
- Ulcer**
Similar rate of ulcer recurrence with naproxen plus lansoprazole versus celecoxib, 13(1):24, 27*abs/comm*
- Urinary incontinence**
Diagnosing urinary incontinence with 3 simple questions, 13(7):364–5*abs/comm*
- Vaccines**
Trends in invasive pneumococcal disease in HIV-infected adults since introduction of pediatric conjugate vaccine, 13(2):75–6*abs/comm*
- Vancomycin-resistant enterococcus**
Infection control strategies for methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococcus: what is the evidence?, 13(6):333–41
- Warfarin**
The impact of moderate alcohol use on drug safety parameters for warfarin and lovastatin, 13(7):368–9*abs/comm*
- Weight management**
Do commercial weight loss programs work?, 13(10):542, 543*abs/comm*
- Wound care**
“Skinsational skin care” to reduce the incidence and severity of pressure ulcers in hospitalized patients, 13(9):493–500
- Yoga**
Yoga improves function in patients with chronic low back pain, 13(3):140–1*abs/comm*

AUTHORS

Adams EK

Gestational diabetes testing among pregnant medicaid recipients: implications for clinical care, 13(6):323–32

Ahmad A

Implementation of a system for computerized adverse drug event surveillance and intervention at an academic medical center, 13(2): 94–100

Alexander L

Implementation of a system for computerized adverse drug event surveillance and intervention at an academic medical center, 13(2): 94–100

Allard SU

Obsessive-compulsive disorder in children and adolescents, 13(7):405–11

Aperi J

Effects of antihypertensive drugs on bones, 13(10):540–*tabs/comm*

Arthur HM

Improving secondary prevention of cardiovascular disease through increased referral to cardiac rehabilitation, 13(10):572–7

Axelrod P

A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21

Barbarello-Andrews L

Cost-effective medication use in critical care: Capital Health System's experiences in VHA's MUSIC program, 13(11):615–22

Barratt MS

Conversations with adolescents: what we have learned from medical student exercises with standardized patients, 13(1):39–42

Leveraging change: educational opportunities in information technology implementation, 13(7):372, 378–81

Medication errors: not just a few bad apples, 13(2):114–5

Benedict MB

Gestational diabetes testing among pregnant medicaid recipients: implications for clinical care, 13(6):323–32

Berenholtz SM

Medication reconciliation: are we meeting the requirements?, 13(8):441–4

Berrettini W

Treatment of generalized anxiety disorder, 13(12):707–14

Bertone K

Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91

Bethel MA

Pharmacologic management of the patient with newly diagnosed type 2 diabetes, 13(7):392, 398–404

Blum M

Leveraging change: educational opportunities in information technology implementation, 13(7):372, 378–81

Bromberg J

Minimally invasive treatment options for uterine fibroids, 13(9):518–27

Carney T

Collaborative education program to improve management of childhood asthma, 13(12): 701–5

Cartwright C

Developing and disseminating a model to improve depression care in primary care practices, 13(9):506–11

Cataletto M

Collaborative education program to improve management of childhood asthma, 13(12): 701–5

Chan A

Restless legs syndrome, 13(3):184–94

Chavanu K

Long-stay patients in academic children's hospitals, 13(5):270–8

Chenoweth CE

Infection control strategies for methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococcus: what is the evidence?, 13(6):333–41

Chireau MV

Gestational diabetes testing among pregnant Medicaid recipients: implications for clinical care, 13(6):323–32

Choi EI

Long-term treatment complications in HIV disease, 13(6):342–56

Cummings JP

Use of dual-modality positron emission tomography/computed tomography in oncology, 13(3):157–8, 161–75, 182–3

Dalal H

Collaborative education program to improve management of childhood asthma, 13(12): 701–5

Davis RB

Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61

DeCerbo DC

Smoking cessation intervention in an urban HIV clinic, 13(1):30–4, 38

Desai AA

Leveraging change: educational opportunities in information technology implementation, 13(7):372, 378–81

Desai P

Leveraging change: educational opportunities in information technology implementation, 13(7):372, 378–81

Dushay J

Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61

Feinglos MN

Pharmacologic management of the patient with newly diagnosed type 2 diabetes, 13(7):392, 398–404

Feroli ER

Medication reconciliation: are we meeting the requirements?, 13(8):441–4

Finley GL

A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21

Fisher DA

Strategies to improve colorectal cancer screening, 13(9):512–7

Franklin ME

Obsessive-compulsive disorder in children and adolescents, 13(7):405–11

Friedman RS

To screen or not to screen: is that the question? Improving the outcomes of depression in primary care, 13(10):562–71

Gandhi TK

Medication errors: not just a few bad apples, 13(2):114–5

Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91

Garrett MM

Strategies to improve colorectal cancer screening, 13(9):512–7

Gavin NI

Gestational diabetes testing among pregnant Medicaid recipients: implications for clinical care, 13(6):323–32

Goldberg J

Minimally invasive treatment options for uterine fibroids, 13(9):518–27

Golden MP

Smoking cessation intervention in an urban HIV clinic, 13(1):30–4, 38

Goldszer RC

Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91

Gordon AJ

Pharmacologic management of alcohol use disorders in the primary care setting, 13(11): 628–46

Gray A

A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21

Harper CR

An evidence-based approach to the use of combination drug therapy for mixed dyslipidemia, 13(1):57–68

Hematpour K

Should we use C-reactive protein or other novel markers for CHD risk stratification?, 13(9):471–*2bs/comm*

Hersh W

Medication errors: not just a few bad apples, 13(2):114–5

Hewitt J

Management of thyroid nodules, 13(8):456–64

Hobson D

Medication reconciliation: are we meeting the requirements?, 13(8):441–4

Holdsworth C

A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21

Holzmueller CG

Medication reconciliation: are we meeting the requirements?, 13(8):441–4

Hornig MS

Annual CT screening for lung cancer may significantly improve survival, 13(12):665–6
abs/comm

β Blockers failed in primary prevention of gastroesophageal varices, 13(1):15–6*abs/comm*

The challenge to find effective therapies for patients with alcohol dependence, 13(6):315–6
abs/comm

Diagnosing urinary incontinence with 3 simple questions, 13(7):364–5*abs/comm*

Glucosamine and chondroitin fail to improve knee pain caused by osteoarthritis, 13(4):213–4*abs/comm*

Nurse management improves outcomes in minority heart failure patients, 13(10):544, 549
abs/comm

Performance feedback can improve diabetes care provided by residents, 13(5):266–7*abs/comm*

Poor adherence to guidelines for management of COPD exacerbations, 13(9):479–80*abs/comm*

Reducing contrast-induced nephropathy associated with primary angioplasty, 13(8):428, 434
abs/comm

Rise in *Clostridium difficile* infections with use of gastric acid suppressants, 13(2):83–4*abs/comm*

When is a headache a migraine or an indication for neuroimaging?, 13(11):607, 610*abs/comm*

Yoga improves function in patients with chronic low back pain, 13(3):140–1*abs/comm*

Huang RL

Acute myocardial infarction occurring during hospitalization, 13(9):489, 492*abs/comm*

Do “America’s best hospitals” truly perform better?, 13(10):539–40*abs/comm*

Higher mortality at 1 year for nonadherent post-MI patients, 13(12):666, 670*abs/comm*

Improvements can be made in door-to-drug and door-to-balloon times for STEMI, 13(11):594–5*abs/comm*

Hwang U

Implementing a pain assessment initiative does not improve quality of pain management, 13(8):437–8*abs/comm*

Trauma trumps coronary symptoms in the emergency department, 13(12):671–2
abs/comm

Iannuzzi MC

The diagnosis and management of sarcoidosis, 13(10):578–84

Jacobson TA

An evidence-based approach to the use of combination drug therapy for mixed dyslipidemia, 13(1):57–68

Jha AK

Anemia is an important predictor of decline and death in community-dwelling elders, 13(5):259–60*abs/comm*

Discharging pneumonia patients without observation after switching to oral antibiotics, 13(9):478–9*abs/comm*

Does antipsychotic use increase risk of death among the elderly?, 13(1):8, 15*abs/comm*

Higher mortality rates in medically treated patients with *Staphylococcus aureus* prosthetic valve endocarditis, 13(3):139–40*abs/comm*

Multislice CT versus MRI for noninvasive detection of coronary artery stenoses, 13(11):602, 607*abs/comm*

Quality of life significantly decreased with aggressive treatment for prostate cancer, 13(7):363–4*abs/comm*

Kalanj B

A pediatric hospital’s approach to improving cultural competence, 13(1):52–6

Karliner L

Improving cultural competence: organizational strategies for clinical care, 13(1):47–51

Katzman L

Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91

Kern LM

Are diabetes disease management programs achieving clinically relevant outcomes?, 13(11):596, 600*abs/comm*

Funding clinical research leads to improved health and long-term financial savings, 13(7):367–8*abs/comm*

Kier C

Collaborative education program to improve management of childhood asthma, 13(12):701–5

Kilbridge PM

Implementation of a system for computerized adverse drug event surveillance and intervention at an academic medical center, 13(2):94–100

Klibanov OM

A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21

Knight JR

Parental alcohol problems: parents’ preferences for screening and intervention in the pediatric office setting, 13(3):146, 152–6

Knouse M

Prevalence of bacterial pathogens on physician handheld computers, 13(4):223–6

Korsen N

Developing and disseminating a model to improve depression care in primary care practices, 13(9):506–11

Kravet SJ

What is an acceptable annual increase in malpractice premiums? The physician perspective, 13(12):694–8

Kriegel G

Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61

Kushida CA

Restless legs syndrome, 13(3):184–94

Lau C

Cost-effective medication use in critical care: Capital Health System’s experiences in VHA’s MUSIC program, 13(11):615–22

Levin TP

A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21

Levine RB

What is an acceptable annual increase in malpractice premiums? The physician perspective, 13(12):694–8

Levy NK

Benazepril is safe and effective in the treatment of advanced renal insufficiency, 13(6):318–9
abs/comm

Liberman JD

The evolving treatment of sepsis, 13(4):227–34

Libman H

Long-term treatment complications in HIV disease, 13(6):342–56

Liou I

Management of acute infectious diarrhea, 13(7):382–91

Little AM

Collaborative education program to improve management of childhood asthma, 13(12):701–5

Maniscalco J

Long-stay patients in academic children’s hospitals, 13(5):270–8

Matuszewski KA

Use of dual-modality positron emission tomography/computed tomography in oncology, 13(3):157–8, 161–75, 182–3

McKeown PP

Management and prevention of postoperative atrial fibrillation after cardiac surgery, 13(11):647–56

Miles RW

The problem-integrated charting system: a symbol-enhanced method of longitudinal record keeping for complex patients, 13(5):279–87

Moore KN

The abnormal pap test evaluation, treatment, and monitoring, 13(4):235–46

Moore PS

Obsessive-compulsive disorder in children and adolescents, 13(7):405–11

Moyer DV

A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21

Murff HJ

Behavioral therapy is superior to zopiclone for insomnia in older adults, 13(8):423–4*abs/comm*

The benefits of nutritional supplementation in hospitalized older adults, 13(11):600–1
abs/comm

Cancer screening rates improved using telephone-based patient reminders, 13(6):319–20*abs/comm*

- Do commercial weight loss programs work?, 13(10):542, 543*abs/comm*
- Donepezil for patients with severe Alzheimer's disease: small but significant benefits, 13(5):258–9*abs/comm*
- Etanercept improves skin lesions and symptoms of depression and fatigue in patients with moderate to severe psoriasis, 13(3):135–6 *abs/comm*
- High-fiber diet may not protect women against colorectal cancer, 13(4):207, 210*abs/comm*
- The impact of moderate alcohol use on drug safety parameters for warfarin and lovastatin, 13(7):368–9*abs/comm*
- Improving rates of colorectal cancer screening: no easy answers, 13(2):87–8*abs/comm*
- Patient reminders improve rates of drug monitoring, 13(12):672, 677*abs/comm*
- Reducing inappropriate laboratory testing through provider education and feedback, 13(9):472, 477*abs/comm*
- Similar rate of ulcer recurrence with naproxen plus lansoprazole versus celecoxib, 13(1):24, 27 *abs/comm*
- Mutha S**
Improving cultural competence: organizational strategies for clinical care, 13(1):47–51
- Narula P**
Collaborative education program to improve management of childhood asthma, 13(12):701–5
- Needham DM**
Clinical and economic outcomes of postoperative hospital-acquired pneumonia patients who receive invasive diagnostic testing or ventilation, 13(12):685–91
- Ng V**
Cost-effective medication use in critical care: Capital Health System's experiences in VHA's MUSIC program, 13(11):615–22
- Nicholson D**
Medication errors: not just a few bad apples, 13(2):114–5
- Nicolini M**
Management and prevention of postoperative atrial fibrillation after cardiac surgery, 13(11):647–56
- Ottolini M**
Long-stay patients in academic children's hospitals, 13(5):270–8
- Paidisetty S**
Pharmacologic management of alcohol use disorders in the primary care setting, 13(11):628–46
- Persell SD**
Characteristics and outcomes of statin-associated myopathy, 13(2):85–6*abs/comm*
- Determining best strategies for improving hypertension care, 13(10):552, 555*abs/comm*
- Diastolic blood pressure control in coronary artery disease: how low is too low?, 13(8):434–5*abs/comm*
- Do treatment choices for hypertension affect risk for developing heart failure?, 13(7):367–8 *abs/comm*
- Early experience with pay-for-performance in the United Kingdom, 13(9):480, 486*abs/comm*
- Fenofibrate and cardiovascular events in patients with type 2 diabetes, 13(1):16, 22–3*abs/comm*
- Is it time to redefine the role of β blockers in treating hypertension?, 13(3):142–3*abs/comm*
- Low-density lipoprotein treatment targets: how strong is the evidence?, 13(11):593–4*abs/comm*
- No clear advantage of dual antiplatelet therapy over aspirin alone in stable patients with high cardiovascular risk, 13(5):253–4*abs/comm*
- Prescribing generic or preferred medications aids adherence to chronic pharmacotherapy, 13(4):215–6*abs/comm*
- Prognostic importance of stable angina in women and men, 13(6):316–7*abs/comm*
- Phillips RS**
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
- Platt FW**
Conversations with adolescents: what we have learned from medical student exercises with standardized patients, 13(1):39–42
- Poe S**
Medication reconciliation: are we meeting the requirements?, 13(8):441–4
- Pronovost PJ**
Clinical and economic outcomes of postoperative hospital-acquired pneumonia patients who receive invasive diagnostic testing or ventilation, 13(12):685–91
- Medication reconciliation: are we meeting the requirements?, 13(8):441–4
- Ratko TA**
Use of dual-modality positron emission tomography/computed tomography in oncology, 13(3):157–8, 161–75, 182–3
- Reed DA**
What is an acceptable annual increase in malpractice premiums? The physician perspective, 13(12):694–8
- Rittenberg E**
Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91
- Romard LA**
Collaborative education program to improve management of childhood asthma, 13(12):701–5
- Roumie CL**
Further proof that almost any type of regular exercise improves cardiorespiratory fitness, 13(1):28–9*abs/comm*
- Gatifloxacin induces dysglycemia in older patients, 13(4):211–2*abs/comm*
- How normal is normal blood pressure?, 13(3):136, 139*abs/comm*
- Trends in invasive pneumococcal disease in HIV-infected adults since introduction of pediatric conjugate vaccine, 13(2):75–6*abs/comm*
- Sadoughi S**
Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91
- Samuel R**
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
- Schwarz M**
Medication reconciliation: are we meeting the requirements?, 13(8):441–4
- Sequist TD**
The challenge of creating a patient experience report card for individual physicians, 13(4):212–3*abs/comm*
- Does guideline compliance accurately predict acute coronary syndrome outcomes?, 13(6):321–2*abs/comm*
- Increasing consumer use of the internet for health information, 13(2):76, 83*abs/comm*
- Is referral for colonoscopy overutilized by primary care physicians?, 13(12):678, 680 *abs/comm*
- Patient preferences for colon imaging for cancer detection, 13(10):543–4*abs/comm*
- A promising primary care approach to the patient with medically unexplained symptoms, 13(8):425, 428*abs/comm*
- Shah L**
The diagnosis and management of sarcoidosis, 13(10):578–84
- Shah NR**
Benazepril is safe and effective in the treatment of advanced renal insufficiency, 13(6):318–9 *abs/comm*
- Effects of antihypertensive drugs on bones, 13(10):540–1*abs/comm*
- Sherritt L**
Parental alcohol problems: parents' preferences for screening and intervention in the pediatric office setting, 13(3):146, 152–6
- Singh A**
Use of dual-modality positron emission tomography/computed tomography in oncology, 13(3):157–8, 161–75, 182–3
- Slonim AD**
Long-stay patients in academic children's hospitals, 13(5):270–8
- Smith SJ**
Prevalence of bacterial pathogens on physician handheld computers, 13(4):223–6
- Sperber AD**
The irritable bowel syndrome and its association with unexplained medical symptoms and other functional disorders, 13(5):292–304
- Spigel DR**
Assessing chest radiography for early lung cancer detection, 13(2):86–7*abs/comm*
- Delayed versus immediate prostatectomy: the question of cancer curability, 13(4):202, 207 *abs/comm*
- Outcomes of family physician follow-up care for early-stage breast cancer similar to specialty care, 13(5):257–8*abs/comm*
- Reduced morbidity using sentinel node biopsy in breast cancer patients, 13(8):436, 437*abs/comm*
- Surveillance after colorectal cancer surgery: more or less?, 13(3):143–4*abs/comm*

- Using disease-free survival as an alternate end point in colorectal cancer patients, 13(1):23–4
abs/comm
- Srinivasan S**
Minimally invasive treatment options for uterine fibroids, 13(9):518–27
- Srivatsa S**
Management of thyroid nodules, 13(8):456–64
- St. John D**
Cost-effective medication use in critical care: Capital Health System's experiences in VHA's MUSIC program, 13(11):615–22
- Stepan C**
Management of acute infectious diarrhea, 13(7):382–91
- Stjernfeldt KK**
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
- Surawicz CM**
Management of acute infectious diarrhea, 13(7):382–91
- Susla G**
Cost-effective medication use in critical care: Capital Health System's experiences in VHA's MUSIC program, 13(11):615–22
- Swica Y**
Update on new contraceptive choices, 13(8):447–55
- Tadesse T**
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
- Tedaldi EM**
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
- Thompson DA**
Clinical and economic outcomes of postoperative hospital-acquired pneumonia patients who receive invasive diagnostic testing or ventilation, 13(12):685–91
- Tiller SJ**
"Skinsational skin care" to reduce the incidence and severity of pressure ulcers in hospitalized patients, 13(9):493–500
- Turenne WM**
Long-stay patients in academic children's hospitals, 13(5):270–8
- van den Berg-Wolf M**
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
- Walker JL**
The abnormal pap test evaluation, treatment, and monitoring, 13(4):235–46
- Washer LL**
Infection control strategies for methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococcus: what is the evidence?, 13(6):333–41
- Wasser T**
Prevalence of bacterial pathogens on physician handheld computers, 13(4):223–6
- Weingart SN**
Medication errors: not just a few bad apples, 13(2):114–5
- Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
- Weissman S**
Smoking cessation intervention in an urban HIV clinic, 13(1):30–4, 38
- Westhoff C**
Update on new contraceptive choices, 13(8):447–55
- Whelan CT**
The evolving treatment of sepsis, 13(4):227–34
- Wilds TA**
"Skinsational skin care" to reduce the incidence and severity of pressure ulcers in hospitalized patients, 13(9):493–500
- Wilson CR**
Parental alcohol problems: parents' preferences for screening and intervention in the pediatric office setting, 13(3):146, 152–6
- Windish DM**
What is an acceptable annual increase in malpractice premiums? The physician perspective, 13(12):694–8
- Winshall JS**
Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91
- Wolfe L**
What is an acceptable annual increase in malpractice premiums? The physician perspective, 13(12):694–8
- Wong SL**
Conversations with adolescents: what we have learned from medical student exercises with standardized patients, 13(1):39–42
- Wright SM**
What is an acceptable annual increase in malpractice premiums? The physician perspective, 13(12):694–8
- Wyskiel RM**
Medication reconciliation: are we meeting the requirements?, 13(8):441–4
- Yen BM**
Engaging physicians to change practice, 13(2):103–10
- Yonker ME**
Migraines in children: diagnosis and treatment in primary care, 13(2):119–28
- Ziffra MS**
To screen or not to screen: is that the question? Improving the outcomes of depression in primary care, 13(10):562–71

Copyright 2006 by Turner White Communications Inc., Wayne, PA. All rights reserved.