Key to abbreviations: *abs/comm* = abstract with commentary.

SUBJECTS

ACE inhibitors
Benazepril is safe and effective in the treatment of advanced renal insufficiency, 13(6):318–9 *abs/comm*
ACGME competencies
Leveraging change: educational opportunities in information technology implementation, 13(7):372, 378–81
Acute coronary syndrome
Does guideline compliance accurately predict acute coronary syndrome outcomes?, 13(6): 321–2 *abs/comm*
No clear advantage of dual antiplatelet therapy over aspirin alone in stable patients with high cardiovascular risk, 13(5):253–4 *abs/comm*
Trauma trumps coronary symptoms in the emergency department, 13(12):671–2 *abs/comm*
Adherence, medication
Higher mortality at 1 year for nonadherent post-MI patients, 13(12):666, 670 *abs/comm*
Prescribing generic or preferred medications aids adherence to chronic pharmacotherapy, 13(4):215–6 *abs/comm*
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
Adverse drug events
Implementation of a system for computerized adverse drug event surveillance and intervention at an academic medical center, 13(2): 94–100
Alcohol
The challenge to find effective therapies for patients with alcohol dependence, 13(6):315–6 *abs/comm*
The impact of moderate alcohol use on drug safety parameters for warfarin and lovastatin, 13(7):368–9 *abs/comm*
Parental alcohol problems: parents' preferences for screening and intervention in the pediatric office setting, 13(3):146, 152–6
Pharmacologic management of alcohol use disorders in the primary care setting, 13(11): 628–46
Alzheimer's disease
Donepezil for patients with severe Alzheimer's disease: small but significant benefits, 13(5): 258–9 *abs/comm*
Anemia
Anemia is an important predictor of decline and death in community-dwelling elders, 13(5):259–60 *abs/comm*
Angina
Prognostic importance of stable angina in women and men, 13(6):316–7 *abs/comm*
Angioplasty
Reducing contrast-induced nephropathy associated with primary angioplasty, 13(8):428, 434 *abs/comm*
Antihypertensive drugs
Effects of antihypertensive drugs on bones, 13(10):540–1 *abs/comm*
Antiplatelet therapy
No clear advantage of dual antiplatelet therapy over aspirin alone in stable patients with high cardiovascular risk, 13(5):253–4 *abs/comm*
Antipsychotics
Does antipsychotic use increase risk of death among the elderly?, 13(1):8, 15 *abs/comm*
Antiretroviral therapy
Long-term treatment complications in HIV disease, 13(6):342–56
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
Aspirin
No clear advantage of dual antiplatelet therapy over aspirin alone in stable patients with high cardiovascular risk, 13(5):253–4 *abs/comm*
Asthma
Collaborative education program to improve management of childhood asthma, 13(12): 701–5
Atrial fibrillation
Management and prevention of postoperative atrial fibrillation after cardiac surgery, 13(11): 647–56
Back pain
Yoga improves function in patients with chronic low back pain, 13(3):140–1 *abs/comm*
Birth control
Update on new contraceptive choices, 13(8): 447–55
β Blockers
β Blockers failed in primary prevention of gastroesophageal varices, 13(1):15–6 *abs/comm*
Is it time to redefine the role of β blockers in treating hypertension?, 13(3):142–3 *abs/comm*
Blood pressure
Determining best strategies for improving hypertension care, 13(10):552, 555 *abs/comm*
Diastolic blood pressure control in coronary artery disease: how low is too low?, 13(8): 434–5 *abs/comm*
Bone fractures
Effects of antihypertensive drugs on bones, 13(10):540–1 *abs/comm*
Cancer, breast
Outcomes of family physician follow-up care for early-stage breast cancer similar to specialty care, 13(5):257–8 *abs/comm*
Reduced morbidity using sentinel node biopsy in breast cancer patients, 13(8):436, 437 *abs/comm*
Cancer, cervical
The abnormal pap test evaluation, treatment, and monitoring, 13(4):235–46
Cancer, colorectal
High-fiber diet may not protect women against colorectal cancer, 13(4):207, 210 *abs/comm*
Improving rates of colorectal cancer screening: no easy answers, 13(2):87–8 *abs/comm*
Is referral for colonoscopy overutilized by primary care physicians?, 13(12):678, 680 *abs/comm*
Patient preferences for colon imaging for cancer detection, 13(10):543–4 *abs/comm*
Strategies to improve colorectal cancer screening, 13(9):512–7
Surveillance after colorectal cancer surgery: more or less?, 13(3):143–4 *abs/comm*
Using disease-free survival as an alternate endpoint in colorectal cancer patients, 13(1):23–4 *abs/comm*
Cancer, lung
Annual CT screening for lung cancer may significantly improve survival, 13(12):665–6 *abs/comm*
Assessing chest radiography for early lung cancer detection, 13(2):86–7 *abs/comm*
Cancer, prostate
Delayed versus immediate prostatectomy: the question of cancer curability, 13(4):202, 207 *abs/comm*
Quality of life significantly decreased with aggressive treatment for prostate cancer, 13(7):363–4 *abs/comm*
Cancer screening
Cancer screening rates improved using telephone-based patient reminders, 13(6): 319–20 *abs/comm*
Cardiac rehabilitation
Improving secondary prevention of cardiovascular disease through increased referral to cardiac rehabilitation, 13(10):572–7
Cardiac surgery
Management and prevention of postoperative atrial fibrillation after cardiac surgery, 13(11): 647–56
Cardiovascular disease
Fenofibrate and cardiovascular events in patients with type 2 diabetes, 13(1):16, 22–3 *abs/comm*
Improving secondary prevention of cardiovascular disease through increased referral to cardiac rehabilitation, 13(10):572–7
Low-density lipoprotein treatment targets: how strong is the evidence?, 13(11):593–4 *abs/comm*
Multislice CT versus MRI for noninvasive detection of coronary artery stenoses, 13(11): 602, 607 *abs/comm*
No clear advantage of dual antiplatelet therapy over aspirin alone in stable patients with high cardiovascular risk, 13(5):253–4 *abs/comm*
Charts, medical
The problem-integrated charting system: a symbol-enhanced method of longitudinal record keeping for complex patients, 13(5): 279–87

Cholinesterase inhibitors
Donepezil for patients with severe Alzheimer's disease: small but significant benefits, 13(5): 258–9 *abs/comm*
Chondroitin
Glucosamine and chondroitin fail to improve knee pain caused by osteoarthritis, 13(4): 213–4 *abs/comm*
Cirrhosis
β Blockers failed in primary prevention of gastroesophageal varices, 13(1):15–6 *abs/comm*
Clinical research, benefits of
Funding clinical research leads to improved health and long-term financial savings, 13(7): 367–8 *abs/comm*
***Clostridium difficile* infection**
Rise in *Clostridium difficile* infections with use of gastric acid suppressants, 13(2):83–4 *abs/comm*
Cognitive behavioral therapy
Behavioral therapy is superior to zopiclone for insomnia in older adults, 13(8):423–4 *abs/comm*
Obsessive-compulsive disorder in children and adolescents, 13(7):405–11
Computed tomography
Annual CT screening for lung cancer may significantly improve survival, 13(12):665–6 *abs/comm*
Multislice CT versus MRI for noninvasive detection of coronary artery stenoses, 13(11): 602, 607 *abs/comm*
Use of dual-modality positron emission tomography/computed tomography in oncology, 13(3):157–8, 161–75, 182–3
Contraception
Update on new contraceptive choices, 13(8): 447–55
COPD
Poor adherence to guidelines for management of COPD exacerbations, 13(9):479–80 *abs/comm*
Coronary artery disease
Diastolic blood pressure control in coronary artery disease: how low is too low?, 13(8): 434–5 *abs/comm*
Should we use C-reactive protein or other novel markers for CHD risk stratification?, 13(9): 471–2 *abs/comm*
COX-2 inhibitors
Similar rate of ulcer recurrence with naproxen plus lansoprazole versus celecoxib, 13(1):24, 27 *abs/comm*
C-reactive protein
Should we use C-reactive protein or other novel markers for CHD risk stratification?, 13(9): 471–2 *abs/comm*
Cultural competence
Improving cultural competence: organizational strategies for clinical care, 13(1):47–51
A pediatric hospital's approach to improving cultural competence, 13(1):52–6
Depression
Developing and disseminating a model to improve depression care in primary care practices, 13(9):506–11
Etanercept improves skin lesions and symptoms of depression and fatigue in patients with moderate to severe psoriasis, 13(3):135–6 *abs/comm*
To screen or not to screen: is that the question? Improving the outcomes of depression in primary care, 13(10):562–71
Diabetes
Are diabetes disease management programs achieving clinically relevant outcomes?, 13(11): 596, 600 *abs/comm*
Fenofibrate and cardiovascular events in patients with type 2 diabetes, 13(1):16, 22–3 *abs/comm*
Gestational diabetes testing among pregnant Medicaid recipients: implications for clinical care, 13(6):323–32
Performance feedback can improve diabetes care provided by residents, 13(5):266–7 *abs/comm*
Pharmacologic management of the patient with newly diagnosed type 2 diabetes, 13(7):392, 398–404
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
Diarrhea
Management of acute infectious diarrhea, 13(7): 382–91
Diet
The benefits of nutritional supplementation in hospitalized older adults, 13(11):600–1 *abs/comm*
Do commercial weight loss programs work?, 13(10):542, 543 *abs/comm*
High-fiber diet may not protect women against colorectal cancer, 13(4):207, 210 *abs/comm*
Drug safety
The impact of moderate alcohol use on drug safety parameters for warfarin and lovastatin, 13(7):368–9 *abs/comm*
Dysglycemia
Gatifloxacin induces dysglycemia in older patients, 13(4):211–2 *abs/comm*
Dyslipidemia
An evidence-based approach to the use of combination drug therapy for mixed dyslipidemia, 13(1):57–68
Low-density lipoprotein treatment targets: how strong is the evidence?, 13(11):593–4 *abs/comm*
Endocarditis, prosthetic valve
Higher mortality rates in medically treated patients with *Staphylococcus aureus* prosthetic valve endocarditis, 13(3):139–40 *abs/comm*
Esophageal varices
β Blockers failed in primary prevention of gastroesophageal varices, 13(1):15–6 *abs/comm*
Exercise
Further proof that almost any type of regular exercise improves cardiorespiratory fitness, 13(1):28–9 *abs/comm*
Fenofibrate
Fenofibrate and cardiovascular events in patients with type 2 diabetes, 13(1):16, 22–3 *abs/comm*
Fiber
High-fiber diet may not protect women against colorectal cancer, 13(4):207, 210 *abs/comm*
Fibroids, uterine
Minimally invasive treatment options for uterine fibroids, 13(9):518–27
Functional disorders
The irritable bowel syndrome and its association with unexplained medical symptoms and other functional disorders, 13(5):292–304
Functional status
Anemia is an important predictor of decline and death in community-dwelling elders, 13(5): 259–60 *abs/comm*
Gastric acid suppressants
Rise in *Clostridium difficile* infections with use of gastric acid suppressants, 13(2):83–4 *abs/comm*
Generalized anxiety disorder
Treatment of generalized anxiety disorder, 13(12):707–14
Glucosamine
Glucosamine and chondroitin fail to improve knee pain caused by osteoarthritis, 13(4): 213–4 *abs/comm*
Guidelines
Does guideline compliance accurately predict acute coronary syndrome outcomes?, 13(6): 321–2 *abs/comm*
Poor adherence to guidelines for management of COPD exacerbations, 13(9):479–80 *abs/comm*
Headache
Migraines in children: diagnosis and treatment in primary care, 13(2):119–28
When is a headache a migraine or an indication for neuroimaging?, 13(11):607, 610 *abs/comm*
Health disparities
Improving cultural competence: organizational strategies for clinical care, 13(1):47–51
A pediatric hospital's approach to improving cultural competence, 13(1):52–6
Heart failure
Do treatment choices for hypertension affect risk for developing heart failure?, 13(7):367–8 *abs/comm*
Nurse management improves outcomes in minority heart failure patients, 13(10):544, 549 *abs/comm*
HIV
Long-term treatment complications in HIV disease, 13(6):342–56
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
Trends in invasive pneumococcal disease in HIV-infected adults since introduction of pediatric conjugate vaccine, 13(2):75–6 *abs/comm*
Hospital discharge
Discharging pneumonia patients without observation after switching to oral antibiotics, 13(9):478–9 *abs/comm*
HPV
The abnormal pap test evaluation, treatment, and monitoring, 13(4):235–46
Hypertension
Determining best strategies for improving hypertension care, 13(10):552, 555 *abs/comm*
Diastolic blood pressure control in coronary artery disease: how low is too low?, 13(8): 434–5 *abs/comm*

Do treatment choices for hypertension affect risk for developing heart failure?, 13(7):367–8 *abs/comm*
How normal is normal blood pressure?, 13(3): 136, 139 *abs/comm*
Is it time to redefine the role of β blockers in treating hypertension?, 13(3):142–3 *abs/comm*
Imaging
Multislice CT versus MRI for noninvasive detection of coronary artery stenoses, 13(11): 602, 607 *abs/comm*
Patient preferences for colon imaging for cancer detection, 13(10):543–4 *abs/comm*
When is a headache a migraine or an indication for neuroimaging?, 13(11):607, 610 *abs/comm*
Incontinence
Diagnosing urinary incontinence with 3 simple questions, 13(7):364–5 *abs/comm*
Infection control
Infection control strategies for methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococcus: what is the evidence?, 13(6):333–41
Prevalence of bacterial pathogens on physician handheld computers, 13(4):223–6
Infectious diarrhea
Management of acute infectious diarrhea, 13(7): 382–91
Information technology
Leveraging change: educational opportunities in information technology implementation, 13(7):372, 378–81
Insomnia
Behavioral therapy is superior to zopiclone for insomnia in older adults, 13(8):423–4 *abs/comm*
Internet
Increasing consumer use of the internet for health information, 13(2):76, 83 *abs/comm*
Irritable bowel syndrome
The irritable bowel syndrome and its association with unexplained medical symptoms and other functional disorders, 13(5):292–304
Knee pain
Glucosamine and chondroitin fail to improve knee pain caused by osteoarthritis, 13(4): 213–4 *abs/comm*
Leiomyoma
Minimally invasive treatment options for uterine fibroids, 13(9):518–27
Length of stay
Long-stay patients in academic children's hospitals, 13(5):270–8
Lovastatin
The impact of moderate alcohol use on drug safety parameters for warfarin and lovastatin, 13(7):368–9 *abs/comm*
Malpractice
What is an acceptable annual increase in malpractice premiums? The physician perspective, 13(12):694–8
M&M conference
Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91
Medical interview
Conversations with adolescents: what we have learned from medical student exercises with standardized patients, 13(1):39–42
Medical records
The problem-integrated charting system: a symbol-enhanced method of longitudinal record keeping for complex patients, 13(5): 279–87
Medically unexplained symptoms
A promising primary care approach to the patient with medically unexplained symptoms, 13(8):425, 428 *abs/comm*
Medication errors
Implementation of a system for computerized adverse drug event surveillance and intervention at an academic medical center, 13(2): 94–100
Medication errors: not just a few bad apples, 13(2):114–5
Medication reconciliation: are we meeting the requirements?, 13(8):441–4
Patient reminders improve rates of drug monitoring, 13(12):672, 677 *abs/comm*
Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91
Medication reconciliation
Medication reconciliation: are we meeting the requirements?, 13(8):441–4
Medication use
Cost-effective medication use in critical care: Capital Health System's experiences in VHA's MUSIC program, 13(11):615–22
Migraine
Migraines in children: diagnosis and treatment in primary care, 13(2):119–28
When is a headache a migraine or an indication for neuroimaging?, 13(11):607, 610 *abs/comm*
MRSA
Infection control strategies for methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococcus: what is the evidence?, 13(6):333–41
Myocardial infarction
Acute myocardial infarction occurring during hospitalization, 13(9):489, 492 *abs/comm*
Higher mortality at 1 year for nonadherent post-MI patients, 13(12):666, 670 *abs/comm*
Improvements can be made in door-to-drug and door-to-balloon times for STEMI, 13(11): 594–5 *abs/comm*
Myoma
Minimally invasive treatment options for uterine fibroids, 13(9):518–27
Myopathy
Characteristics and outcomes of statin-associated myopathy, 13(2):85–6 *abs/comm*
Nephropathy
Reducing contrast-induced nephropathy associated with primary angioplasty, 13(8):428, 434 *abs/comm*
Nosocomial infections
Clinical and economic outcomes of postoperative hospital-acquired pneumonia patients who receive invasive diagnostic testing or ventilation, 13(12):685–91
Prevalence of bacterial pathogens on physician handheld computers, 13(4):223–6
Nurse management
Nurse management improves outcomes in minority heart failure patients, 13(10):544, 549 *abs/comm*
Obsessive-compulsive disorder
Obsessive-compulsive disorder in children and adolescents, 13(7):405–11
Osteoarthritis
Glucosamine and chondroitin fail to improve knee pain caused by osteoarthritis, 13(4): 213–4 *abs/comm*
Overutilization
Is referral for colonoscopy overutilized by primary care physicians?, 13(12):678, 680 *abs/comm*
Reducing inappropriate laboratory testing through provider education and feedback, 13(9):472, 477 *abs/comm*
Pain management
Implementing a pain assessment initiative does not improve quality of pain management, 13(8):437–8 *abs/comm*
Pap test
The abnormal pap test evaluation, treatment, and monitoring, 13(4):235–46
Patient-centered care
The challenge of creating a patient experience report card for individual physicians, 13(4): 212–3 *abs/comm*
Patient reminders
Cancer screening rates improved using telephone-based patient reminders, 13(6): 319–20 *abs/comm*
Patient reminders improve rates of drug monitoring, 13(12):672, 677 *abs/comm*
Pay-for-performance
Early experience with pay-for-performance in the United Kingdom, 13(9):480, 486 *abs/comm*
Performance feedback
Performance feedback can improve diabetes care provided by residents, 13(5):266–7 *abs/comm*
Performance measurement
Do "America's best hospitals" truly perform better?, 13(10):539–40 *abs/comm*
Periodic limb movement disorder
Restless legs syndrome, 13(3):184–94
PET
Use of dual-modality positron emission tomography/computed tomography in oncology, 13(3):157–8, 161–75, 182–3
Pharmacy benefits
Prescribing generic or preferred medications aids adherence to chronic pharmacotherapy, 13(4):215–6 *abs/comm*
Physical activity
Further proof that almost any type of regular exercise improves cardiorespiratory fitness, 13(1):28–9 *abs/comm*
Physician behavior
Engaging physicians to change practice, 13(2): 103–10
Physician-patient communication
Conversations with adolescents: what we have learned from medical student exercises with standardized patients, 13(1):39–42

Increasing consumer use of the internet for health information, 13(2):76, 83 *abs/comm*
Physician performance
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
Physician report cards
The challenge of creating a patient experience report card for individual physicians, 13(4): 212–3 *abs/comm*
Pneumococcal disease
Trends in invasive pneumococcal disease in HIV-infected adults since introduction of pediatric conjugate vaccine, 13(2):75–6 *abs/comm*
Pneumonia
Clinical and economic outcomes of postoperative hospital-acquired pneumonia patients who receive invasive diagnostic testing or ventilation, 13(12):685–91
Discharging pneumonia patients without observation after switching to oral antibiotics, 13(9): 478–9 *abs/comm*
Positron emission tomography
Use of dual-modality positron emission tomography/computed tomography in oncology, 13(3):157–8, 161–75, 182–3
Practice-based learning
Leveraging change: educational opportunities in information technology implementation, 13(7):372, 378–81
Practice patterns
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
Pregnancy
Gestational diabetes testing among pregnant Medicaid recipients: implications for clinical care, 13(6):323–32
Pressure ulcers
"Skinsational skin care" to reduce the incidence and severity of pressure ulcers in hospitalized patients, 13(9):493–500
Prostatectomy
Delayed versus immediate prostatectomy: the question of cancer curability, 13(4):202, 207 *abs/comm*
Proton pump inhibitor
Similar rate of ulcer recurrence with naproxen plus lansoprazole versus celecoxib, 13(1): 24, 27 *abs/comm*
Psoriasis
Etanercept improves skin lesions and symptoms of depression and fatigue in patients with moderate to severe psoriasis, 13(3): 135–6 *abs/comm*
Radiography, chest
Assessing chest radiography for early lung cancer detection, 13(2):86–7 *abs/comm*
Record keeping
The problem-integrated charting system: a symbol-enhanced method of longitudinal record keeping for complex patients, 13(5): 279–87
Reminders
Patient reminders improve rates of drug monitoring, 13(12):672, 677 *abs/comm*
Performance feedback can improve diabetes care provided by residents, 13(5):266–7 *abs/comm*
Renal insufficiency
Benazepril is safe and effective in the treatment of advanced renal insufficiency, 13(6):318–9 *abs/comm*
Report cards
Do "America's best hospitals" truly perform better?, 13(10):539–40 *abs/comm*
Research funding
Funding clinical research leads to improved health and long-term financial savings, 13(7): 367–8 *abs/comm*
Restless legs syndrome
Restless legs syndrome, 13(3):184–94
Risk markers
Should we use C-reactive protein or other novel markers for CHD risk stratification?, 13(9): 471–2 *abs/comm*
Sarcoidosis
The diagnosis and management of sarcoidosis, 13(10):578–84
Screening
The abnormal pap test evaluation, treatment, and monitoring, 13(4):235–46
Annual CT screening for lung cancer may significantly improve survival, 13(12):665–6 *abs/comm*
Cancer screening rates improved using telephone-based patient reminders, 13(6): 319–20 *abs/comm*
Improving rates of colorectal cancer screening: no easy answers, 13(2):87–8 *abs/comm*
Is referral for colonoscopy overutilized by primary care physicians?, 13(12):678, 680 *abs/comm*
Parental alcohol problems: parents' preferences for screening and intervention in the pediatric office setting, 13(3):146, 152–6
Strategies to improve colorectal cancer screening, 13(9):512–7
To screen or not to screen: is that the question? Improving the outcomes of depression in primary care, 13(10):562–71
Sentinel node biopsy
Reduced morbidity using sentinel node biopsy in breast cancer patients, 13(8):436, 437 *abs/comm*
Sepsis
The evolving treatment of sepsis, 13(4):227–34
Septic shock
The evolving treatment of sepsis, 13(4):227–34
Smoking cessation
Smoking cessation intervention in an urban HIV clinic, 13(1):30–4, 38
Somatoform disorder
A promising primary care approach to the patient with medically unexplained symptoms, 13(8):425, 428 *abs/comm*
Specialty care
Outcomes of family physician follow-up care for early-stage breast cancer similar to specialty care, 13(5):257–8 *abs/comm*
***Staphylococcus aureus* infection**
Higher mortality rates in medically treated patients with *Staphylococcus aureus* prosthetic valve endocarditis, 13(3):139–40 *abs/comm*
Statins
Characteristics and outcomes of statin-associated myopathy, 13(2):85–6 *abs/comm*
Substance abuse
The challenge to find effective therapies for patients with alcohol dependence, 13(6):315–6 *abs/comm*
Parental alcohol problems: parents' preferences for screening and intervention in the pediatric office setting, 13(3):146, 152–6
Test ordering
Reducing inappropriate laboratory testing through provider education and feedback, 13(9):472, 477 *abs/comm*
Thyroid nodule
Management of thyroid nodules, 13(8):456–64
Tobacco use
Smoking cessation intervention in an urban HIV clinic, 13(1):30–4, 38
Trauma
Trauma trumps coronary symptoms in the emergency department, 13(12):671–2 *abs/comm*
Ulcer
Similar rate of ulcer recurrence with naproxen plus lansoprazole versus celecoxib, 13(1): 24, 27 *abs/comm*
Urinary incontinence
Diagnosing urinary incontinence with 3 simple questions, 13(7):364–5 *abs/comm*
Vaccines
Trends in invasive pneumococcal disease in HIV-infected adults since introduction of pediatric conjugate vaccine, 13(2):75–6 *abs/comm*
Vancomycin-resistant enterococcus
Infection control strategies for methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococcus: what is the evidence?, 13(6):333–41
Warfarin
The impact of moderate alcohol use on drug safety parameters for warfarin and lovastatin, 13(7):368–9 *abs/comm*
Weight management
Do commercial weight loss programs work?, 13(10):542, 543 *abs/comm*
Wound care
"Skinsational skin care" to reduce the incidence and severity of pressure ulcers in hospitalized patients, 13(9):493–500
Yoga
Yoga improves function in patients with chronic low back pain, 13(3):140–1 *abs/comm*

AUTHORS

Adams EK
Gestational diabetes testing among pregnant medicaid recipients: implications for clinical care, 13(6):323–32
Ahmad A
Implementation of a system for computerized adverse drug event surveillance and intervention at an academic medical center, 13(2): 94–100
Alexander L
Implementation of a system for computerized adverse drug event surveillance and intervention at an academic medical center, 13(2): 94–100
Allard SU
Obsessive-compulsive disorder in children and adolescents, 13(7):405–11
Aperi J
Effects of antihypertensive drugs on bones, 13(10):540–1 *abs/comm*
Arthur HM
Improving secondary prevention of cardiovascular disease through increased referral to cardiac rehabilitation, 13(10):572–7
Axelrod P
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
Barbarello-Andrews L
Cost-effective medication use in critical care: Capital Health System's experiences in VHA's MUSIC program, 13(11):615–22
Barratt MS
Conversations with adolescents: what we have learned from medical student exercises with standardized patients, 13(1):39–42
Leveraging change: educational opportunities in information technology implementation, 13(7):372, 378–81
Medication errors: not just a few bad apples, 13(2):114–5
Benedict MB
Gestational diabetes testing among pregnant medicaid recipients: implications for clinical care, 13(6):323–32
Berenholtz SM
Medication reconciliation: are we meeting the requirements?, 13(8):441–4
Berrettini W
Treatment of generalized anxiety disorder, 13(12):707–14
Bertone K
Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91
Bethel MA
Pharmacologic management of the patient with newly diagnosed type 2 diabetes, 13(7):392, 398–404
Blum M
Leveraging change: educational opportunities in information technology implementation, 13(7):372, 378–81
Bromberg J
Minimally invasive treatment options for uterine fibroids, 13(9):518–27
Carney T
Collaborative education program to improve management of childhood asthma, 13(12): 701–5
Cartwright C
Developing and disseminating a model to improve depression care in primary care practices, 13(9):506–11
Cataletto M
Collaborative education program to improve management of childhood asthma, 13(12): 701–5
Chan A
Restless legs syndrome, 13(3):184–94
Chavanu K
Long-stay patients in academic children's hospitals, 13(5):270–8
Chenoweth CE
Infection control strategies for methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococcus: what is the evidence?, 13(6):333–41
Chireau MV
Gestational diabetes testing among pregnant Medicaid recipients: implications for clinical care, 13(6):323–32
Choi EI
Long-term treatment complications in HIV disease, 13(6):342–56
Cummings JP
Use of dual-modality positron emission tomography/computed tomography in oncology, 13(3):157–8, 161–75, 182–3
Dalal H
Collaborative education program to improve management of childhood asthma, 13(12): 701–5
Davis RB
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
DeCerbo DC
Smoking cessation intervention in an urban HIV clinic, 13(1):30–4, 38
Desai AA
Leveraging change: educational opportunities in information technology implementation, 13(7):372, 378–81
Desai P
Leveraging change: educational opportunities in information technology implementation, 13(7):372, 378–81
Dushay J
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
Feinglos MN
Pharmacologic management of the patient with newly diagnosed type 2 diabetes, 13(7):392, 398–404
Feroli ER
Medication reconciliation: are we meeting the requirements?, 13(8):441–4
Finley GL
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
Fisher DA
Strategies to improve colorectal cancer screening, 13(9):512–7
Franklin ME
Obsessive-compulsive disorder in children and adolescents, 13(7):405–11
Friedman RS
To screen or not to screen: is that the question? Improving the outcomes of depression in primary care, 13(10):562–71
Gandhi TK
Medication errors: not just a few bad apples, 13(2):114–5
Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91
Garrett MM
Strategies to improve colorectal cancer screening, 13(9):512–7
Gavin NI
Gestational diabetes testing among pregnant Medicaid recipients: implications for clinical care, 13(6):323–32
Goldberg J
Minimally invasive treatment options for uterine fibroids, 13(9):518–27
Golden MP
Smoking cessation intervention in an urban HIV clinic, 13(1):30–4, 38
Goldszer RC
Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91
Gordon AJ
Pharmacologic management of alcohol use disorders in the primary care setting, 13(11): 628–46
Gray A
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
Harper CR
An evidence-based approach to the use of combination drug therapy for mixed dyslipidemia, 13(1):57–68
Hematpour K
Should we use C-reactive protein or other novel markers for CHD risk stratification?, 13(9):471–2 *abs/comm*
Hersh W
Medication errors: not just a few bad apples, 13(2):114–5
Hewitt J
Management of thyroid nodules, 13(8):456–64
Hobson D
Medication reconciliation: are we meeting the requirements?, 13(8):441–4

Holdsworth C
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
Holzmueller CG
Medication reconciliation: are we meeting the requirements?, 13(8):441–4
Horng MS
Annual CT screening for lung cancer may significantly improve survival, 13(12):665–6 *abs/comm*
β Blockers failed in primary prevention of gastroesophageal varices, 13(1):15–6 *abs/comm*
The challenge to find effective therapies for patients with alcohol dependence, 13(6):315–6 *abs/comm*
Diagnosing urinary incontinence with 3 simple questions, 13(7):364–5 *abs/comm*
Glucosamine and chondroitin fail to improve knee pain caused by osteoarthritis, 13(4): 213–4 *abs/comm*
Nurse management improves outcomes in minority heart failure patients, 13(10):544, 549 *abs/comm*
Performance feedback can improve diabetes care provided by residents, 13(5):266–7 *abs/comm*
Poor adherence to guidelines for management of COPD exacerbations, 13(9):479–80 *abs/comm*
Reducing contrast-induced nephropathy associated with primary angioplasty, 13(8):428, 434 *abs/comm*
Rise in *Clostridium difficile* infections with use of gastric acid suppressants, 13(2):83–4 *abs/comm*
When is a headache a migraine or an indication for neuroimaging?, 13(11):607, 610 *abs/comm*
Yoga improves function in patients with chronic low back pain, 13(3):140–1 *abs/comm*
Huang RL
Acute myocardial infarction occurring during hospitalization, 13(9):489, 492 *abs/comm*
Do "America's best hospitals" truly perform better?, 13(10):539–40 *abs/comm*
Higher mortality at 1 year for nonadherent post-MI patients, 13(12):666, 670 *abs/comm*
Improvements can be made in door-to-drug and door-to-balloon times for STEMI, 13(11): 594–5 *abs/comm*
Hwang U
Implementing a pain assessment initiative does not improve quality of pain management, 13(8):437–8 *abs/comm*
Trauma trumps coronary symptoms in the emergency department, 13(12):671–2 *abs/comm*
Iannuzzi MC
The diagnosis and management of sarcoidosis, 13(10):578–84
Jacobson TA
An evidence-based approach to the use of combination drug therapy for mixed dyslipidemia, 13(1):57–68
Jha AK
Anemia is an important predictor of decline and death in community-dwelling elders, 13(5):259–60 *abs/comm*
Discharging pneumonia patients without observation after switching to oral antibiotics, 13(9):478–9 *abs/comm*
Does antipsychotic use increase risk of death among the elderly?, 13(1):8, 15 *abs/comm*
Higher mortality rates in medically treated patients with *Staphylococcus aureus* prosthetic valve endocarditis, 13(3):139–40 *abs/comm*
Multislice CT versus MRI for noninvasive detection of coronary artery stenoses, 13(11): 602, 607 *abs/comm*
Quality of life significantly decreased with aggressive treatment for prostate cancer, 13(7):363–4 *abs/comm*
Kalanj B
A pediatric hospital's approach to improving cultural competence, 13(1):52–6
Karliner L
Improving cultural competence: organizational strategies for clinical care, 13(1):47–51
Katzman L
Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91
Kern LM
Are diabetes disease management programs achieving clinically relevant outcomes?, 13(11):596, 600 *abs/comm*
Funding clinical research leads to improved health and long-term financial savings, 13(7): 367–8 *abs/comm*
Kier C
Collaborative education program to improve management of childhood asthma, 13(12): 701–5
Kilbridge PM
Implementation of a system for computerized adverse drug event surveillance and intervention at an academic medical center, 13(2): 94–100
Klibanov OM
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
Knight JR
Parental alcohol problems: parents' preferences for screening and intervention in the pediatric office setting, 13(3):146, 152–6
Knouse M
Prevalence of bacterial pathogens on physician handheld computers, 13(4):223–6
Korsen N
Developing and disseminating a model to improve depression care in primary care practices, 13(9):506–11
Kravet SJ
What is an acceptable annual increase in malpractice premiums? The physician perspective, 13(12):694–8
Kriegel G
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
Kushida CA
Restless legs syndrome, 13(3):184–94
Lau C
Cost-effective medication use in critical care: Capital Health System's experiences in VHA's MUSIC program, 13(11):615–22
Levin TP
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
Levine RB
What is an acceptable annual increase in malpractice premiums? The physician perspective, 13(12):694–8
Levy NK
Benazepril is safe and effective in the treatment of advanced renal insufficiency, 13(6):318–9 *abs/comm*
Liberman JD
The evolving treatment of sepsis, 13(4):227–34
Libman H
Long-term treatment complications in HIV disease, 13(6):342–56
Liou I
Management of acute infectious diarrhea, 13(7): 382–91
Little AM
Collaborative education program to improve management of childhood asthma, 13(12): 701–5
Maniscalco J
Long-stay patients in academic children's hospitals, 13(5):270–8
Matuszewski KA
Use of dual-modality positron emission tomography/computed tomography in oncology, 13(3):157–8, 161–75, 182–3
McKeown PP
Management and prevention of postoperative atrial fibrillation after cardiac surgery, 13(11):647–56
Miles RW
The problem-integrated charting system: a symbol-enhanced method of longitudinal record keeping for complex patients, 13(5): 279–87
Moore KN
The abnormal pap test evaluation, treatment, and monitoring, 13(4):235–46
Moore PS
Obsessive-compulsive disorder in children and adolescents, 13(7):405–11
Moyer DV
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
Murff HJ
Behavioral therapy is superior to zopiclone for insomnia in older adults, 13(8):423–4 *abs/comm*
The benefits of nutritional supplementation in hospitalized older adults, 13(11):600–1 *abs/comm*
Cancer screening rates improved using telephone-based patient reminders, 13(6): 319–20 *abs/comm*

Do commercial weight loss programs work?, 13(10):542, 543 *abs/comm*
Donepezil for patients with severe Alzheimer's disease: small but significant benefits, 13(5): 258–9 *abs/comm*
Etanercept improves skin lesions and symptoms of depression and fatigue in patients with moderate to severe psoriasis, 13(3):135–6 *abs/comm*
High-fiber diet may not protect women against colorectal cancer, 13(4):207, 210 *abs/comm*
The impact of moderate alcohol use on drug safety parameters for warfarin and lovastatin, 13(7):368–9 *abs/comm*
Improving rates of colorectal cancer screening: no easy answers, 13(2):87–8 *abs/comm*
Patient reminders improve rates of drug monitoring, 13(12):672, 677 *abs/comm*
Reducing inappropriate laboratory testing through provider education and feedback, 13(9):472, 477 *abs/comm*
Similar rate of ulcer recurrence with naproxen plus lansoprazole versus celecoxib, 13(1):24, 27 *abs/comm*

Mutha S
Improving cultural competence: organizational strategies for clinical care, 13(1):47–51

Narula P
Collaborative education program to improve management of childhood asthma, 13(12): 701–5

Needham DM
Clinical and economic outcomes of postoperative hospital-acquired pneumonia patients who receive invasive diagnostic testing or ventilation, 13(12):685–91

Ng V
Cost-effective medication use in critical care: Capital Health System's experiences in VHA's MUSIC program, 13(11):615–22

Nicholson D
Medication errors: not just a few bad apples, 13(2):114–5

Nicolini M
Management and prevention of postoperative atrial fibrillation after cardiac surgery, 13(11): 647–56

Ottolini M
Long-stay patients in academic children's hospitals, 13(5):270–8

Paidisetty S
Pharmacologic management of alcohol use disorders in the primary care setting, 13(11): 628–46

Persell SD
Characteristics and outcomes of statin-associated myopathy, 13(2):85–6 *abs/comm*
Determining best strategies for improving hypertension care, 13(10):552, 555 *abs/comm*
Diastolic blood pressure control in coronary artery disease: how low is too low?, 13(8): 434–5 *abs/comm*
Do treatment choices for hypertension affect risk for developing heart failure?, 13(7):367–8 *abs/comm*
Early experience with pay-for-performance in the United Kingdom, 13(9):480, 486 *abs/comm*
Fenofibrate and cardiovascular events in patients with type 2 diabetes, 13(1):16, 22–3 *abs/comm*
Is it time to redefine the role of β blockers in treating hypertension?, 13(3):142–3 *abs/comm*
Low-density lipoprotein treatment targets: how strong is the evidence?, 13(11):593–4 *abs/comm*
No clear advantage of dual antiplatelet therapy over aspirin alone in stable patients with high cardiovascular risk, 13(5):253–4 *abs/comm*
Prescribing generic or preferred medications aids adherence to chronic pharmacotherapy, 13(4):215–6 *abs/comm*
Prognostic importance of stable angina in women and men, 13(6):316–7 *abs/comm*

Phillips RS
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61

Platt FW
Conversations with adolescents: what we have learned from medical student exercises with standardized patients, 13(1):39–42

Poe S
Medication reconciliation: are we meeting the requirements?, 13(8):441–4

Pronovost PJ
Clinical and economic outcomes of postoperative hospital-acquired pneumonia patients who receive invasive diagnostic testing or ventilation, 13(12):685–91
Medication reconciliation: are we meeting the requirements?, 13(8):441–4

Ratko TA
Use of dual-modality positron emission tomography/computed tomography in oncology, 13(3):157–8, 161–75, 182–3

Reed DA
What is an acceptable annual increase in malpractice premiums? The physician perspective, 13(12):694–8

Rittenberg E
Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91

Romard LA
Collaborative education program to improve management of childhood asthma, 13(12): 701–5

Roumie CL
Further proof that almost any type of regular exercise improves cardiorespiratory fitness, 13(1):28–9 *abs/comm*
Gatifloxacin induces dysglycemia in older patients, 13(4):211–2 *abs/comm*
How normal is normal blood pressure?, 13(3): 136, 139 *abs/comm*
Trends in invasive pneumococcal disease in HIV-infected adults since introduction of pediatric conjugate vaccine, 13(2):75–6 *abs/comm*

Sadoughi S
Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91

Samuel R
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21

Schwarz M
Medication reconciliation: are we meeting the requirements?, 13(8):441–4

Sequist TD
The challenge of creating a patient experience report card for individual physicians, 13(4): 212–3 *abs/comm*
Does guideline compliance accurately predict acute coronary syndrome outcomes?, 13(6): 321–2 *abs/comm*
Increasing consumer use of the internet for health information, 13(2):76, 83 *abs/comm*
Is referral for colonoscopy overutilized by primary care physicians?, 13(12):678, 680 *abs/comm*
Patient preferences for colon imaging for cancer detection, 13(10):543–4 *abs/comm*
A promising primary care approach to the patient with medically unexplained symptoms, 13(8):425, 428 *abs/comm*

Shah L
The diagnosis and management of sarcoidosis, 13(10):578–84

Shah NR
Benazepril is safe and effective in the treatment of advanced renal insufficiency, 13(6):318–9 *abs/comm*
Effects of antihypertensive drugs on bones, 13(10):540–1 *abs/comm*

Sherritt L
Parental alcohol problems: parents' preferences for screening and intervention in the pediatric office setting, 13(3):146, 152–6

Singh A
Use of dual-modality positron emission tomography/computed tomography in oncology, 13(3):157–8, 161–75, 182–3

Slonim AD
Long-stay patients in academic children's hospitals, 13(5):270–8

Smith SJ
Prevalence of bacterial pathogens on physician handheld computers, 13(4):223–6

Sperber AD
The irritable bowel syndrome and its association with unexplained medical symptoms and other functional disorders, 13(5):292–304

Spigel DR
Assessing chest radiography for early lung cancer detection, 13(2):86–7 *abs/comm*
Delayed versus immediate prostatectomy: the question of cancer curability, 13(4):202, 207 *abs/comm*
Outcomes of family physician follow-up care for early-stage breast cancer similar to specialty care, 13(5):257–8 *abs/comm*
Reduced morbidity using sentinel node biopsy in breast cancer patients, 13(8):436, 437 *abs/comm*
Surveillance after colorectal cancer surgery: more or less?, 13(3):143–4 *abs/comm*

Using disease-free survival as an alternate endpoint in colorectal cancer patients, 13(1):23–4 *abs/comm*
Srinivasan S
Minimally invasive treatment options for uterine fibroids, 13(9):518–27
Srivatsa S
Management of thyroid nodules, 13(8):456–64
St. John D
Cost-effective medication use in critical care: Capital Health System's experiences in VHA's MUSIC program, 13(11):615–22
Stepan C
Management of acute infectious diarrhea, 13(7):382–91
Stjernfeldt KK
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
Surawicz CM
Management of acute infectious diarrhea, 13(7):382–91
Susla G
Cost-effective medication use in critical care: Capital Health System's experiences in VHA's MUSIC program, 13(11):615–22
Swica Y
Update on new contraceptive choices, 13(8):447–55
Tadesse T
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
Tedaldi EM
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
Thompson DA
Clinical and economic outcomes of postoperative hospital-acquired pneumonia patients who receive invasive diagnostic testing or ventilation, 13(12):685–91
Tiller SJ
"Skinsational skin care" to reduce the incidence and severity of pressure ulcers in hospitalized patients, 13(9):493–500
Turenne WM
Long-stay patients in academic children's hospitals, 13(5):270–8
van den Berg-Wolf M
A randomized trial of educational materials, pillboxes, and mailings to improve adherence with antiretroviral therapy in an inner city HIV clinic, 13(4):217–21
Walker JL
The abnormal pap test evaluation, treatment, and monitoring, 13(4):235–46
Washer LL
Infection control strategies for methicillin-resistant *Staphylococcus aureus* and vancomycin-resistant enterococcus: what is the evidence?, 13(6):333–41
Wasser T
Prevalence of bacterial pathogens on physician handheld computers, 13(4):223–6
Weingart SN
Medication errors: not just a few bad apples, 13(2):114–5
Quality of diabetes care in a primary care teaching practice: how do resident physicians measure up?, 13(10):556–61
Weissman S
Smoking cessation intervention in an urban HIV clinic, 13(1):30–4, 38
Westhoff C
Update on new contraceptive choices, 13(8):447–55
Whelan CT
The evolving treatment of sepsis, 13(4):227–34
Wilds TA
"Skinsational skin care" to reduce the incidence and severity of pressure ulcers in hospitalized patients, 13(9):493–500
Wilson CR
Parental alcohol problems: parents' preferences for screening and intervention in the pediatric office setting, 13(3):146, 152–6
Windish DM
What is an acceptable annual increase in malpractice premiums? The physician perspective, 13(12):694–8
Winshall JS
Primary care morbidity and mortality conference: new use of an old process, 13(5):288–91
Wolfe L
What is an acceptable annual increase in malpractice premiums? The physician perspective, 13(12):694–8
Wong SL
Conversations with adolescents: what we have learned from medical student exercises with standardized patients, 13(1):39–42
Wright SM
What is an acceptable annual increase in malpractice premiums? The physician perspective, 13(12):694–8
Wyskiel RM
Medication reconciliation: are we meeting the requirements?, 13(8):441–4
Yen BM
Engaging physicians to change practice, 13(2):103–10
Yonker ME
Migraines in children: diagnosis and treatment in primary care, 13(2):119–28
Ziffra MS
To screen or not to screen: is that the question? Improving the outcomes of depression in primary care, 13(10):562–71

Copyright 2006 by Turner White Communications Inc., Wayne, PA. All rights reserved.