

Key to abbreviations: *abs/comm* = abstract with commentary.

SUBJECTS

- Abdominal aortic aneurysm
 Long-term benefit and cost-effectiveness of screening for abdominal aortic aneurysm, 14(7):386-8 *abs/comm*
- One-time ultrasound screening for abdominal aortic aneurysm: potential benefits for up to 15 years, 14(8):435-6 *abs/comm*
- Acute coronary syndrome
 Diabetes continues to confer an adverse prognosis following acute coronary syndromes, 14(10):535-6 *abs/comm*
- Does insurance coverage make a difference in acute coronary syndromes?, 14(1):15-6 *abs/comm*
- Treatment-risk discordance in patients with non-ST elevation acute coronary syndromes, 14(8):439-40 *abs/comm*
- Acute myocardial infarction
 Are there differences in acute myocardial infarction treatment patterns between Canada and the United States?, 14(3):142-3 *abs/comm*
- Carotid intima-media thickness: too soon to tell?, 14(6):318-9 *abs/comm*
- Effect of socioeconomic status on acute myocardial infarction outcomes, 14(7):380, 386 *abs/comm*
- Have AMI outcomes improved over the past 10 years?, 14(2):83-4 *abs/comm*
- A regional system can safely and effectively transfer ST-elevation myocardial infarction patients, 14(12):642-3 *abs/comm*
- Using wireless technology to improve door-to-balloon times, 14(9):485-6 *abs/comm*
- Adherence
 Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595-600
- Pharmacy-based intervention improves medication adherence and chronic disease outcomes, 14(1):16, 22 *abs/comm*
- Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32-40
- A simple method for predicting adverse outcomes in heart disease patients, 14(11):581-2 *abs/comm*
- Adrenal mass
 Approach to incidentally discovered adrenal masses, 14(1):49-61
- Adverse drug events
 Adverse drug events leading to admission at a community nonteaching hospital, 14(7):389-94
- Alzheimer's disease
 Screening for dementia in primary care, 14(9):515-25
- Angina
 Multivessel or culprit-only stenting in patients with unstable angina or NSTEMI, 14(4):183-4 *abs/comm*
- Angiography
 Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447-56
- Antioxidants
 Comparison of 3 antioxidant combinations for preventing contrast-induced nephrotoxicity, 14(5):235-6 *abs/comm*
- Aspirin
 Low-dose aspirin does not prevent venous thromboembolism in healthy women, 14(12):632, 638 *abs/comm*
- Using aspirin resistance to predict long-term cardiovascular outcomes, 14(9):491, 494 *abs/comm*
- Asthma
 Applying the 2007 Expert Panel Report in caring for young children with asthma, 14(12):667-81
- Caring for adolescents and adults with asthma: what does the 2007 Expert Panel Report say?, 14(12):655-65
- Educational interventions to improve asthma outcomes in children, 14(10):554-62
- Exercise-induced bronchospasm: diagnosis and treatment, 14(4):211-21
- Atorvastatin
 Effect of high-dose atorvastatin on cardiovascular outcomes in elderly coronary patients, 14(9):496, 498 *abs/comm*
- Atrial fibrillation
 Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310-20 *abs/comm*
- Screening for atrial fibrillation in older adults detects more cases than usual care, 14(11):584, 590 *abs/comm*
- Author in the room
 First report on a novel dissemination strategy for medical innovations, 14(11):601-2
- Bariatric surgery
 Preoperative and postoperative management of the bariatric surgical patient, 14(5):262-74
- Behavioral therapy
 Application of psychological strategies for pain management in primary care, 14(11):603-9
- Black cohosh
 Black cohosh: not effective for relieving postmenopausal symptoms, 14(2):82-3 *abs/comm*
- Blood glucose monitoring
 Routine self-monitoring of blood glucose does not improve glycemic control in noninsulin-treated diabetic patients, 14(10):537-8 *abs/comm*
- Blood pressure
 Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*
- Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32-40
- Blood transfusion
 Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6
- Transfusion safety—where should our efforts be focused now?, 14(8):457-63
- Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6
- Bronchiolitis
 Diagnosis and treatment of infants with bronchiolitis, 14(4):205-10
- Bronchospasm, exercise-induced
 Exercise-induced bronchospasm: diagnosis and treatment, 14(4):211-21
- Bupropion
 Bupropion therapy is effective for smoking cessation in community primary care clinics, 14(12):631-2 *abs/comm*
- Calcium
 Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373-4 *abs/comm*
- Impact of calcium supplementation on cholesterol levels in women dieting to lose weight, 14(4):186-7 *abs/comm*
- Cancer
 Sertraline does not improve well-being in patients with advanced cancer who do not have depression, 14(9):488, 491 *abs/comm*
- Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3):144-8
- Cancer, breast
 HER2-positive breast cancer, 14(7):395-403
- A systematic review of outcomes associated with psychosocial interventions for women with breast cancer, 14(6):341-52
- Cancer, colorectal
 Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93-8
- Follow-up mailings increase rates of recommended colonoscopy, 14(2):78, 82 *abs/comm*
- Strategies to improve colorectal cancer outcomes: update 2007, 14(11):611-21
- Cancer, prostate
 Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541-6
- Optimizing prostate cancer screening: is less better?, 14(11):590-1 *abs/comm*
- Cardiac catheterization
 Treatment-risk discordance in patients with non-ST elevation acute coronary syndromes, 14(8):439-40 *abs/comm*
- Cardiac surgery
 Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310-20 *abs/comm*
- Cardiovascular disease
 The conundrum of rosiglitazone, 14(7):378-9 *abs/comm*
- Effect of high-dose atorvastatin on cardiovascular outcomes in elderly coronary patients, 14(9):496, 498 *abs/comm*
- Further insight into the vitamin E debate, 14(3):135-6 *abs/comm*
- Improving cardiovascular risk prediction for women, 14(4):192-3 *abs/comm*

- A simple method for predicting adverse outcomes in heart disease patients, 14(11):581-2, *abs/comm*
- Using aspirin resistance to predict long-term cardiovascular outcomes, 14(9):491, 494 *abs/comm*
- Carotid intima-media thickness**
- Carotid intima-media thickness: too soon to tell?, 14(6):318-9 *abs/comm*
- Carotid stenosis**
- Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*
- Carvedilol**
- Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99-101
- Cataracts**
- The application of statistical process control to cataract surgery, 14(3):149-54
- Chest pain**
- Computed tomography coronary angiography for faster evaluation of chest pain syndrome, 14(4):185-6 *abs/comm*
- Cholesterol**
- Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*
- Effect of high-dose atorvastatin on cardiovascular outcomes in elderly coronary patients, 14(9):496, 498 *abs/comm*
- Impact of calcium supplementation on cholesterol levels in women dieting to lose weight, 14(4):186-7 *abs/comm*
- Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486-7 *abs/comm*
- Chronic disease**
- Evaluating quality of care in community-dwelling adults with multiple chronic conditions, 14(10):536-7 *abs/comm*
- Pharmacy-based intervention improves medication adherence and chronic disease outcomes, 14(1):16, 22 *abs/comm*
- Clostridium difficile***
- Clostridium difficile* colitis: a reemerging threat, 14(9):505-14
- Coding, medical records**
- Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499-503
- Cognitive behavioral therapy**
- Application of psychological strategies for pain management in primary care, 14(11):603-9
- Colitis**
- Clostridium difficile* colitis: a reemerging threat, 14(9):505-14
- Colonoscopy**
- Follow-up mailings increase rates of recommended colonoscopy, 14(2):78, 82 *abs/comm*
- Common cold**
- Get regular exercise, have fewer colds, 14(1):27-8 *abs/comm*
- Complementary medicine**
- Black cohosh: not effective for relieving postmenopausal symptoms, 14(2):82-3 *abs/comm*
- Computed tomography**
- Computed tomography coronary angiography for faster evaluation of chest pain syndrome, 14(4):185-6 *abs/comm*
- Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447-56
- Computerized physician order entry**
- Ten lessons from implementing a computerized provider order entry system, 14(2):105-9
- Constipation**
- Evaluation and management of chronic constipation in clinical practice, 14(7):411-20
- Coronary angiography**
- Computed tomography coronary angiography for faster evaluation of chest pain syndrome, 14(4):185-6 *abs/comm*
- Coronary artery bypass grafting**
- Treatment of multivessel coronary artery disease: a comparison of 3 therapeutic strategies, 14(6):315, 318 *abs/comm*
- Coronary artery disease**
- Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447-56
- No added benefits of PCI over optimal medical therapy alone in patients with coronary artery disease, 14(5):244, 246 *abs/comm*
- Socioeconomic status in childhood affects risk for CHD, 14(1):8, 13 *abs/comm*
- Treatment of multivessel coronary artery disease: a comparison of 3 therapeutic strategies, 14(6):315, 318 *abs/comm*
- Corticosteroids**
- Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310-20 *abs/comm*
- Cost-sharing programs**
- How much do physicians consider patient out-of-pocket costs?, 14(6):307, 311 *abs/comm*
- Cystitis**
- Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41-6
- Dementia**
- Folic acid supplementation improved cognitive function in older adults, 14(3):134-5 *abs/comm*
- Improved dementia care with disease management, 14(1):13-4 *abs/comm*
- Screening for dementia in primary care, 14(9):515-25
- Vitamin E does not reduce cognitive decline in healthy elderly women, 14(2):73, 77 *abs/comm*
- Depression**
- Effect of a practice-level depression care management intervention on mortality in older adults, 14(10):539-40 *abs/comm*
- Sertraline does not improve well-being in patients with advanced cancer who do not have depression, 14(9):488, 491 *abs/comm*
- Dermatitis, atopic**
- Atopic dermatitis: an evidence-based management approach, 14(8):465-74
- Diabetes**
- The conundrum of rosiglitazone, 14(7):378-9 *abs/comm*
- Diabetes continues to confer an adverse prognosis following acute coronary syndromes, 14(10):535-6 *abs/comm*
- A diabetes management service to improve inpatient glycemic control, 14(5):249-58
- Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5):275-93
- Routine self-monitoring of blood glucose does not improve glycemic control in noninsulin-treated diabetic patients, 14(10):537-8 *abs/comm*
- Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486-7 *abs/comm*
- Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353-62
- Diet**
- Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*
- Discharge planning**
- Effect of hospitalist care on length of stay in patients requiring close monitoring and complex discharge planning, 14(11):582-3 *abs/comm*
- How adequate is care following hospital discharge?, 14(8):437-8 *abs/comm*
- Optimizing outcomes when patients leave against medical advice, 14(12):645-53
- Dyslipidemia**
- Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486-7 *abs/comm*
- Eczema**
- Atopic dermatitis: an evidence-based management approach, 14(8):465-74
- Electronic health records**
- Automated data from electronic health records is variably accurate in assessing quality of heart failure care, 14(4):188, 192 *abs/comm*
- Emergency department utilization**
- Emergency department crowding linked to delays in quality, timely care, 14(12):643-4 *abs/comm*
- Higher deductibles can reduce emergency department use, but at what cost?, 14(5):236-7 *abs/comm*
- Endarterectomy**
- Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*
- Errors**
- Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6
- Exercise**
- Get regular exercise, have fewer colds, 14(1):27-8 *abs/comm*
- Helping sedentary patients become more active: a practical guide for the primary care physician, 14(3):161-71
- Potential benefits of a pedometer-based walking program in an inactive patient population, 14(5):238, 244 *abs/comm*
- Failure modes and effects analysis**
- Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6

- Fall prevention
 A hospital fall assessment and intervention project, 14(3):155-60
- Fecal occult blood testing
 Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93-8
- Folic acid
 Folic acid supplementation improved cognitive function in older adults, 14(3):134-5 *abs/comm*
- Glycemic control
 A diabetes management service to improve inpatient glycemic control, 14(5):249-58
 Routine self-monitoring of blood glucose does not improve glycemic control in noninsulin-treated diabetic patients, 14(10):537-8 *abs/comm*
 Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353-62
- Guidelines
 Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595-600
 Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32-40
- Headache
 A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332-8
 Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204
- Health care costs
 Higher deductibles can reduce emergency department use, but at what cost?, 14(5):236-7 *abs/comm*
 How much do physicians consider patient out-of-pocket costs?, 14(6):307, 311 *abs/comm*
- Health insurance status
 Does insurance coverage make a difference in acute coronary syndromes?, 14(1):15-6 *abs/comm*
- Heart failure
 Automated data from electronic health records is variably accurate in assessing quality of heart failure care, 14(4):188, 192 *abs/comm*
 Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99-101
- Helicobacter pylori*
 Sequential therapy outperforms the current standard of care for *Helicobacter pylori* eradication, 14(6):312, 315 *abs/comm*
- Hospitalist care
 Effect of hospitalist care on length of stay in patients requiring close monitoring and complex discharge planning, 14(11):582-3 *abs/comm*
- Hypoactive sexual desire disorder
 Evaluation and treatment of sexual dysfunction in an older woman, 14(2):110-20
- Incidentaloma
 Approach to incidentally discovered adrenal masses, 14(1):49-61
- Influenza vaccination
 Influenza vaccination and lower mortality rates in adults hospitalized with pneumonia, 14(3):136, 142 *abs/comm*
- Information technology
 Automated data from electronic health records is variably accurate in assessing quality of heart failure care, 14(4):188, 192 *abs/comm*
 Ten lessons from implementing a computerized provider order entry system, 14(2):105-9
- Insulin
 Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353-62
- Leaving against medical advice
 Optimizing outcomes when patients leave against medical advice, 14(12):645-53
- Medical group practice
 Does the structure of medical practice predict quality of care?, 14(3):127, 131 *abs/comm*
- Medication prescribing
 Physician-patient communication about new medications, 14(7):404-10
- Menopause
 Black cohosh: not effective for relieving postmenopausal symptoms, 14(2):82-3 *abs/comm*
- Metoprolol
 Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99-101
- Migraine
 A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332-8
 Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204
- Nephropathy, diabetic
 Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5):275-93
- Nephrotoxicity
 Comparison of 3 antioxidant combinations for preventing contrast-induced nephrotoxicity, 14(5):235-6 *abs/comm*
- NSTEMI
 Multivessel or culprit-only stenting in patients with unstable angina or NSTEMI, 14(4):183-4 *abs/comm*
- Obesity
 Preoperative and postoperative management of the bariatric surgical patient, 14(5):262-74
- Otitis media
 Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595-600
- Outcomes databases
 Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541-6
- Pain
 Application of psychological strategies for pain management in primary care, 14(11):603-9
 Conservative therapy and early surgery for sciatica yield similar outcomes, 14(8):438-9 *abs/comm*
 Evaluation and management of chronic pelvic pain in women, 14(10):563-74
- Patient safety
 A hospital fall assessment and intervention project, 14(3):155-60
- Patient transfers
 How adequate is care following hospital discharge?, 14(8):437-8 *abs/comm*
 A regional system can safely and effectively transfer ST-elevation myocardial infarction patients, 14(12):642-3 *abs/comm*
- Pedometers
 Potential benefits of a pedometer-based walking program in an inactive patient population, 14(5):238, 244 *abs/comm*
- Percutaneous coronary intervention
 No added benefits of PCI over optimal medical therapy alone in patients with coronary artery disease, 14(5):244, 246 *abs/comm*
 Treatment of multivessel coronary artery disease: a comparison of 3 therapeutic strategies, 14(6):315, 318 *abs/comm*
 Using wireless technology to improve door-to-balloon times, 14(9):485-6 *abs/comm*
- Perioperative care
 Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310-20 *abs/comm*
- Physical activity
 Helping sedentary patients become more active: a practical guide for the primary care physician, 14(3):161-71
- Physician-patient communication
 Physician-patient communication about new medications, 14(7):404-10
- Pneumonia
 Influenza vaccination and lower mortality rates in adults hospitalized with pneumonia, 14(3):136, 142 *abs/comm*
- Practice variation
 Are there differences in acute myocardial infarction treatment patterns between Canada and the United States?, 14(3):142-3 *abs/comm*
- Preterm birth
 Clinical, family, and cost outcomes of preterm births: an overview of the problem and prevention opportunities, 14(10):547-53
- Progesterone
 Clinical, family, and cost outcomes of preterm births: an overview of the problem and prevention opportunities, 14(10):547-53
- Prostatectomy
 Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541-6
- Quality of life index
 Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3):144-8
- Renal insufficiency
 Comparison of 3 antioxidant combinations for preventing contrast-induced nephrotoxicity, 14(5):235-6 *abs/comm*
- Reports from the Field
 A diabetes management service to improve inpatient glycemic control, 14(5):249-58
 Establishing a prostatectomy outcomes database

- for clinical practice improvement, research, and education: a community hospital experience, 14(10):541-6
- A hospital fall assessment and intervention project, 14(3):155-60
- Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6
- Ten lessons from implementing a computerized provider order entry system, 14(2):105-9
- Respiratory syncytial virus**
- Diagnosis and treatment of infants with bronchiolitis, 14(4):205-10
- Predictive accuracy of risk factors for RSV-related hospitalizations among infants in low-income families born at 32 to 35 weeks of gestation, 14(6):323-31
- Revascularization**
- Treatment-risk discordance in patients with non-ST elevation acute coronary syndromes, 14(8):439-40 *abs/comm*
- Rheumatoid arthritis**
- Early rheumatoid arthritis: is there a best treatment?, 14(5):233-4 *abs/comm*
- Risk of mortality index**
- Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499-503
- Risk prediction**
- Improving cardiovascular risk prediction for women, 14(4):192-3 *abs/comm*
- Rosiglitazone**
- The conundrum of rosiglitazone, 14(7):378-9 *abs/comm*
- Safety**
- Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6
- Transfusion safety—where should our efforts be focused now?, 14(8):457-63
- Sciatica**
- Conservative therapy and early surgery for sciatica yield similar outcomes, 14(8):438-9 *abs/comm*
- Screening**
- Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93-8
- Follow-up mailings increase rates of recommended colonoscopy, 14(2):78, 82 *abs/comm*
- Long-term benefit and cost-effectiveness of screening for abdominal aortic aneurysm, 14(7):386-8 *abs/comm*
- One-time ultrasound screening for abdominal aortic aneurysm: potential benefits for up to 15 years, 14(8):435-6 *abs/comm*
- Optimizing prostate cancer screening: is less better?, 14(11):590-1 *abs/comm*
- Screening for atrial fibrillation in older adults detects more cases than usual care, 14(11):584, 590 *abs/comm*
- Screening for dementia in primary care, 14(9):515-25
- Sertraline**
- Sertraline does not improve well-being in patients with advanced cancer who do not have depression, 14(9):488, 491 *abs/comm*
- Severity of illness index**
- Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499-503
- Sexual dysfunction**
- Evaluation and treatment of sexual dysfunction in an older woman, 14(2):110-20
- Smoking cessation**
- Bupropion therapy is effective for smoking cessation in community primary care clinics, 14(12):631-2 *abs/comm*
- Socioeconomic status**
- Effect of socioeconomic status on acute myocardial infarction outcomes, 14(7):380, 386 *abs/comm*
- Socioeconomic status in childhood affects risk for CHD, 14(1):8, 13 *abs/comm*
- Soy**
- Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*
- Statistical process control**
- The application of statistical process control to cataract surgery, 14(3):149-54
- Stenting**
- Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*
- Multivessel or culprit-only stenting in patients with unstable angina or NSTEMI, 14(4):183-4 *abs/comm*
- No added benefits of PCI over optimal medical therapy alone in patients with coronary artery disease, 14(5):244, 246 *abs/comm*
- Stroke**
- Carotid intima-media thickness: too soon to tell?, 14(6):318-9 *abs/comm*
- Supplements**
- Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373-4 *abs/comm*
- Syncope**
- Admission warranted for older patients with syncopal episodes, 14(8):432, 435 *abs/comm*
- Telephone management**
- Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41-6
- Thiazolidinediones**
- The conundrum of rosiglitazone, 14(7):378-9 *abs/comm*
- Trastuzumab**
- HER2-positive breast cancer, 14(7):395-403
- Ultrasonography**
- One-time ultrasound screening for abdominal aortic aneurysm: potential benefits for up to 15 years, 14(8):435-6 *abs/comm*
- Urinary tract infection**
- Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41-6
- Venous thromboembolism**
- Low-dose aspirin does not prevent venous thromboembolism in healthy women, 14(12):632, 638 *abs/comm*
- Vitamin D**
- Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373-4 *abs/comm*
- Vitamin E**
- Further insight into the vitamin E debate, 14(3):135-6 *abs/comm*
- Vitamin E does not reduce cognitive decline in healthy elderly women, 14(2):73, 77 *abs/comm*
- Weight management**
- Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373-4 *abs/comm*
- Impact of calcium supplementation on cholesterol levels in women dieting to lose weight, 14(4):186-7 *abs/comm*
- Preoperative and postoperative management of the bariatric surgical patient, 14(5):262-74
- Wireless technology**
- Using wireless technology to improve door-to-balloon times, 14(9):485-6 *abs/comm*

AUTHORS

- Abrahamson MJ**
Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353–62
- Ames MH**
Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204
- Anthony SG**
A diabetes management service to improve inpatient glycemic control, 14(5):249–58
- Apovian CM**
Preoperative and postoperative management of the bariatric surgical patient, 14(5):262–74
- Armstrong J**
Clinical, family, and cost outcomes of preterm births: an overview of the problem and prevention opportunities, 14(10):547–53
- Bantum EO**
A systematic review of outcomes associated with psychosocial interventions for women with breast cancer, 14(6):341–52
- Benkert R**
Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32–40
- Bourgeois F**
First report on a novel dissemination strategy for medical innovations, 14(11):601–2
- Braverman-Panza J**
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332–8
- Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204**
- Brooks JP**
Transfusion safety—where should our efforts be focused now?, 14(8):457–63
- Brunelle N**
Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32–40
- Bruns AS**
Exercise-induced bronchospasm: diagnosis and treatment, 14(4):211–21
- Burch SP**
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332–8
- Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204**
- Butler K**
Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32–40
- Byrd SC**
Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204
- Campbell E**
First report on a novel dissemination strategy for medical innovations, 14(11):601–2
- Capan K**
A hospital fall assessment and intervention project, 14(3):155–60
- Chenoweth CE**
Clostridium difficile colitis: a reemerging threat, 14(9):505–14
- Chuang P**
Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5):275–93
- Cinti SK**
Clostridium difficile colitis: a reemerging threat, 14(9):505–14
- Clark NM**
Educational interventions to improve asthma outcomes in children, 14(10):554–62
- Copeland PM**
Approach to incidentally discovered adrenal masses, 14(1):49–61
- Diokno AC**
Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541–6
- Dolor RJ**
Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595–600
- Donahue RG**
Application of psychological strategies for pain management in primary care, 14(11):603–9
- Donovan K**
A systematic review of outcomes associated with psychosocial interventions for women with breast cancer, 14(6):341–52
- Dostal KU**
Optimizing outcomes when patients leave against medical advice, 14(12):645–53
- Edwards DB**
Adverse drugs events leading to admission at a community nonteaching hospital, 14(7):389–94
- Enzenauer RW**
The application of statistical process control to cataract surgery, 14(3):149–54
- Fajtova VT**
A diabetes management service to improve inpatient glycemic control, 14(5):249–58
- Fisher DA**
Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93–8
- Fogt F**
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6
- Friedberg MW**
Effect of a practice-level depression care management intervention on mortality in older adults, 14(10):539–40 *abs/comm*
- Low-dose aspirin does not prevent venous thromboembolism in healthy women, 14(12):632, 638 *abs/comm*
- Fuhlbrigge AL**
Caring for adolescents and adults with asthma: what does the 2007 Expert Panel Report say?, 14(12):655–65
- Gavin NI**
Predictive accuracy of risk factors for RSV-related hospitalizations among infants in low-income families born at 32 to 35 weeks of gestation, 14(6):323–31
- Gershan WM**
Diagnosis and treatment of infants with bronchiolitis, 14(4):205–10
- Gill S**
Strategies to improve colorectal cancer outcomes: update 2008, 14(11):611–21
- Giullian JA**
Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5):275–93
- Goldberg E**
Carotid intima-media thickness: too soon to tell?, 14(6):318–9 *abs/comm*
- Goldberg RM**
Strategies to improve colorectal cancer outcomes: update 2008, 14(11):611–21
- Griffin L**
A diabetes management service to improve inpatient glycemic control, 14(5):249–58
- Grutsch JF**
Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3):144–8
- Guidry J**
Adverse drugs events leading to admission at a community nonteaching hospital, 14(7):389–94
- Gupta D**
Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3):144–8
- Heiring JO**
Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204
- Heisler M**
Adverse drugs events leading to admission at a community nonteaching hospital, 14(7):389–94
- Holsinger T**
Screening for dementia in primary care, 14(9):515–25
- Homer D**
A diabetes management service to improve inpatient glycemic control, 14(5):249–58
- Hornig MS**
Black cohosh: not effective for relieving postmenopausal symptoms, 14(2):82–3 *abs/comm*
- Conservative therapy and early surgery for sciatica yield similar outcomes, 14(8):438–9 *abs/comm*

- The conundrum of rosiglitazone, 14(7):378–9
abs/comm
- Early rheumatoid arthritis: is there a best treatment?, 14(5):233–4 *abs/comm*
- Effect of high-dose atorvastatin on cardiovascular outcomes in elderly coronary patients, 14(9):496, 498 *abs/comm*
- Improved dementia care with disease management, 14(1):13–4 *abs/comm*
- Improving cardiovascular risk prediction for women, 14(4):192–3 *abs/comm*
- Influenza vaccination and lower mortality rates in adults hospitalized with pneumonia, 14(3):136, 142 *abs/comm*
- Sequential therapy outperforms the current standard of care for *Helicobacter pylori* eradication, 14(6):312, 315 *abs/comm*
- Houle CR**
Educational interventions to improve asthma outcomes in children, 14(10):554–62
- Huang RL**
Are there differences in acute myocardial infarction treatment patterns between Canada and the United States?, 14(3):142–3 *abs/comm*
- Comparison of 3 antioxidant combinations for preventing contrast-induced nephrotoxicity, 14(5):235–6 *abs/comm*
- Diabetes continues to confer an adverse prognosis following acute coronary syndromes, 14(10):535–6 *abs/comm*
- Does insurance coverage make a difference in acute coronary syndromes?, 14(1):15–6 *abs/comm*
- Effect of hospitalist care on length of stay in patients requiring close monitoring and complex discharge planning, 14(11):582–3 *abs/comm*
- Effect of socioeconomic status on acute myocardial infarction outcomes, 14(7):380, 386 *abs/comm*
- Have AMI outcomes improved over the past 10 years?, 14(2):83–4 *abs/comm*
- Multivessel or culprit-only stenting in patients with unstable angina or NSTEMI, 14(4):183–4 *abs/comm*
- A regional system can safely and effectively transfer ST-elevation myocardial infarction patients, 14(12):642–3 *abs/comm*
- Treatment of multivessel coronary artery disease: a comparison of 3 therapeutic strategies, 14(6):315, 318 *abs/comm*
- Treatment-risk discordance in patients with non-ST elevation acute coronary syndromes, 14(8):439–40 *abs/comm*
- Using wireless technology to improve door-to-balloon times, 14(9):485–6 *abs/comm*
- Hutchinson S**
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332–8
- Hwang U**
Admission warranted for older patients with syncopal episodes, 14(8):432, 435 *abs/comm*
- Emergency department crowding linked to delays in quality, timely care, 14(12):643–4 *abs/comm*
- Computed tomography coronary angiography for faster evaluation of chest pain syndrome, 14(4):185–6 *abs/comm*
- Ibrahim IA**
Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541–6
- Israelite CL**
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6
- Janjigian MP**
Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*
- Jatla KK**
The application of statistical process control to cataract surgery, 14(3):149–54
- Jha AK**
Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*
- Further insight into the vitamin E debate, 14(3):135–6 *abs/comm*
- No added benefits of PCI over optimal medical therapy alone in patients with coronary artery disease, 14(5):244, 246 *abs/comm*
- A simple method for predicting adverse outcomes in heart disease patients, 14(11):581–2 *abs/comm*
- Socioeconomic status in childhood affects risk for CHD, 14(1):8, 13 *abs/comm*
- Using aspirin resistance to predict long-term cardiovascular outcomes, 14(9):491, 494 *abs/comm*
- Johnson MR**
Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93–8
- Jordan RM**
Adverse drug events leading to admission at a community nonteaching hospital, 14(7):389–94
- Kaaki B**
Evaluation and treatment of sexual dysfunction in an older woman, 14(2):110–20
- Kazerooni EA**
Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447–56
- Kern LM**
Does the structure of medical practice predict quality of care?, 14(3):127, 131 *abs/comm*
- Long-term benefit and cost-effectiveness of screening for abdominal aortic aneurysm, 14(7):386–8 *abs/comm*
- Screening for atrial fibrillation in older adults detects more cases than usual care, 14(11):584, 590 *abs/comm*
- Kerns RD**
Application of psychological strategies for pain management in primary care, 14(11):603–9
- Keyhani S**
Evaluating quality of care in community-dwelling adults with multiple chronic conditions, 14(10):536–7 *abs/comm*
- Higher deductibles can reduce emergency department use, but at what cost?, 14(5):236–7 *abs/comm*
- Pharmacy-based intervention improves medication adherence and chronic disease outcomes, 14(1):16, 22 *abs/comm*
- Killinger KA**
Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541–6
- Kingsberg SA**
Evaluation and treatment of sexual dysfunction in an older woman, 14(2):110–20
- Kitch B**
First report on a novel dissemination strategy for medical innovations, 14(11):601–2
- Knight AM**
Ten lessons from implementing a computerized provider order entry system, 14(2):105–9
- Korus G**
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6
- Kravet SJ**
Ten lessons from implementing a computerized provider order entry system, 14(2):105–9
- Kwong WJ**
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332–8
- LaBounty T**
Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447–56
- Landy SH**
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332–8
- Leader S**
Predictive accuracy of risk factors for RSV-related hospitalizations among infants in low-income families born at 32 to 35 weeks of gestation, 14(6):323–31
- Lewis JB**
Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5):275–93
- Lin NU**
HER2-positive breast cancer, 14(7):395–403
- Lis CG**
Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3):144–8
- Lynch B**
A hospital fall assessment and intervention project, 14(3):155–60
- Mann DM**
Pharmacy-based intervention improves medication adherence and chronic disease outcomes, 14(1):16, 22 *abs/comm*
- Marino RJ**
Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499–503

- Mattimore TJ
Physician-patient communication about new medications, 14(7):404-10
- McCarthy R
A diabetes management service to improve inpatient glycemic control, 14(5):249-58
- McDonald SA
Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204
- McGurk S
A diabetes management service to improve inpatient glycemic control, 14(5):249-58
- Meis PH
Clinical, family, and cost outcomes of preterm births: an overview of the problem and prevention opportunities, 14(10):547-53
- Mellen CK
Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99-101
- Messina E
Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204
- Moscucci M
Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447-56
- Murff HJ
Bupropion therapy is effective for smoking cessation in community primary care clinics, 14(12):631-2 *abs/comm*
- Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373-4 *abs/comm*
- Folic acid supplementation improved cognitive function in older adults, 14(3):134-5 *abs/comm*
- Get regular exercise, have fewer colds, 14(1): 27-8 *abs/comm*
- Impact of calcium supplementation on cholesterol levels in women dieting to lose weight, 14(4):186-7 *abs/comm*
- One-time ultrasound screening for abdominal aortic aneurysm: potential benefits for up to 15 years, 14(8):435-6 *abs/comm*
- Optimizing prostate cancer screening: is less better?, 14(11):590-1 *abs/comm*
- Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310-20 *abs/comm*
- Potential benefits of a pedometer-based walking program in an inactive patient population, 14(5):238, 244 *abs/comm*
- Routine self-monitoring of blood glucose does not improve glycemic control in noninsulin-treated diabetic patients, 14(10):537-8 *abs/comm*
- Sertraline does not improve well-being in patients with advanced cancer who do not have depression, 14(9):488, 491 *abs/comm*
- Vitamin E does not reduce cognitive decline in healthy elderly women, 14(2):73, 77 *abs/comm*
- Olson C
Evaluation and management of chronic pelvic pain in women, 14(10):563-74
- Owen JE
A systematic review of outcomes associated with psychosocial interventions for women with breast cancer, 14(6):341-52
- Parsons JP
Exercise-induced bronchospasm: diagnosis and treatment, 14(4):211-21
- Partridge MR
Educational interventions to improve asthma outcomes in children, 14(10):554-62
- Peters RM
Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32-40
- Petzel KJ
Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541-6
- Pham JC
Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499-503
- Pien GC
Atopic dermatitis: an evidence-based management approach, 14(8):465-74
- Pietras SM
Preoperative and postoperative management of the bariatric surgical patient, 14(5):262-74
- Pronovost PJ
Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499-503
- Quesenberry CP
Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41-6
- Quintero DR
Diagnosis and treatment of infants with bronchiolitis, 14(4):205-10
- Rawn J
A diabetes management service to improve inpatient glycemic control, 14(5):249-58
- Regan S
First report on a novel dissemination strategy for medical innovations, 14(11):601-2
- Richardson CR
Helping sedentary patients become more active: a practical guide for the primary care physician, 14(3):161-71
- Rindone JP
Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99-101
- Rosen JH
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6): 332-8
- Sanders KA
Application of psychological strategies for pain management in primary care, 14(11):603-9
- Schmidt MJ
Optimizing outcomes when patients leave against medical advice, 14(12):645-53
- Schnatz PF
Evaluation and management of chronic pelvic pain in women, 14(10):563-74
- Schwenk TL
Helping sedentary patients become more active: a practical guide for the primary care physician, 14(3):161-71
- Sequist TD
Automated data from electronic health records is variably accurate in assessing quality of heart failure care, 14(4):188, 192 *abs/comm*
- Follow-up mailings increase rates of recommended colonoscopy, 14(2):78, 82 *abs/comm*
- How adequate is care following hospital discharge?, 14(8):437-8 *abs/comm*
- How much do physicians consider patient out-of-pocket costs?, 14(6):307, 311 *abs/comm*
- Shah NR
Carotid intima-media thickness: too soon to tell?, 14(6):318-9 *abs/comm*
- Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*
- Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486-7 *abs/comm*
- Shaheen NJ
Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93-8
- Shetty GK
Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353-62
- Spergel JM
Atopic dermatitis: an evidence-based management approach, 14(8):465-74
- Stanton JE
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6
- Stonemetz J
Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499-503
- Tarn DM
Physician-patient communication about new medications, 14(7):404-10
- Taylor FR
Sumatriptan/Naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204
- Tolaney SM
HER2-positive breast cancer, 14(7):395-403
- Ulatowski JA
Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499-503
- Underberg JA
Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486-7 *abs/comm*

INDEX TO VOLUME 14

- Usdan LS
Preoperative and postoperative management of the bariatric surgical patient, 14(5):262-74
- Vinson DR
Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41-6
- Wald A
Evaluation and management of chronic constipation in clinical practice, 14(7):411-20
- Walter EB
Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595-600
- Washer LL
Clostridium difficile colitis: a reemerging threat, 14(9):505-14
- Wenger NS
Physician-patient communication about new medications, 14(7):404-10
- Williams JW
Screening for dementia in primary care, 14(9):515-25
- Winer EP
HER2-positive breast cancer, 14(7):395-403
- Winickoff JP
First report on a novel dissemination strategy for medical innovations, 14(11):601-2
- Wright SM
Ten lessons from implementing a computerized provider order entry system, 14(2):105-9
- Yang H
Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595-600
- Yawn BP
Applying the 2007 Expert Panel Report in caring for young children with asthma, 14(12):667-81

Copyright 2007 by Turner White Communications Inc., Wayne, PA. All rights reserved.