Key to abbreviations: *abs/comm* = abstract with commentary.

SUBJECTS

Abdominal aortic aneurysm
Long-term benefit and cost-effectiveness of screening for abdominal aortic aneurysm, 14(7):386–8 *abs/comm*
One-time ultrasound screening for abdominal aortic aneurysm: potential benefits for up to 15 years, 14(8):435–6 *abs/comm*
Acute coronary syndrome
Diabetes continues to confer an adverse prognosis following acute coronary syndromes, 14(10):535–6 *abs/comm*
Does insurance coverage make a difference in acute coronary syndromes?, 14(1):15–6 *abs/comm*
Treatment-risk discordance in patients with non-ST elevation acute coronary syndromes, 14(8):439–40 *abs/comm*
Acute myocardial infarction
Are there differences in acute myocardial infarction treatment patterns between Canada and the United States?, 14(3):142–3 *abs/comm*
Carotid intima-media thickness: too soon to tell?, 14(6):318–9 *abs/comm*
Effect of socioeconomic status on acute myocardial infarction outcomes, 14(7):380, 386 *abs/comm*
Have AMI outcomes improved over the past 10 years?, 14(2):83–4 *abs/comm*
A regional system can safely and effectively transfer ST-elevation myocardial infarction patients, 14(12):642–3 *abs/comm*
Using wireless technology to improve door-to-balloon times, 14(9):485–6 *abs/comm*
Adherence
Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595–600
Pharmacy-based intervention improves medication adherence and chronic disease outcomes, 14(1):16, 22 *abs/comm*
Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32–40
A simple method for predicting adverse outcomes in heart disease patients, 14(11):581–2 *abs/comm*
Adrenal mass
Approach to incidentally discovered adrenal masses, 14(1):49–61
Adverse drug events
Adverse drugs events leading to admission at a community nonteaching hospital, 14(7): 389–94
Alzheimer's disease
Screening for dementia in primary care, 14(9): 515–25
Angina
Multivessel or culprit-only stenting in patients with unstable angina or NSTEMI, 14(4):183–4 *abs/comm*
Angiography
Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447–56
Antioxidants
Comparison of 3 antioxidant combinations for preventing contrast-induced nephrotoxicity, 14(5):235–6 *abs/comm*
Aspirin
Low-dose aspirin does not prevent venous thromboembolism in healthy women, 14(12):632, 638 *abs/comm*
Using aspirin resistance to predict long-term cardiovascular outcomes, 14(9):491, 494 *abs/comm*
Asthma
Applying the 2007 Expert Panel Report in caring for young children with asthma, 14(12):667–81
Caring for adolescents and adults with asthma: what does the 2007 Expert Panel Report say?, 14(12):655–65
Educational interventions to improve asthma outcomes in children, 14(10):554–62
Exercise-induced bronchospasm: diagnosis and treatment, 14(4):211–21
Atorvastatin
Effect of high-dose atorvastatin on cardiovascular outcomes in elderly coronary patients, 14(9):496, 498 *abs/comm*
Atrial fibrillation
Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310–20 *abs/comm*
Screening for atrial fibrillation in older adults detects more cases than usual care, 14(11):584, 590 *abs/comm*
Author in the room
First report on a novel dissemination strategy for medical innovations, 14(11):601–2
Bariatric surgery
Preoperative and postoperative management of the bariatric surgical patient, 14(5):262–74
Behavioral therapy
Application of psychological strategies for pain management in primary care, 14(11):603–9
Black cohosh
Black cohosh: not effective for relieving postmenopausal symptoms, 14(2):82–3 *abs/comm*
Blood glucose monitoring
Routine self-monitoring of blood glucose does not improve glycemic control in noninsulin-treated diabetic patients, 14(10):537–8 *abs/comm*
Blood pressure
Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*
Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32–40
Blood transfusion
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6
Transfusion safety—where should our efforts be focused now?, 14(8):457–63
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6
Bronchiolitis
Diagnosis and treatment of infants with bronchiolitis, 14(4):205–10
Bronchospasm, exercise-induced
Exercise-induced bronchospasm: diagnosis and treatment, 14(4):211–21
Bupropion
Bupropion therapy is effective for smoking cessation in community primary care clinics, 14(12):631–2 *abs/comm*
Calcium
Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373–4 *abs/comm*
Impact of calcium supplementation on cholesterol levels in women dieting to lose weight, 14(4):186–7 *abs/comm*
Cancer
Sertraline does not improve well-being in patients with advanced cancer who do not have depression, 14(9):488, 491 *abs/comm*
Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3): 144–8
Cancer, breast
HER2-positive breast cancer, 14(7):395–403
A systematic review of outcomes associated with psychosocial interventions for women with breast cancer, 14(6):341–52
Cancer, colorectal
Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93–8
Follow-up mailings increase rates of recommended colonoscopy, 14(2):78, 82 *abs/comm*
Strategies to improve colorectal cancer outcomes: update 2007, 14(11):611–21
Cancer, prostate
Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541–6
Optimizing prostate cancer screening: is less better?, 14(11):590–1 *abs/comm*
Cardiac catheterization
Treatment-risk discordance in patients with non-ST elevation acute coronary syndromes, 14(8):439–40 *abs/comm*
Cardiac surgery
Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310–20 *abs/comm*
Cardiovascular disease
The conundrum of rosiglitazone, 14(7):378–9 *abs/comm*
Effect of high-dose atorvastatin on cardiovascular outcomes in elderly coronary patients, 14(9):496, 498 *abs/comm*
Further insight into the vitamin E debate, 14(3): 135–6 *abs/comm*
Improving cardiovascular risk prediction for women, 14(4):192–3 *abs/comm*

INDEX TO VOLUME 14

A simple method for predicting adverse outcomes in heart disease patients, 14(11):581–2, *abs/comm*
Using aspirin resistance to predict long-term cardiovascular outcomes, 14(9):491, 494 *abs/comm*
Carotid intima-media thickness
Carotid intima-media thickness: too soon to tell?, 14(6):318–9 *abs/comm*
Carotid stenosis
Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*
Carvedilol
Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99–101
Cataracts
The application of statistical process control to cataract surgery, 14(3):149–54
Chest pain
Computed tomography coronary angiography for faster evaluation of chest pain syndrome, 14(4):185–6 *abs/comm*
Cholesterol
Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*
Effect of high-dose atorvastatin on cardiovascular outcomes in elderly coronary patients, 14(9):496, 498 *abs/comm*
Impact of calcium supplementation on cholesterol levels in women dieting to lose weight, 14(4):186–7 *abs/comm*
Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486–7 *abs/comm*
Chronic disease
Evaluating quality of care in community-dwelling adults with multiple chronic conditions, 14(10):536–7 *abs/comm*
Pharmacy-based intervention improves medication adherence and chronic disease outcomes, 14(1):16, 22 *abs/comm*
Clostridium difficile
Clostridium difficile colitis: a reemerging threat, 14(9):505–14
Coding, medical records
Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499–503
Cognitive behavioral therapy
Application of psychological strategies for pain management in primary care, 14(11):603–9
Colitis
Clostridium difficile colitis: a reemerging threat, 14(9):505–14
Colonoscopy
Follow-up mailings increase rates of recommended colonoscopy, 14(2):78, 82 *abs/comm*
Common cold
Get regular exercise, have fewer colds, 14(1): 27–8 *abs/comm*
Complementary medicine
Black cohosh: not effective for relieving postmenopausal symptoms, 14(2):82–3 *abs/comm*
Computed tomography
Computed tomography coronary angiography for faster evaluation of chest pain syndrome, 14(4):185–6 *abs/comm*
Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447–56
Computerized physician order entry
Ten lessons from implementing a computerized provider order entry system, 14(2):105–9
Constipation
Evaluation and management of chronic constipation in clinical practice, 14(7):411–20
Coronary angiography
Computed tomography coronary angiography for faster evaluation of chest pain syndrome, 14(4):185–6 *abs/comm*
Coronary artery bypass grafting
Treatment of multivessel coronary artery disease: a comparison of 3 therapeutic strategies, 14(6):315, 318 *abs/comm*
Coronary artery disease
Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447–56
No added benefits of PCI over optimal medical therapy alone in patients with coronary artery disease, 14(5):244, 246 *abs/comm*
Socioeconomic status in childhood affects risk for CHD, 14(1):8, 13 *abs/comm*
Treatment of multivessel coronary artery disease: a comparison of 3 therapeutic strategies, 14(6):315, 318 *abs/comm*
Corticosteroids
Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310–20 *abs/comm*
Cost-sharing programs
How much do physicians consider patient out-of-pocket costs?, 14(6):307, 311 *abs/comm*
Cystitis
Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41–6
Dementia
Folic acid supplementation improved cognitive function in older adults, 14(3):134–5 *abs/comm*
Improved dementia care with disease management, 14(1):13–4 *abs/comm*
Screening for dementia in primary care, 14(9): 515–25
Vitamin E does not reduce cognitive decline in healthy elderly women, 14(2):73, 77 *abs/comm*
Depression
Effect of a practice-level depression care management intervention on mortality in older adults, 14(10):539–40 *abs/comm*
Sertraline does not improve well-being in patients with advanced cancer who do not have depression, 14(9):488, 491 *abs/comm*
Dermatitis, atopic
Atopic dermatitis: an evidence-based management approach, 14(8):465–74
Diabetes
The conundrum of rosiglitazone, 14(7):378–9 *abs/comm*
Diabetes continues to confer an adverse prognosis following acute coronary syndromes, 14(10):535–6 *abs/comm*
A diabetes management service to improve inpatient glycemic control, 14(5):249–58
Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5): 275–93
Routine self-monitoring of blood glucose does not improve glycemic control in noninsulin-treated diabetic patients, 14(10):537–8 *abs/comm*
Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486–7 *abs/comm*
Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353–62
Diet
Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*
Discharge planning
Effect of hospitalist care on length of stay in patients requiring close monitoring and complex discharge planning, 14(11):582–3 *abs/comm*
How adequate is care following hospital discharge?, 14(8):437–8 *abs/comm*
Optimizing outcomes when patients leave against medical advice, 14(12):645–53
Dyslipidemia
Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486–7 *abs/comm*
Eczema
Atopic dermatitis: an evidence-based management approach, 14(8):465–74
Electronic health records
Automated data from electronic health records is variably accurate in assessing quality of heart failure care, 14(4):188, 192 *abs/comm*
Emergency department utilization
Emergency department crowding linked to delays in quality, timely care, 14(12):643–4 *abs/comm*
Higher deductibles can reduce emergency department use, but at what cost?, 14(5): 236–7 *abs/comm*
Endarterectomy
Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*
Errors
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6
Exercise
Get regular exercise, have fewer colds, 14(1): 27–8 *abs/comm*
Helping sedentary patients become more active: a practicial guide for the primary care physician, 14(3):161–71
Potential benefits of a pedometer-based walking program in an inactive patient population, 14(5):238, 244 *abs/comm*
Failure modes and effects analysis
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6

Fall prevention
A hospital fall assessment and intervention project, 14(3):155–60
Fecal occult blood testing
Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93–8
Folic acid
Folic acid supplementation improved cognitive function in older adults, 14(3):134–5 *abs/comm*
Glycemic control
A diabetes management service to improve inpatient glycemic control, 14(5):249–58
Routine self-monitoring of blood glucose does not improve glycemic control in noninsulin-treated diabetic patients, 14(10):537–8 *abs/comm*
Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353–62
Guidelines
Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595–600
Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32–40
Headache
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332–8
Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204
Health care costs
Higher deductibles can reduce emergency department use, but at what cost?, 14(5): 236–7 *abs/comm*
How much do physicians consider patient out-of-pocket costs?, 14(6):307, 311 *abs/comm*
Health insurance status
Does insurance coverage make a difference in acute coronary syndromes?, 14(1):15–6 *abs/comm*
Heart failure
Automated data from electronic health records is variably accurate in assessing quality of heart failure care, 14(4):188, 192 *abs/comm*
Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99–101
Helicobacter pylori
Sequential therapy outperforms the current standard of care for *Helicobacter pylori* eradication, 14(6):312, 315 *abs/comm*
Hospitalist care
Effect of hospitalist care on length of stay in patients requiring close monitoring and complex discharge planning, 14(11):582–3 *abs/comm*
Hypoactive sexual desire disorder
Evaluation and treatment of sexual dysfunction in an older woman, 14(2):110–20
Incidentaloma
Approach to incidentally discovered adrenal masses, 14(1):49–61
Influenza vaccination
Influenza vaccination and lower mortality rates in adults hospitalized with pneumonia, 14(3):136, 142 *abs/comm*
Information technology
Automated data from electronic health records is variably accurate in assessing quality of heart failure care, 14(4):188, 192 *abs/comm*
Ten lessons from implementing a computerized provider order entry system, 14(2):105–9
Insulin
Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353–62
Leaving against medical advice
Optimizing outcomes when patients leave against medical advice, 14(12):645–53
Medical group practice
Does the structure of medical practice predict quality of care?, 14(3):127, 131 *abs/comm*
Medication prescribing
Physician-patient communication about new medications, 14(7):404–10
Menopause
Black cohosh: not effective for relieving post-menopausal symptoms, 14(2):82–3 *abs/comm*
Metoprolol
Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99–101
Migraine
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332–8
Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204
Nephropathy, diabetic
Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5):275–93
Nephrotoxicity
Comparison of 3 antioxidant combinations for preventing contrast-induced nephrotoxicity, 14(5):235–6 *abs/comm*
NSTEMI
Multivessel or culprit-only stenting in patients with unstable angina or NSTEMI, 14(4):183–4 *abs/comm*
Obesity
Preoperative and postoperative management of the bariatric surgical patient, 14(5):262–74
Otitis media
Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595–600
Outcomes databases
Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541–6
Pain
Application of psychological strategies for pain management in primary care, 14(11):603–9
Conservative therapy and early surgery for sciatica yield similar outcomes, 14(8):438–9 *abs/comm*
Evaluation and management of chronic pelvic pain in women, 14(10):563–74
Patient safety
A hospital fall assessment and intervention project, 14(3):155–60
Patient transfers
How adequate is care following hospital discharge?, 14(8):437–8 *abs/comm*
A regional system can safely and effectively transfer ST-elevation myocardial infarction patients, 14(12):642–3 *abs/comm*
Pedometers
Potential benefits of a pedometer-based walking program in an inactive patient population, 14(5):238, 244 *abs/comm*
Percutaneous coronary intervention
No added benefits of PCI over optimal medical therapy alone in patients with coronary artery disease, 14(5):244, 246 *abs/comm*
Treatment of multivessel coronary artery disease: a comparison of 3 therapeutic strategies, 14(6):315, 318 *abs/comm*
Using wireless technology to improve door-to-balloon times, 14(9):485–6 *abs/comm*
Perioperative care
Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310–20 *abs/comm*
Physical activity
Helping sedentary patients become more active: a practicial guide for the primary care physician, 14(3):161–71
Physician-patient communication
Physician-patient communication about new medications, 14(7):404–10
Pneumonia
Influenza vaccination and lower mortality rates in adults hospitalized with pneumonia, 14(3):136, 142 *abs/comm*
Practice variation
Are there differences in acute myocardial infarction treatment patterns between Canada and the United States?, 14(3):142–3 *abs/comm*
Preterm birth
Clinical, family, and cost outcomes of preterm births: an overview of the problem and prevention opportunities, 14(10):547–53
Progesterone
Clinical, family, and cost outcomes of preterm births: an overview of the problem and prevention opportunities, 14(10):547–53
Prostatectomy
Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541–6
Quality of life index
Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3): 144–8
Renal insufficiency
Comparison of 3 antioxidant combinations for preventing contrast-induced nephrotoxicity, 14(5):235–6 *abs/comm*
Reports from the Field
A diabetes management service to improve inpatient glycemic control, 14(5):249–58
Establishing a prostatectomy outcomes database

for clinical practice improvement, research, and education: a community hospital experience, 14(10):541–6
A hospital fall assessment and intervention project, 14(3):155–60
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6
Ten lessons from implementing a computerized provider order entry system, 14(2):105–9
Respiratory syncytial virus
Diagnosis and treatment of infants with bronchiolitis, 14(4):205–10
Predictive accuracy of risk factors for RSV-related hospitalizations among infants in low-income families born at 32 to 35 weeks of gestation, 14(6):323–31
Revascularization
Treatment-risk discordance in patients with non-ST elevation acute coronary syndromes, 14(8):439–40 *abs/comm*
Rheumatoid arthritis
Early rheumatoid arthritis: is there a best treatment?, 14(5):233–4 *abs/comm*
Risk of mortality index
Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499–503
Risk prediction
Improving cardiovascular risk prediction for women, 14(4):192–3 *abs/comm*
Rosiglitazone
The conundrum of rosiglitazone, 14(7):378–9 *abs/comm*
Safety
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6
Transfusion safety—where should our efforts be focused now?, 14(8):457–63
Sciatica
Conservative therapy and early surgery for sciatica yield similar outcomes, 14(8):438–9 *abs/comm*
Screening
Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93–8
Follow-up mailings increase rates of recommended colonoscopy, 14(2):78, 82 *abs/comm*
Long-term benefit and cost-effectiveness of screening for abdominal aortic aneurysm, 14(7):386–8 *abs/comm*
One-time ultrasound screening for abdominal aortic aneurysm: potential benefits for up to 15 years, 14(8):435–6 *abs/comm*
Optimizing prostate cancer screening: is less better?, 14(11):590–1 *abs/comm*
Screening for atrial fibrillation in older adults detects more cases than usual care, 14(11):584, 590 *abs/comm*
Screening for dementia in primary care, 14(9): 515–25
Sertraline
Sertraline does not improve well-being in patients with advanced cancer who do not have depression, 14(9):488, 491 *abs/comm*
Severity of illness index
Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499–503
Sexual dysfunction
Evaluation and treatment of sexual dysfunction in an older woman, 14(2):110–20
Smoking cessation
Bupropion therapy is effective for smoking cessation in community primary care clinics, 14(12):631–2 *abs/comm*
Socioeconomic status
Effect of socioeconomic status on acute myocardial infarction outcomes, 14(7):380, 386 *abs/comm*
Socioeconomic status in childhood affects risk for CHD, 14(1):8, 13 *abs/comm*
Soy
Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*
Statistical process control
The application of statistical process control to cataract surgery, 14(3):149–54
Stenting
Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*
Multivessel or culprit-only stenting in patients with unstable angina or NSTEMI, 14(4):183–4 *abs/comm*
No added benefits of PCI over optimal medical therapy alone in patients with coronary artery disease, 14(5):244, 246 *abs/comm*
Stroke
Carotid intima-media thickness: too soon to tell?, 14(6):318–9 *abs/comm*
Supplements
Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373–4 *abs/comm*
Syncope
Admission warranted for older patients with syncopal episodes, 14(8):432, 435 *abs/comm*
Telephone management
Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41–6
Thiazolidinediones
The conundrum of rosiglitazone, 14(7):378–9 *abs/comm*
Trastuzumab
HER2-positive breast cancer, 14(7):395–403
Ultrasonography
One-time ultrasound screening for abdominal aortic aneurysm: potential benefits for up to 15 years, 14(8):435–6 *abs/comm*
Urinary tract infection
Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41–6
Venous thromboembolism
Low-dose aspirin does not prevent venous thromboembolism in healthy women, 14(12):632, 638 *abs/comm*
Vitamin D
Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373–4 *abs/comm*
Vitamin E
Further insight into the vitamin E debate, 14(3): 135–6 *abs/comm*
Vitamin E does not reduce cognitive decline in healthy elderly women, 14(2):73, 77 *abs/comm*
Weight management
Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373–4 *abs/comm*
Impact of calcium supplementation on cholesterol levels in women dieting to lose weight, 14(4):186–7 *abs/comm*
Preoperative and postoperative management of the bariatric surgical patient, 14(5):262–74
Wireless technology
Using wireless technology to improve door-to-balloon times, 14(9):485–6 *abs/comm*

AUTHORS

Abrahamson MJ
Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353–62
Ames MH
Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204
Anthony SG
A diabetes management service to improve inpatient glycemic control, 14(5):249–58
Apovian CM
Preoperative and postoperative management of the bariatric surgical patient, 14(5):262–74
Armstrong J
Clinical, family, and cost outcomes of preterm births: an overview of the problem and prevention opportunities, 14(10):547–53
Bantum EO
A systematic review of outcomes associated with psychosocial interventions for women with breast cancer, 14(6):341–52
Benkert R
Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32–40
Bourgeois F
First report on a novel dissemination strategy for medical innovations, 14(11):601–2
Braverman-Panza J
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6): 332–8
Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204
Brooks JP
Transfusion safety—where should our efforts be focused now?, 14(8):457–63
Brunelle N
Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32–40
Bruns AS
Exercise-induced bronchospasm: diagnosis and treatment, 14(4):211–21
Burch SP
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6): 332–8
Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204
Butler K
Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32–40
Byrd SC
Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204
Campbell E
First report on a novel dissemination strategy for medical innovations, 14(11):601–2
Capan K
A hospital fall assessment and intervention project, 14(3):155–60
Chenoweth CE
Clostridium difficile colitis: a reemerging threat, 14(9):505–14
Chuang P
Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5): 275–93
Cinti SK
Clostridium difficile colitis: a reemerging threat, 14(9):505–14
Clark NM
Educational interventions to improve asthma outcomes in children, 14(10):554–62
Copeland PM
Approach to incidentally discovered adrenal masses, 14(1):49–61
Diokno AC
Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541–6
Dolor RJ
Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595–600
Donahue RG
Application of psychological strategies for pain management in primary care, 14(11):603–9
Donovan K
A systematic review of outcomes associated with psychosocial interventions for women with breast cancer, 14(6):341–52
Dostal KU
Optimizing outcomes when patients leave against medical advice, 14(12):645–53
Edwards DB
Adverse drugs events leading to admission at a community nonteaching hospital, 14(7): 389–94
Enzenauer RW
The application of statistical process control to cataract surgery, 14(3):149–54
Fajtova VT
A diabetes management service to improve inpatient glycemic control, 14(5):249–58
Fisher DA
Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93–8
Fogt F
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6
Friedberg MW
Effect of a practice-level depression care management intervention on mortality in older adults, 14(10):539–40 *abs/comm*
Low-dose aspirin does not prevent venous thromboembolism in healthy women, 14(12):632, 638 *abs/comm*
Fuhlbrigge AL
Caring for adolescents and adults with asthma: what does the 2007 Expert Panel Report say?, 14(12):655–65
Gavin NI
Predictive accuracy of risk factors for RSV-related hospitalizations among infants in low-income families born at 32 to 35 weeks of gestation, 14(6):323–31
Gershan WM
Diagnosis and treatment of infants with bronchiolitis, 14(4):205–10
Gill S
Strategies to improve colorectal cancer outcomes: update 2008, 14(11):611–21
Giullian JA
Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5): 275–93
Goldberg E
Carotid intima-media thickness: too soon to tell?, 14(6):318–9 *abs/comm*
Goldberg RM
Strategies to improve colorectal cancer outcomes: update 2008, 14(11):611–21
Griffin L
A diabetes management service to improve inpatient glycemic control, 14(5):249–58
Grutsch JF
Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3): 144–8
Guidry J
Adverse drugs events leading to admission at a community nonteaching hospital, 14(7): 389–94
Gupta D
Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3): 144–8
Heiring JO
Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204
Heisler M
Adverse drugs events leading to admission at a community nonteaching hospital, 14(7): 389–94
Holsinger T
Screening for dementia in primary care, 14(9): 515–25
Homer D
A diabetes management service to improve inpatient glycemic control, 14(5):249–58
Horng MS
Black cohosh: not effective for relieving postmenopausal symptoms, 14(2):82–3 *abs/comm*
Conservative therapy and early surgery for sciatica yield similar outcomes, 14(8):438–9 *abs/comm*

The conundrum of rosiglitazone, 14(7):378–9 *abs/comm*
Early rheumatoid arthritis: is there a best treatment?, 14(5):233–4 *abs/comm*
Effect of high-dose atorvastatin on cardiovascular outcomes in elderly coronary patients, 14(9):496, 498 *abs/comm*
Improved dementia care with disease management, 14(1):13–4 *abs/comm*
Improving cardiovascular risk prediction for women, 14(4):192–3 *abs/comm*
Influenza vaccination and lower mortality rates in adults hospitalized with pneumonia, 14(3): 136, 142 *abs/comm*
Sequential therapy outperforms the current standard of care for *Helicobacter pylori* eradication, 14(6):312, 315 *abs/comm*
Houle CR
Educational interventions to improve asthma outcomes in children, 14(10):554–62
Huang RL
Are there differences in acute myocardial infarction treatment patterns between Canada and the United States?, 14(3):142–3 *abs/comm*
Comparison of 3 antioxidant combinations for preventing contrast-induced nephrotoxicity, 14(5):235–6 *abs/comm*
Diabetes continues to confer an adverse prognosis following acute coronary syndromes, 14(10):535–6 *abs/comm*
Does insurance coverage make a difference in acute coronary syndromes?, 14(1):15–6 *abs/comm*
Effect of hospitalist care on length of stay in patients requiring close monitoring and complex discharge planning, 14(11):582–3 *abs/comm*
Effect of socioeconomic status on acute myocardial infarction outcomes, 14(7):380, 386 *abs/comm*
Have AMI outcomes improved over the past 10 years?, 14(2):83–4 *abs/comm*
Multivessel or culprit-only stenting in patients with unstable angina or NSTEMI, 14(4):183–4 *abs/comm*
A regional system can safely and effectively transfer ST-elevation myocardial infarction patients, 14(12):642–3 *abs/comm*
Treatment of multivessel coronary artery disease: a comparison of 3 therapeutic strategies, 14(6):315, 318 *abs/comm*
Treatment-risk discordance in patients with non-ST elevation acute coronary syndromes, 14(8):439–40 *abs/comm*
Using wireless technology to improve door-to-balloon times, 14(9):485–6 *abs/comm*
Hutchinson S
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6): 332–8
Hwang U
Admission warranted for older patients with syncopal episodes, 14(8):432, 435 *abs/comm*
Emergency department crowding linked to delays in quality, timely care, 14(12):643–4 *abs/comm*
Computed tomography coronary angiography for faster evaluation of chest pain syndrome, 14(4):185–6 *abs/comm*
Ibrahim IA
Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541–6
Israelite CL
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6
Janjigian MP
Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*
Jatla KK
The application of statistical process control to cataract surgery, 14(3):149–54
Jha AK
Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*
Further insight into the vitamin E debate, 14(3): 135–6 *abs/comm*
No added benefits of PCI over optimal medical therapy alone in patients with coronary artery disease, 14(5):244, 246 *abs/comm*
A simple method for predicting adverse outcomes in heart disease patients, 14(11):581–2 *abs/comm*
Socioeconomic status in childhood affects risk for CHD, 14(1):8, 13 *abs/comm*
Using aspirin resistance to predict long-term cardiovascular outcomes, 14(9):491, 494 *abs/comm*
Johnson MR
Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93–8
Jordan RM
Adverse drugs events leading to admission at a community nonteaching hospital, 14(7): 389–94
Kaaki B
Evaluation and treatment of sexual dysfunction in an older woman, 14(2):110–20
Kazerooni EA
Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447–56
Kern LM
Does the structure of medical practice predict quality of care?, 14(3):127, 131 *abs/comm*
Long-term benefit and cost-effectiveness of screening for abdominal aortic aneurysm, 14(7):386–8 *abs/comm*
Screening for atrial fibrillation in older adults detects more cases than usual care, 14(11):584, 590 *abs/comm*
Kerns RD
Application of psychological strategies for pain management in primary care, 14(11):603–9
Keyhani S
Evaluating quality of care in community-dwelling adults with multiple chronic conditions, 14(10):536–7 *abs/comm*
Higher deductibles can reduce emergency department use, but at what cost?, 14(5): 236–7 *abs/comm*
Pharmacy-based intervention improves medication adherence and chronic disease outcomes, 14(1):16, 22 *abs/comm*
Killinger KA
Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541–6
Kingsberg SA
Evaluation and treatment of sexual dysfunction in an older woman, 14(2):110–20
Kitch B
First report on a novel dissemination strategy for medical innovations, 14(11):601–2
Knight AM
Ten lessons from implementing a computerized provider order entry system, 14(2):105–9
Korus G
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6
Kravet SJ
Ten lessons from implementing a computerized provider order entry system, 14(2):105–9
Kwong WJ
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6): 332–8
LaBounty T
Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447–56
Landy SH
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6): 332–8
Leader S
Predictive accuracy of risk factors for RSV-related hospitalizations among infants in low-income families born at 32 to 35 weeks of gestation, 14(6):323–31
Lewis JB
Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5): 275–93
Lin NU
HER2-positive breast cancer, 14(7):395–403
Lis CG
Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3): 144–8
Lynch B
A hospital fall assessment and intervention project, 14(3):155–60
Mann DM
Pharmacy-based intervention improves medication adherence and chronic disease outcomes, 14(1):16, 22 *abs/comm*
Marino RJ
Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499–503

Mattimore TJ
Physician-patient communication about new medications, 14(7):404–10
McCarthy R
A diabetes management service to improve inpatient glycemic control, 14(5):249–58
McDonald SA
Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204
McGurk S
A diabetes management service to improve inpatient glycemic control, 14(5):249–58
Meis PH
Clinical, family, and cost outcomes of preterm births: an overview of the problem and prevention opportunities, 14(10):547–53
Mellen CK
Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99–101
Messina E
Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204
Moscucci M
Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447–56
Murff HJ
Bupropion therapy is effective for smoking cessation in community primary care clinics, 14(12):631–2 *abs/comm*
Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373–4 *abs/comm*
Folic acid supplementation improved cognitive function in older adults, 14(3):134–5 *abs/comm*
Get regular exercise, have fewer colds, 14(1): 27–8 *abs/comm*
Impact of calcium supplementation on cholesterol levels in women dieting to lose weight, 14(4):186–7 *abs/comm*
One-time ultrasound screening for abdominal aortic aneurysm: potential benefits for up to 15 years, 14(8):435–6 *abs/comm*
Optimizing prostate cancer screening: is less better?, 14(11):590–1 *abs/comm*
Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310–20 *abs/comm*
Potential benefits of a pedometer-based walking program in an inactive patient population, 14(5):238, 244 *abs/comm*
Routine self-monitoring of blood glucose does not improve glycemic control in noninsulin-treated diabetic patients, 14(10):537–8 *abs/comm*
Sertraline does not improve well-being in patients with advanced cancer who do not have depression, 14(9):488, 491 *abs/comm*
Vitamin E does not reduce cognitive decline in healthy elderly women, 14(2):73, 77 *abs/comm*
Olson C
Evaluation and management of chronic pelvic pain in women, 14(10):563–74
Owen JE
A systematic review of outcomes associated with psychosocial interventions for women with breast cancer, 14(6):341–52
Parsons JP
Exercise-induced bronchospasm: diagnosis and treatment, 14(4):211–21
Partridge MR
Educational interventions to improve asthma outcomes in children, 14(10):554–62
Peters RM
Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32–40
Petzel KJ
Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541–6
Pham JC
Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499–503
Pien GC
Atopic dermatitis: an evidence-based management approach, 14(8):465–74
Pietras SM
Preoperative and postoperative management of the bariatric surgical patient, 14(5):262–74
Pronovost PJ
Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499–503
Quesenberry CP
Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41–6
Quintero DR
Diagnosis and treatment of infants with bronchiolitis, 14(4):205–10
Rawn J
A diabetes management service to improve inpatient glycemic control, 14(5):249–58
Regan S
First report on a novel dissemination strategy for medical innovations, 14(11):601–2
Richardson CR
Helping sedentary patients become more active: a practicial guide for the primary care physician, 14(3):161–71
Rindone JP
Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99–101
Rosen JH
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6): 332–8
Sanders KA
Application of psychological strategies for pain management in primary care, 14(11):603–9
Schmidt MJ
Optimizing outcomes when patients leave against medical advice, 14(12):645–53
Schnatz PF
Evaluation and management of chronic pelvic pain in women, 14(10):563–74
Schwenk TL
Helping sedentary patients become more active: a practicial guide for the primary care physician, 14(3):161–71
Sequist TD
Automated data from electronic health records is variably accurate in assessing quality of heart failure care, 14(4):188, 192 *abs/comm*
Follow-up mailings increase rates of recommended colonoscopy, 14(2):78, 82 *abs/comm*
How adequate is care following hospital discharge?, 14(8):437–8 *abs/comm*
How much do physicians consider patient out-of-pocket costs?, 14(6):307, 311 *abs/comm*
Shah NR
Carotid intima-media thickness: too soon to tell?, 14(6):318–9 *abs/comm*
Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*
Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486–7 *abs/comm*
Shaheen NJ
Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93–8
Shetty GK
Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353–62
Spergel JM
Atopic dermatitis: an evidence-based management approach, 14(8):465–74
Stanton JE
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6
Stonemetz J
Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499–503
Tarn DM
Physician-patient communication about new medications, 14(7):404–10
Taylor FR
Sumatriptan/Naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195–204
Tolaney SM
HER2-positive breast cancer, 14(7):395–403
Ulatowski JA
Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499–503
Underberg JA
Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486–7 *abs/comm*

Usdan LS
Preoperative and postoperative management of the bariatric surgical patient, 14(5):262–74
Vinson DR
Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41–6
Wald A
Evaluation and management of chronic constipation in clinical practice, 14(7):411–20
Walter EB
Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595–600
Washer LL
Clostridium difficile colitis: a reemerging threat, 14(9):505–14
Wenger NS
Physician-patient communication about new medications, 14(7):404–10
Williams JW
Screening for dementia in primary care, 14(9):515–25
Winer EP
HER2-positive breast cancer, 14(7):395–403
Winickoff JP
First report on a novel dissemination strategy for medical innovations, 14(11):601–2
Wright SM
Ten lessons from implementing a computerized provider order entry system, 14(2):105–9
Yang H
Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595–600
Yawn BP
Applying the 2007 Expert Panel Report in caring for young children with asthma, 14(12):667–81

Copyright 2007 by Turner White Communications Inc., Wayne, PA. All rights reserved.