

Key to abbreviations: *abs/comm* = abstract with commentary.

SUBJECTS

**Abdominal aortic aneurysm**

Long-term benefit and cost-effectiveness of screening for abdominal aortic aneurysm, 14(7):386-8 *abs/comm*

One-time ultrasound screening for abdominal aortic aneurysm: potential benefits for up to 15 years, 14(8):435-6 *abs/comm*

**Acute coronary syndrome**

Diabetes continues to confer an adverse prognosis following acute coronary syndromes, 14(10):535-6 *abs/comm*

Does insurance coverage make a difference in acute coronary syndromes?, 14(1):15-6 *abs/comm*

Treatment-risk discordance in patients with non-ST elevation acute coronary syndromes, 14(8):439-40 *abs/comm*

**Acute myocardial infarction**

Are there differences in acute myocardial infarction treatment patterns between Canada and the United States?, 14(3):142-3 *abs/comm*

Carotid intima-media thickness: too soon to tell?, 14(6):318-9 *abs/comm*

Effect of socioeconomic status on acute myocardial infarction outcomes, 14(7):380, 386 *abs/comm*

Have AMI outcomes improved over the past 10 years?, 14(2):83-4 *abs/comm*

A regional system can safely and effectively transfer ST-elevation myocardial infarction patients, 14(12):642-3 *abs/comm*

Using wireless technology to improve door-to-balloon times, 14(9):485-6 *abs/comm*

**Adherence**

Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595-600

Pharmacy-based intervention improves medication adherence and chronic disease outcomes, 14(1):16, 22 *abs/comm*

Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32-40

A simple method for predicting adverse outcomes in heart disease patients, 14(11):581-2 *abs/comm*

**Adrenal mass**

Approach to incidentally discovered adrenal masses, 14(1):49-61

**Adverse drug events**

Adverse drug events leading to admission at a community nonteaching hospital, 14(7):389-94

**Alzheimer's disease**

Screening for dementia in primary care, 14(9):515-25

**Angina**

Multivessel or culprit-only stenting in patients with unstable angina or NSTEMI, 14(4):183-4 *abs/comm*

**Angiography**

Coronary computed tomography angiography

for the diagnosis of coronary artery disease, 14(8):447-56

**Antioxidants**

Comparison of 3 antioxidant combinations for preventing contrast-induced nephrotoxicity, 14(5):235-6 *abs/comm*

**Aspirin**

Low-dose aspirin does not prevent venous thromboembolism in healthy women, 14(12):632, 638 *abs/comm*

Using aspirin resistance to predict long-term cardiovascular outcomes, 14(9):491, 494 *abs/comm*

**Asthma**

Applying the 2007 Expert Panel Report in caring for young children with asthma, 14(12):667-81

Caring for adolescents and adults with asthma: what does the 2007 Expert Panel Report say?, 14(12):655-65

Educational interventions to improve asthma outcomes in children, 14(10):554-62

Exercise-induced bronchospasm: diagnosis and treatment, 14(4):211-21

**Atorvastatin**

Effect of high-dose atorvastatin on cardiovascular outcomes in elderly coronary patients, 14(9):496, 498 *abs/comm*

**Atrial fibrillation**

Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310-20 *abs/comm*

Screening for atrial fibrillation in older adults detects more cases than usual care, 14(11):584, 590 *abs/comm*

**Author in the room**

First report on a novel dissemination strategy for medical innovations, 14(11):601-2

**Bariatric surgery**

Preoperative and postoperative management of the bariatric surgical patient, 14(5):262-74

**Behavioral therapy**

Application of psychological strategies for pain management in primary care, 14(11):603-9

**Black cohosh**

Black cohosh: not effective for relieving postmenopausal symptoms, 14(2):82-3 *abs/comm*

**Blood glucose monitoring**

Routine self-monitoring of blood glucose does not improve glycemic control in noninsulin-treated diabetic patients, 14(10):537-8 *abs/comm*

**Blood pressure**

Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*

Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32-40

**Blood transfusion**

Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6

Transfusion safety—where should our efforts be focused now?, 14(8):457-63

Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6

**Bronchiolitis**

Diagnosis and treatment of infants with bronchiolitis, 14(4):205-10

**Bronchospasm, exercise-induced**

Exercise-induced bronchospasm: diagnosis and treatment, 14(4):211-21

**Bupropion**

Bupropion therapy is effective for smoking cessation in community primary care clinics, 14(12):631-2 *abs/comm*

**Calcium**

Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373-4 *abs/comm*

Impact of calcium supplementation on cholesterol levels in women dieting to lose weight, 14(4):186-7 *abs/comm*

**Cancer**

Sertraline does not improve well-being in patients with advanced cancer who do not have depression, 14(9):488, 491 *abs/comm*

Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3):144-8

**Cancer, breast**

HER2-positive breast cancer, 14(7):395-403

A systematic review of outcomes associated with psychosocial interventions for women with breast cancer, 14(6):341-52

**Cancer, colorectal**

Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93-8

Follow-up mailings increase rates of recommended colonoscopy, 14(2):78, 82 *abs/comm*

Strategies to improve colorectal cancer outcomes: update 2007, 14(11):611-21

**Cancer, prostate**

Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541-6

Optimizing prostate cancer screening: is less better?, 14(11):590-1 *abs/comm*

**Cardiac catheterization**

Treatment-risk discordance in patients with non-ST elevation acute coronary syndromes, 14(8):439-40 *abs/comm*

**Cardiac surgery**

Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310-20 *abs/comm*

**Cardiovascular disease**

The conundrum of rosiglitazone, 14(7):378-9 *abs/comm*

Effect of high-dose atorvastatin on cardiovascular outcomes in elderly coronary patients, 14(9):496, 498 *abs/comm*

Further insight into the vitamin E debate, 14(3):135-6 *abs/comm*

Improving cardiovascular risk prediction for women, 14(4):192-3 *abs/comm*

- A simple method for predicting adverse outcomes in heart disease patients, 14(11):581-2, *abs/comm*
- Using aspirin resistance to predict long-term cardiovascular outcomes, 14(9):491, 494 *abs/comm*
- Carotid intima-media thickness**
- Carotid intima-media thickness: too soon to tell?, 14(6):318-9 *abs/comm*
- Carotid stenosis**
- Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*
- Carvedilol**
- Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99-101
- Cataracts**
- The application of statistical process control to cataract surgery, 14(3):149-54
- Chest pain**
- Computed tomography coronary angiography for faster evaluation of chest pain syndrome, 14(4):185-6 *abs/comm*
- Cholesterol**
- Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*
- Effect of high-dose atorvastatin on cardiovascular outcomes in elderly coronary patients, 14(9):496, 498 *abs/comm*
- Impact of calcium supplementation on cholesterol levels in women dieting to lose weight, 14(4):186-7 *abs/comm*
- Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486-7 *abs/comm*
- Chronic disease**
- Evaluating quality of care in community-dwelling adults with multiple chronic conditions, 14(10):536-7 *abs/comm*
- Pharmacy-based intervention improves medication adherence and chronic disease outcomes, 14(1):16, 22 *abs/comm*
- Clostridium difficile**
- Clostridium difficile* colitis: a reemerging threat, 14(9):505-14
- Coding, medical records**
- Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499-503
- Cognitive behavioral therapy**
- Application of psychological strategies for pain management in primary care, 14(11):603-9
- Colitis**
- Clostridium difficile* colitis: a reemerging threat, 14(9):505-14
- Colonoscopy**
- Follow-up mailings increase rates of recommended colonoscopy, 14(2):78, 82 *abs/comm*
- Common cold**
- Get regular exercise, have fewer colds, 14(1):27-8 *abs/comm*
- Complementary medicine**
- Black cohosh: not effective for relieving postmenopausal symptoms, 14(2):82-3 *abs/comm*
- Computed tomography**
- Computed tomography coronary angiography for faster evaluation of chest pain syndrome, 14(4):185-6 *abs/comm*
- Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447-56
- Computerized physician order entry**
- Ten lessons from implementing a computerized provider order entry system, 14(2):105-9
- Constipation**
- Evaluation and management of chronic constipation in clinical practice, 14(7):411-20
- Coronary angiography**
- Computed tomography coronary angiography for faster evaluation of chest pain syndrome, 14(4):185-6 *abs/comm*
- Coronary artery bypass grafting**
- Treatment of multivessel coronary artery disease: a comparison of 3 therapeutic strategies, 14(6):315, 318 *abs/comm*
- Coronary artery disease**
- Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447-56
- No added benefits of PCI over optimal medical therapy alone in patients with coronary artery disease, 14(5):244, 246 *abs/comm*
- Socioeconomic status in childhood affects risk for CHD, 14(1):8, 13 *abs/comm*
- Treatment of multivessel coronary artery disease: a comparison of 3 therapeutic strategies, 14(6):315, 318 *abs/comm*
- Corticosteroids**
- Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310-20 *abs/comm*
- Cost-sharing programs**
- How much do physicians consider patient out-of-pocket costs?, 14(6):307, 311 *abs/comm*
- Cystitis**
- Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41-6
- Dementia**
- Folic acid supplementation improved cognitive function in older adults, 14(3):134-5 *abs/comm*
- Improved dementia care with disease management, 14(1):13-4 *abs/comm*
- Screening for dementia in primary care, 14(9):515-25
- Vitamin E does not reduce cognitive decline in healthy elderly women, 14(2):73, 77 *abs/comm*
- Depression**
- Effect of a practice-level depression care management intervention on mortality in older adults, 14(10):539-40 *abs/comm*
- Sertraline does not improve well-being in patients with advanced cancer who do not have depression, 14(9):488, 491 *abs/comm*
- Dermatitis, atopic**
- Atopic dermatitis: an evidence-based management approach, 14(8):465-74
- Diabetes**
- The conundrum of rosiglitazone, 14(7):378-9 *abs/comm*
- Diabetes continues to confer an adverse prognosis following acute coronary syndromes, 14(10):535-6 *abs/comm*
- A diabetes management service to improve inpatient glycemic control, 14(5):249-58
- Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5):275-93
- Routine self-monitoring of blood glucose does not improve glycemic control in noninsulin-treated diabetic patients, 14(10):537-8 *abs/comm*
- Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486-7 *abs/comm*
- Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353-62
- Diet**
- Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*
- Discharge planning**
- Effect of hospitalist care on length of stay in patients requiring close monitoring and complex discharge planning, 14(11):582-3 *abs/comm*
- How adequate is care following hospital discharge?, 14(8):437-8 *abs/comm*
- Optimizing outcomes when patients leave against medical advice, 14(12):645-53
- Dyslipidemia**
- Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486-7 *abs/comm*
- Eczema**
- Atopic dermatitis: an evidence-based management approach, 14(8):465-74
- Electronic health records**
- Automated data from electronic health records is variably accurate in assessing quality of heart failure care, 14(4):188, 192 *abs/comm*
- Emergency department utilization**
- Emergency department crowding linked to delays in quality, timely care, 14(12):643-4 *abs/comm*
- Higher deductibles can reduce emergency department use, but at what cost?, 14(5):236-7 *abs/comm*
- Endarterectomy**
- Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*
- Errors**
- Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6
- Exercise**
- Get regular exercise, have fewer colds, 14(1):27-8 *abs/comm*
- Helping sedentary patients become more active: a practical guide for the primary care physician, 14(3):161-71
- Potential benefits of a pedometer-based walking program in an inactive patient population, 14(5):238, 244 *abs/comm*
- Failure modes and effects analysis**
- Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6

**Fall prevention**

A hospital fall assessment and intervention project, 14(3):155-60

**Fecal occult blood testing**

Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93-8

**Folic acid**

Folic acid supplementation improved cognitive function in older adults, 14(3):134-5 *abs/comm*

**Glycemic control**

A diabetes management service to improve inpatient glycemic control, 14(5):249-58  
 Routine self-monitoring of blood glucose does not improve glycemic control in noninsulin-treated diabetic patients, 14(10):537-8 *abs/comm*  
 Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353-62

**Guidelines**

Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595-600  
 Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32-40

**Headache**

A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332-8  
 Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204

**Health care costs**

Higher deductibles can reduce emergency department use, but at what cost?, 14(5):236-7 *abs/comm*  
 How much do physicians consider patient out-of-pocket costs?, 14(6):307, 311 *abs/comm*

**Health insurance status**

Does insurance coverage make a difference in acute coronary syndromes?, 14(1):15-6 *abs/comm*

**Heart failure**

Automated data from electronic health records is variably accurate in assessing quality of heart failure care, 14(4):188, 192 *abs/comm*  
 Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99-101

**Helicobacter pylori**

Sequential therapy outperforms the current standard of care for *Helicobacter pylori* eradication, 14(6):312, 315 *abs/comm*

**Hospitalist care**

Effect of hospitalist care on length of stay in patients requiring close monitoring and complex discharge planning, 14(11):582-3 *abs/comm*

**Hypoactive sexual desire disorder**

Evaluation and treatment of sexual dysfunction in an older woman, 14(2):110-20

**Incidentaloma**

Approach to incidentally discovered adrenal masses, 14(1):49-61

**Influenza vaccination**

Influenza vaccination and lower mortality

rates in adults hospitalized with pneumonia, 14(3):136, 142 *abs/comm*

**Information technology**

Automated data from electronic health records is variably accurate in assessing quality of heart failure care, 14(4):188, 192 *abs/comm*  
 Ten lessons from implementing a computerized provider order entry system, 14(2):105-9

**Insulin**

Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353-62

**Leaving against medical advice**

Optimizing outcomes when patients leave against medical advice, 14(12):645-53

**Medical group practice**

Does the structure of medical practice predict quality of care?, 14(3):127, 131 *abs/comm*

**Medication prescribing**

Physician-patient communication about new medications, 14(7):404-10

**Menopause**

Black cohosh: not effective for relieving postmenopausal symptoms, 14(2):82-3 *abs/comm*

**Metoprolol**

Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99-101

**Migraine**

A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332-8  
 Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204

**Nephropathy, diabetic**

Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5):275-93

**Nephrotoxicity**

Comparison of 3 antioxidant combinations for preventing contrast-induced nephrotoxicity, 14(5):235-6 *abs/comm*

**NSTEMI**

Multivessel or culprit-only stenting in patients with unstable angina or NSTEMI, 14(4):183-4 *abs/comm*

**Obesity**

Preoperative and postoperative management of the bariatric surgical patient, 14(5):262-74

**Otitis media**

Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595-600

**Outcomes databases**

Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541-6

**Pain**

Application of psychological strategies for pain management in primary care, 14(11):603-9  
 Conservative therapy and early surgery for sciatica yield similar outcomes, 14(8):438-9 *abs/comm*  
 Evaluation and management of chronic pelvic pain in women, 14(10):563-74

**Patient safety**

A hospital fall assessment and intervention project, 14(3):155-60

**Patient transfers**

How adequate is care following hospital discharge?, 14(8):437-8 *abs/comm*  
 A regional system can safely and effectively transfer ST-elevation myocardial infarction patients, 14(12):642-3 *abs/comm*

**Pedometers**

Potential benefits of a pedometer-based walking program in an inactive patient population, 14(5):238, 244 *abs/comm*

**Percutaneous coronary intervention**

No added benefits of PCI over optimal medical therapy alone in patients with coronary artery disease, 14(5):244, 246 *abs/comm*  
 Treatment of multivessel coronary artery disease: a comparison of 3 therapeutic strategies, 14(6):315, 318 *abs/comm*

Using wireless technology to improve door-to-balloon times, 14(9):485-6 *abs/comm*

**Perioperative care**

Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310-20 *abs/comm*

**Physical activity**

Helping sedentary patients become more active: a practical guide for the primary care physician, 14(3):161-71

**Physician-patient communication**

Physician-patient communication about new medications, 14(7):404-10

**Pneumonia**

Influenza vaccination and lower mortality rates in adults hospitalized with pneumonia, 14(3):136, 142 *abs/comm*

**Practice variation**

Are there differences in acute myocardial infarction treatment patterns between Canada and the United States?, 14(3):142-3 *abs/comm*

**Preterm birth**

Clinical, family, and cost outcomes of preterm births: an overview of the problem and prevention opportunities, 14(10):547-53

**Progesterone**

Clinical, family, and cost outcomes of preterm births: an overview of the problem and prevention opportunities, 14(10):547-53

**Prostatectomy**

Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541-6

**Quality of life index**

Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3):144-8

**Renal insufficiency**

Comparison of 3 antioxidant combinations for preventing contrast-induced nephrotoxicity, 14(5):235-6 *abs/comm*

**Reports from the Field**

A diabetes management service to improve inpatient glycemic control, 14(5):249-58  
 Establishing a prostatectomy outcomes database

- for clinical practice improvement, research, and education: a community hospital experience, 14(10):541-6
- A hospital fall assessment and intervention project, 14(3):155-60
- Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6
- Ten lessons from implementing a computerized provider order entry system, 14(2):105-9
- Respiratory syncytial virus**
- Diagnosis and treatment of infants with bronchiolitis, 14(4):205-10
- Predictive accuracy of risk factors for RSV-related hospitalizations among infants in low-income families born at 32 to 35 weeks of gestation, 14(6):323-31
- Revascularization**
- Treatment-risk discordance in patients with non-ST elevation acute coronary syndromes, 14(8):439-40 *abs/comm*
- Rheumatoid arthritis**
- Early rheumatoid arthritis: is there a best treatment?, 14(5):233-4 *abs/comm*
- Risk of mortality index**
- Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499-503
- Risk prediction**
- Improving cardiovascular risk prediction for women, 14(4):192-3 *abs/comm*
- Rosiglitazone**
- The conundrum of rosiglitazone, 14(7):378-9 *abs/comm*
- Safety**
- Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6
- Transfusion safety—where should our efforts be focused now?, 14(8):457-63
- Sciatica**
- Conservative therapy and early surgery for sciatica yield similar outcomes, 14(8):438-9 *abs/comm*
- Screening**
- Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93-8
- Follow-up mailings increase rates of recommended colonoscopy, 14(2):78, 82 *abs/comm*
- Long-term benefit and cost-effectiveness of screening for abdominal aortic aneurysm, 14(7):386-8 *abs/comm*
- One-time ultrasound screening for abdominal aortic aneurysm: potential benefits for up to 15 years, 14(8):435-6 *abs/comm*
- Optimizing prostate cancer screening: is less better?, 14(11):590-1 *abs/comm*
- Screening for atrial fibrillation in older adults detects more cases than usual care, 14(11):584, 590 *abs/comm*
- Screening for dementia in primary care, 14(9):515-25
- Sertraline**
- Sertraline does not improve well-being in patients with advanced cancer who do not have depression, 14(9):488, 491 *abs/comm*
- Severity of illness index**
- Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499-503
- Sexual dysfunction**
- Evaluation and treatment of sexual dysfunction in an older woman, 14(2):110-20
- Smoking cessation**
- Bupropion therapy is effective for smoking cessation in community primary care clinics, 14(12):631-2 *abs/comm*
- Socioeconomic status**
- Effect of socioeconomic status on acute myocardial infarction outcomes, 14(7):380, 386 *abs/comm*
- Socioeconomic status in childhood affects risk for CHD, 14(1):8, 13 *abs/comm*
- Soy**
- Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*
- Statistical process control**
- The application of statistical process control to cataract surgery, 14(3):149-54
- Stenting**
- Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*
- Multivessel or culprit-only stenting in patients with unstable angina or NSTEMI, 14(4):183-4 *abs/comm*
- No added benefits of PCI over optimal medical therapy alone in patients with coronary artery disease, 14(5):244, 246 *abs/comm*
- Stroke**
- Carotid intima-media thickness: too soon to tell?, 14(6):318-9 *abs/comm*
- Supplements**
- Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373-4 *abs/comm*
- Syncope**
- Admission warranted for older patients with syncopal episodes, 14(8):432, 435 *abs/comm*
- Telephone management**
- Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41-6
- Thiazolidinediones**
- The conundrum of rosiglitazone, 14(7):378-9 *abs/comm*
- Trastuzumab**
- HER2-positive breast cancer, 14(7):395-403
- Ultrasonography**
- One-time ultrasound screening for abdominal aortic aneurysm: potential benefits for up to 15 years, 14(8):435-6 *abs/comm*
- Urinary tract infection**
- Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41-6
- Venous thromboembolism**
- Low-dose aspirin does not prevent venous thromboembolism in healthy women, 14(12):632, 638 *abs/comm*
- Vitamin D**
- Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373-4 *abs/comm*
- Vitamin E**
- Further insight into the vitamin E debate, 14(3):135-6 *abs/comm*
- Vitamin E does not reduce cognitive decline in healthy elderly women, 14(2):73, 77 *abs/comm*
- Weight management**
- Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373-4 *abs/comm*
- Impact of calcium supplementation on cholesterol levels in women dieting to lose weight, 14(4):186-7 *abs/comm*
- Preoperative and postoperative management of the bariatric surgical patient, 14(5):262-74
- Wireless technology**
- Using wireless technology to improve door-to-balloon times, 14(9):485-6 *abs/comm*

**AUTHORS**

**Abrahamson MJ**

Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353-62

**Ames MH**

Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204

**Anthony SG**

A diabetes management service to improve inpatient glycemic control, 14(5):249-58

**Apovian CM**

Preoperative and postoperative management of the bariatric surgical patient, 14(5):262-74

**Armstrong J**

Clinical, family, and cost outcomes of preterm births: an overview of the problem and prevention opportunities, 14(10):547-53

**Bantum EO**

A systematic review of outcomes associated with psychosocial interventions for women with breast cancer, 14(6):341-52

**Benkert R**

Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32-40

**Bourgeois F**

First report on a novel dissemination strategy for medical innovations, 14(11):601-2

**Braverman-Panza J**

A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332-8

Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204

**Brooks JP**

Transfusion safety—where should our efforts be focused now?, 14(8):457-63

**Brunelle N**

Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32-40

**Bruns AS**

Exercise-induced bronchospasm: diagnosis and treatment, 14(4):211-21

**Burch SP**

A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332-8

Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204

**Butler K**

Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32-40

**Byrd SC**

Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional

ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204

**Campbell E**

First report on a novel dissemination strategy for medical innovations, 14(11):601-2

**Capan K**

A hospital fall assessment and intervention project, 14(3):155-60

**Chenoweth CE**

*Clostridium difficile* colitis: a reemerging threat, 14(9):505-14

**Chuang P**

Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5):275-93

**Cinti SK**

*Clostridium difficile* colitis: a reemerging threat, 14(9):505-14

**Clark NM**

Educational interventions to improve asthma outcomes in children, 14(10):554-62

**Copeland PM**

Approach to incidentally discovered adrenal masses, 14(1):49-61

**Diokno AC**

Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541-6

**Dolor RJ**

Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595-600

**Donahue RG**

Application of psychological strategies for pain management in primary care, 14(11):603-9

**Donovan K**

A systematic review of outcomes associated with psychosocial interventions for women with breast cancer, 14(6):341-52

**Dostal KU**

Optimizing outcomes when patients leave against medical advice, 14(12):645-53

**Edwards DB**

Adverse drugs events leading to admission at a community nonteaching hospital, 14(7):389-94

**Enzenauer RW**

The application of statistical process control to cataract surgery, 14(3):149-54

**Fajtova VT**

A diabetes management service to improve inpatient glycemic control, 14(5):249-58

**Fisher DA**

Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93-8

**Fogt F**

Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6

**Friedberg MW**

Effect of a practice-level depression care management intervention on mortality in older adults, 14(10):539-40 *abs/comm*

Low-dose aspirin does not prevent venous thromboembolism in healthy women, 14(12):632, 638 *abs/comm*

**Fuhlbrigge AL**

Caring for adolescents and adults with asthma: what does the 2007 Expert Panel Report say?, 14(12):655-65

**Gavin NI**

Predictive accuracy of risk factors for RSV-related hospitalizations among infants in low-income families born at 32 to 35 weeks of gestation, 14(6):323-31

**Gershan WM**

Diagnosis and treatment of infants with bronchiolitis, 14(4):205-10

**Gill S**

Strategies to improve colorectal cancer outcomes: update 2008, 14(11):611-21

**Giullian JA**

Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5):275-93

**Goldberg E**

Carotid intima-media thickness: too soon to tell?, 14(6):318-9 *abs/comm*

**Goldberg RM**

Strategies to improve colorectal cancer outcomes: update 2008, 14(11):611-21

**Griffin L**

A diabetes management service to improve inpatient glycemic control, 14(5):249-58

**Grutsch JF**

Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3):144-8

**Guidry J**

Adverse drugs events leading to admission at a community nonteaching hospital, 14(7):389-94

**Gupta D**

Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3):144-8

**Heiring JO**

Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204

**Heisler M**

Adverse drugs events leading to admission at a community nonteaching hospital, 14(7):389-94

**Holsinger T**

Screening for dementia in primary care, 14(9):515-25

**Homer D**

A diabetes management service to improve inpatient glycemic control, 14(5):249-58

**Hornig MS**

Black cohosh: not effective for relieving postmenopausal symptoms, 14(2):82-3 *abs/comm*

Conservative therapy and early surgery for sciatica yield similar outcomes, 14(8):438-9 *abs/comm*

- The conundrum of rosiglitazone, 14(7):378–9  
*abs/comm*
- Early rheumatoid arthritis: is there a best treatment?, 14(5):233–4 *abs/comm*
- Effect of high-dose atorvastatin on cardiovascular outcomes in elderly coronary patients, 14(9):496, 498 *abs/comm*
- Improved dementia care with disease management, 14(1):13–4 *abs/comm*
- Improving cardiovascular risk prediction for women, 14(4):192–3 *abs/comm*
- Influenza vaccination and lower mortality rates in adults hospitalized with pneumonia, 14(3):136, 142 *abs/comm*
- Sequential therapy outperforms the current standard of care for *Helicobacter pylori* eradication, 14(6):312, 315 *abs/comm*
- Houle CR**  
Educational interventions to improve asthma outcomes in children, 14(10):554–62
- Huang RL**  
Are there differences in acute myocardial infarction treatment patterns between Canada and the United States?, 14(3):142–3 *abs/comm*
- Comparison of 3 antioxidant combinations for preventing contrast-induced nephrotoxicity, 14(5):235–6 *abs/comm*
- Diabetes continues to confer an adverse prognosis following acute coronary syndromes, 14(10):535–6 *abs/comm*
- Does insurance coverage make a difference in acute coronary syndromes?, 14(1):15–6 *abs/comm*
- Effect of hospitalist care on length of stay in patients requiring close monitoring and complex discharge planning, 14(11):582–3 *abs/comm*
- Effect of socioeconomic status on acute myocardial infarction outcomes, 14(7):380, 386 *abs/comm*
- Have AMI outcomes improved over the past 10 years?, 14(2):83–4 *abs/comm*
- Multivessel or culprit-only stenting in patients with unstable angina or NSTEMI, 14(4):183–4 *abs/comm*
- A regional system can safely and effectively transfer ST-elevation myocardial infarction patients, 14(12):642–3 *abs/comm*
- Treatment of multivessel coronary artery disease: a comparison of 3 therapeutic strategies, 14(6):315, 318 *abs/comm*
- Treatment-risk discordance in patients with non-ST elevation acute coronary syndromes, 14(8):439–40 *abs/comm*
- Using wireless technology to improve door-to-balloon times, 14(9):485–6 *abs/comm*
- Hutchinson S**  
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332–8
- Hwang U**  
Admission warranted for older patients with syncopal episodes, 14(8):432, 435 *abs/comm*
- Emergency department crowding linked to delays in quality, timely care, 14(12):643–4 *abs/comm*
- Computed tomography coronary angiography for faster evaluation of chest pain syndrome, 14(4):185–6 *abs/comm*
- Ibrahim IA**  
Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541–6
- Israelite CL**  
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6
- Janjigian MP**  
Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*
- Jatla KK**  
The application of statistical process control to cataract surgery, 14(3):149–54
- Jha AK**  
Dietary soy can make a heart-healthy diet even better, 14(7):374, 378 *abs/comm*
- Further insight into the vitamin E debate, 14(3):135–6 *abs/comm*
- No added benefits of PCI over optimal medical therapy alone in patients with coronary artery disease, 14(5):244, 246 *abs/comm*
- A simple method for predicting adverse outcomes in heart disease patients, 14(11):581–2 *abs/comm*
- Socioeconomic status in childhood affects risk for CHD, 14(1):8, 13 *abs/comm*
- Using aspirin resistance to predict long-term cardiovascular outcomes, 14(9):491, 494 *abs/comm*
- Johnson MR**  
Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93–8
- Jordan RM**  
Adverse drug events leading to admission at a community nonteaching hospital, 14(7):389–94
- Kaaki B**  
Evaluation and treatment of sexual dysfunction in an older woman, 14(2):110–20
- Kazerooni EA**  
Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447–56
- Kern LM**  
Does the structure of medical practice predict quality of care?, 14(3):127, 131 *abs/comm*
- Long-term benefit and cost-effectiveness of screening for abdominal aortic aneurysm, 14(7):386–8 *abs/comm*
- Screening for atrial fibrillation in older adults detects more cases than usual care, 14(11):584, 590 *abs/comm*
- Kerns RD**  
Application of psychological strategies for pain management in primary care, 14(11):603–9
- Keyhani S**  
Evaluating quality of care in community-dwelling adults with multiple chronic conditions, 14(10):536–7 *abs/comm*
- Higher deductibles can reduce emergency department use, but at what cost?, 14(5):236–7 *abs/comm*
- Pharmacy-based intervention improves medication adherence and chronic disease outcomes, 14(1):16, 22 *abs/comm*
- Killinger KA**  
Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541–6
- Kingsberg SA**  
Evaluation and treatment of sexual dysfunction in an older woman, 14(2):110–20
- Kitch B**  
First report on a novel dissemination strategy for medical innovations, 14(11):601–2
- Knight AM**  
Ten lessons from implementing a computerized provider order entry system, 14(2):105–9
- Korus G**  
Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441–6
- Kravet SJ**  
Ten lessons from implementing a computerized provider order entry system, 14(2):105–9
- Kwong WJ**  
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332–8
- LaBounty T**  
Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447–56
- Landy SH**  
A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332–8
- Leader S**  
Predictive accuracy of risk factors for RSV-related hospitalizations among infants in low-income families born at 32 to 35 weeks of gestation, 14(6):323–31
- Lewis JB**  
Diabetic nephropathy for the primary care physician: more than microalbuminuria, 14(5):275–93
- Lin NU**  
HER2-positive breast cancer, 14(7):395–403
- Lis CG**  
Using the quality of life index as a prognostic stratification tool in advanced cancer, 14(3):144–8
- Lynch B**  
A hospital fall assessment and intervention project, 14(3):155–60
- Mann DM**  
Pharmacy-based intervention improves medication adherence and chronic disease outcomes, 14(1):16, 22 *abs/comm*
- Marino RJ**  
Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499–503

**Mattimore TJ**

Physician-patient communication about new medications, 14(7):404-10

**McCarthy R**

A diabetes management service to improve inpatient glycemic control, 14(5):249-58

**McDonald SA**

Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204

**McGurk S**

A diabetes management service to improve inpatient glycemic control, 14(5):249-58

**Meis PH**

Clinical, family, and cost outcomes of preterm births: an overview of the problem and prevention opportunities, 14(10):547-53

**Mellen CK**

Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99-101

**Messina E**

Sumatriptan/naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204

**Mosucci M**

Coronary computed tomography angiography for the diagnosis of coronary artery disease, 14(8):447-56

**Murff HJ**

Bupropion therapy is effective for smoking cessation in community primary care clinics, 14(12):631-2 *abs/comm*

Calcium and vitamin D supplementation has little effect on postmenopausal weight gain, 14(7):373-4 *abs/comm*

Folic acid supplementation improved cognitive function in older adults, 14(3):134-5 *abs/comm*

Get regular exercise, have fewer colds, 14(1):27-8 *abs/comm*

Impact of calcium supplementation on cholesterol levels in women dieting to lose weight, 14(4):186-7 *abs/comm*

One-time ultrasound screening for abdominal aortic aneurysm: potential benefits for up to 15 years, 14(8):435-6 *abs/comm*

Optimizing prostate cancer screening: is less better?, 14(11):590-1 *abs/comm*

Perioperative intravenous corticosteroids reduce the risk of atrial fibrillation following cardiac surgery, 14(6):310-20 *abs/comm*

Potential benefits of a pedometer-based walking program in an inactive patient population, 14(5):238, 244 *abs/comm*

Routine self-monitoring of blood glucose does not improve glycemic control in noninsulin-treated diabetic patients, 14(10):537-8 *abs/comm*

Sertraline does not improve well-being in patients with advanced cancer who do not have depression, 14(9):488, 491 *abs/comm*

Vitamin E does not reduce cognitive decline in healthy elderly women, 14(2):73, 77 *abs/comm*

**Olson C**

Evaluation and management of chronic pelvic pain in women, 14(10):563-74

**Owen JE**

A systematic review of outcomes associated with psychosocial interventions for women with breast cancer, 14(6):341-52

**Parsons JP**

Exercise-induced bronchospasm: diagnosis and treatment, 14(4):211-21

**Partridge MR**

Educational interventions to improve asthma outcomes in children, 14(10):554-62

**Peters RM**

Provider adherence to JNC7 guidelines and blood pressure outcomes in African Americans, 14(1):32-40

**Petzel KJ**

Establishing a prostatectomy outcomes database for clinical practice improvement, research, and education: a community hospital experience, 14(10):541-6

**Pham JC**

Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499-503

**Pien GC**

Atopic dermatitis: an evidence-based management approach, 14(8):465-74

**Pietras SM**

Preoperative and postoperative management of the bariatric surgical patient, 14(5):262-74

**Pronovost PJ**

Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499-503

**Quesenberry CP**

Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41-6

**Quintero DR**

Diagnosis and treatment of infants with bronchiolitis, 14(4):205-10

**Rawn J**

A diabetes management service to improve inpatient glycemic control, 14(5):249-58

**Regan S**

First report on a novel dissemination strategy for medical innovations, 14(11):601-2

**Richardson CR**

Helping sedentary patients become more active: a practical guide for the primary care physician, 14(3):161-71

**Rindone JP**

Tolerability of conversion from carvedilol to metoprolol in patients with heart failure, 14(2):99-101

**Rosen JH**

A migraine disease management program in the primary care setting: impact on patient quality of life and productivity loss, 14(6):332-8

**Sanders KA**

Application of psychological strategies for pain management in primary care, 14(11):603-9

**Schmidt MJ**

Optimizing outcomes when patients leave against medical advice, 14(12):645-53

**Schnatz PF**

Evaluation and management of chronic pelvic pain in women, 14(10):563-74

**Schwenk TL**

Helping sedentary patients become more active: a practical guide for the primary care physician, 14(3):161-71

**Sequist TD**

Automated data from electronic health records is variably accurate in assessing quality of heart failure care, 14(4):188, 192 *abs/comm*

Follow-up mailings increase rates of recommended colonoscopy, 14(2):78, 82 *abs/comm*

How adequate is care following hospital discharge?, 14(8):437-8 *abs/comm*

How much do physicians consider patient out-of-pocket costs?, 14(6):307, 311 *abs/comm*

**Shah NR**

Carotid intima-media thickness: too soon to tell?, 14(6):318-9 *abs/comm*

Endarterectomy is superior to stenting in patients with symptomatic severe carotid stenosis, 14(2):89, 92 *abs/comm*

Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486-7 *abs/comm*

**Shaheen NJ**

Fecal occult blood testing completion in a VA population: low and strongly related to race, 14(2):93-8

**Shetty GK**

Treatment of type 2 diabetes: what to do when oral combination therapy fails, 14(6):353-62

**Spergel JM**

Atopic dermatitis: an evidence-based management approach, 14(8):465-74

**Stanton JE**

Prospective risk assessment and intervention to reduce blood transfusion errors, 14(8):441-6

**Stonemetz J**

Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499-503

**Tarn DM**

Physician-patient communication about new medications, 14(7):404-10

**Taylor FR**

Sumatriptan/Naproxen sodium as early intervention for migraine: effects on functional ability, productivity, and satisfaction in 2 randomized controlled trials, 14(4):195-204

**Tolaney SM**

HER2-positive breast cancer, 14(7):395-403

**Ulatowski JA**

Effect of concurrent computerized documentation of comorbid conditions on the risk of mortality index, 14(9):499-503

**Underberg JA**

Targeting high-density lipoprotein cholesterol in diabetic patients to reduce cardiovascular risk, 14(9):486-7 *abs/comm*

## INDEX TO VOLUME 14

### Usdan LS

Preoperative and postoperative management of the bariatric surgical patient, 14(5):262-74

### Vinson DR

Telephone management of presumed cystitis in women: factors associated with recurrence, 14(1):41-6

### Wald A

Evaluation and management of chronic constipation in clinical practice, 14(7):411-20

### Walter EB

Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric

and family practices, 14(11):595-600

### Washer LL

*Clostridium difficile* colitis: a reemerging threat, 14(9):505-14

### Wenger NS

Physician-patient communication about new medications, 14(7):404-10

### Williams JW

Screening for dementia in primary care, 14(9):515-25

### Winer EP

HER2-positive breast cancer, 14(7):395-403

### Winickoff JP

First report on a novel dissemination strategy for medical innovations, 14(11):601-2

### Wright SM

Ten lessons from implementing a computerized provider order entry system, 14(2):105-9

### Yang H

Low rates of adherence to 1999 acute otitis media treatment guidelines across pediatric and family practices, 14(11):595-600

### Yawn BP

Applying the 2007 Expert Panel Report in caring for young children with asthma, 14(12):667-81

Copyright 2007 by Turner White Communications Inc., Wayne, PA. All rights reserved.