

**Key to abbreviations:** *abs/comm* = abstract with commentary.

**SUBJECTS**

**Abdominal pain**

Functional abdominal pain in children, 15(5): 248–58

Recurrent abdominal pain symptoms in childhood: a population-based study, 15(6):287–92

**Acne**

Combination therapies are more effective than monotherapy for mild to moderate acne, 15(1):9–10 *abs/comm*

**Acute coronary syndrome**

Smoking ban significantly reduces acute coronary syndrome admissions, 15(10):478, 480, 484 *abs/comm*

**Adapalene**

Combination therapies are more effective than monotherapy for mild to moderate acne, 15(1):9–10 *abs/comm*

**Alzheimer's disease**

Diagnosis and treatment of Alzheimer's disease, 15(2):87–100

**Anorexia nervosa**

Anorexia nervosa: role of the primary care physician, 15(9):450–60

**Anticoagulation**

Periprocedural anticoagulation management in orthopedic patients: overview and description of a program utilizing pharmacogenetics, 15(4):183–90

**Anxiety**

Generalized anxiety disorder in adults, 15(7): 353–63

**Aortic stenosis**

Limited benefit for aggressive lipid lowering with simvastatin/ezetimibe in patients with aortic stenosis; possible increased risk of cancer, 15(11):528, 530 *abs/comm*

**Aspirin**

No benefit of daily low-dose aspirin in diabetic patients with peripheral arterial disease, 15(12):575–6 *abs/comm*

**Asthma**

Improving influenza vaccine coverage among asthmatics: a practice-based research network study, 15(5):227–34

**Barrett's esophagus**

Barrett's esophagus: evaluation and management, 15(8):402–11

**Behavioral therapy**

Supporting behavior change in overweight patients: a guide for the primary care physician, 15(11):536–44

**Benzoyl peroxide**

Combination therapies are more effective than monotherapy for mild to moderate acne, 15(1):9–10 *abs/comm*

**Beta blockers**

The POISE trial: casting more doubt on the benefits of perioperative beta blockers, 15(10): 470–1 *abs/comm*

**Beta carotene**

Beta carotene supplementation may improve cognitive function over the long term, 15(1): 10–1 *abs/comm*

**Biologic therapy**

Biologic agents in the treatment of Crohn's disease, 15(1):31–8

**Biomarkers**

Can biomarkers improve prediction of cardiovascular events in heart disease patients?, 15(3):112–3 *abs/comm*

**Bivalirudin**

Bivalirudin reduces adverse events during primary percutaneous coronary intervention for acute myocardial infarction, 15(7):317–8 *abs/comm*

**Blood glucose**

Self-monitoring of blood glucose depressingly not helpful in the newly diagnosed, 15(7): 318–9 *abs/comm*

**Cancer**

Diagnosis of advanced-stage cancer more likely in the uninsured and Medicaid-insured, 15(6): 272–4 *abs/comm*

End-of-life discussions associated with less aggressive care in patients dying of cancer, 15(12):583–5

Prostate cancer screening: benefits remain uncertain, 15(10):474–5 *abs/comm*

Quality of surveillance for hepatocellular carcinoma determines outcome in cirrhotic patients, 15(4):175 *abs/comm*

Stool DNA testing for colorectal cancer shows promise, 15(12):578–9 *abs/comm*

A young woman with a thyroid nodule, 15(9): 443–9

**Cardiac arrest**

Chest compression–only CPR as effective as standard CPR, 15(2):60–1 *abs/comm*

CPR was a success, but the patient died: performance debriefing of cardiac arrest processes and postevent outcomes, 15(8):371–2 *abs/comm*

**Cardiovascular disease**

Can biomarkers improve prediction of cardiovascular events in heart disease patients?, 15(3):112–3 *abs/comm*

Low levels of 25-hydroxyvitamin D related to increased mortality, but questions remain, 15(11):531–2 *abs/comm*

**Cardiovascular risk**

Achievement of blood lipid targets in patients informed of their coronary risk, 15(3):115–6 *abs/comm*

Cardioprotective strategies for patients with type 2 diabetes, 15(3):133–46

Near-continuous association between lipoprotein(a) level and CHD risk independent of established cardiovascular risk factors, 15(5):220–1 *abs/comm*

**Case management**

Evaluation of a diabetes case management intervention in an underserved population: a retrospective cohort study at a health disparities collaborative site, 15(10):494–501

**Catheterization**

Femoral versus jugular central venous line placement: which is better?, 15(8):378–9 *abs/comm*

Quality of surveillance for hepatocellular carcinoma determines outcome in cirrhotic patients, 15(4):175 *abs/comm*

**Certification examination**

Do higher tests scores equate to higher-quality care?, 15(9):426–7 *abs/comm*

**Cirrhosis**

Management of the cirrhotic patient prior to liver transplantation, 15(8):393–400

Primary care management of the patient with cirrhosis, 15(11):554–63

Quality of surveillance for hepatocellular carcinoma determines outcome in cirrhotic patients, 15(4):175 *abs/comm*

**Clinical pathway**

Length of stay safely reduced with a diabetes clinical pathway in an urban children's hospital, 15(8):384–92

**Coffee**

Another reason to drink your morning cup of coffee, 15(9):429–30 *abs/comm*

**Cognitive function**

Beta carotene supplementation may improve cognitive function over the long term, 15(1): 10–1 *abs/comm*

**Collaborative research**

Facilitators and barriers involved in conducting hospital-based research across multiple sites, 15(5):235–9

**Computed tomography**

Revisiting the need for computed tomography / lumbar puncture in subarachnoid hemorrhage detection, 15(12):582–3 *abs/comm*

**Coronary artery disease**

Coronary revascularization in patients with stable or asymptomatic coronary artery disease: a review of the COURAGE trial, 15(7):344–52

Deficient 25-hydroxyvitamin D levels are associated with incident cardiovascular events in men, 15(8):379–81 *abs/comm*

Implementation of an electronic health record with an embedded quality improvement program to improve the longitudinal care of outpatients with coronary artery disease, 15(7):338–43

Near-continuous association between lipoprotein(a) level and CHD risk independent of established cardiovascular risk factors, 15(5): 220–1 *abs/comm*

Real-world use of drug-eluting stents versus bare-metal stents, 15(1):12–3 *abs/comm*

**Corticosteroids**

Rheumatoid arthritis increases risk of infection requiring hospitalization; risk higher in patients on corticosteroids, 15(6):268–9 *abs/comm*

**CPR**

Chest compression–only CPR as effective as standard CPR, 15(2):60–1 *abs/comm*

- CPR was a success, but the patient died: performance debriefing of cardiac arrest processes and postevent outcomes, 15(8):371–2 *abs/comm*
- Crohn's disease**  
Biologic agents in the treatment of Crohn's disease, 15(1):31–8
- Deep venous thrombosis**  
Link between air pollution and deep venous thrombosis risk, 15(7):326–7 *abs/comm*
- Delirium**  
Postoperative delirium: overview and opportunities to optimize outcomes, 15(10):502–11
- Dementia**  
Diagnosis and treatment of Alzheimer's disease, 15(2):87–100
- Diabetes**  
Cardioprotective strategies for patients with type 2 diabetes, 15(3):133–46  
Chronic use of thiazolidinediones increases fracture risk, 15(7):322–3 *abs/comm*  
Diabetes group education and self-management intervention shows mixed results, 15(5):225–6 *abs/comm*  
Early intervention to prevent type 2 diabetes, 15(1):39–47  
Evaluation of a diabetes case management intervention in an underserved population: a retrospective cohort study at a health disparities collaborative site, 15(10):494–501  
Evaluation of quality of diabetes care in a multiethnic, low-income population, 15(6):281–6  
Hearing impairment: another microvascular complication of diabetes?, 15(9):421, 424 *abs/comm*  
Length of stay safely reduced with a diabetes clinical pathway in an urban children's hospital, 15(8):384–92  
No benefit of daily low-dose aspirin in diabetic patients with peripheral arterial disease, 15(12):575–6 *abs/comm*  
Self-monitoring of blood glucose depressingly not helpful in the newly diagnosed, 15(7):318–9 *abs/comm*  
Sugar-sweetened beverages increase risk for type 2 diabetes in African-American women, 15(9):427–9 *abs/comm*
- Diet**  
Another reason to drink your morning cup of coffee, 15(9):429–30 *abs/comm*  
Sugar-sweetened beverages increase risk for type 2 diabetes in African-American women, 15(9):427–9 *abs/comm*
- DNA testing**  
Stool DNA testing for colorectal cancer shows promise, 15(12):578–9 *abs/comm*
- Drug-eluting stents**  
No differences found between drug-eluting stents in everyday clinical practice, 15(3):113–4 *abs/comm*  
Real-world use of drug-eluting stents versus bare-metal stents, 15(1):12–3 *abs/comm*
- Drug review**  
FDA drug review deadlines: a safety concern?, 15(5):224–5 *abs/comm*
- Dyslipidemia**  
Achievement of blood lipid targets in patients informed of their coronary risk, 15(3):115–6 *abs/comm*  
Frequent cholesterol monitoring prone to error and may be unnecessary, 15(7):323–4 *abs/comm*
- Eating disorders**  
Anorexia nervosa: role of the primary care physician, 15(9):450–60
- Electronic health record**  
Implementation of an electronic health record with an embedded quality improvement program to improve the longitudinal care of outpatients with coronary artery disease, 15(7):338–43
- Ezetimibe**  
Limited benefit for aggressive lipid lowering with simvastatin/ezetimibe in patients with aortic stenosis; possible increased risk of cancer, 15(11):528, 530 *abs/comm*  
Lowering high blood pressure is beneficial in the very elderly, 15(6):276–7 *abs/comm*
- Falls**  
Better use of existing evidence reduces falls among the elderly, 15(10):476, 478 *abs/comm*  
Use of a wireless nurse alert fall monitor to prevent inpatient falls, 15(6):293–6
- Fracture**  
Chronic use of thiazolidinediones increases fracture risk, 15(7):322–3 *abs/comm*  
Interventions to improve treatment of osteoporosis following fracture, 15(12):587–94
- Gastrointestinal disorders**  
Functional abdominal pain in children, 15(5):248–58  
Recurrent abdominal pain symptoms in childhood: a population-based study, 15(6):287–92
- Generalized anxiety disorder**  
Generalized anxiety disorder in adults, 15(7):353–63
- GERD**  
Barrett's esophagus: evaluation and management, 15(8):402–11
- Geriatric care**  
Better use of existing evidence reduces falls among the elderly, 15(10):476, 478 *abs/comm*  
Optimizing medication adherence in older patients: a systematic review, 15(12):595–606  
Lowering high blood pressure is beneficial in the very elderly, 15(6):276–7 *abs/comm*  
Low-income seniors may benefit from a home-based primary care program, 15(2):64–5 *abs/comm*
- Glucosamine**  
Glucosamine sulfate ineffective for the treatment of hip osteoarthritis, 15(5):219–20 *abs/comm*
- Glycemic control**  
Early intervention to prevent type 2 diabetes, 15(1):39–47  
Evaluation of a diabetes case management intervention in an underserved population: a retrospective cohort study at a health disparities collaborative site, 15(10):494–501
- Graves' disease**  
Update on the diagnosis and treatment of hyperthyroidism, 15(6):298–307
- Guidelines**  
Hypertension and hyperlipidemia management in patients treated at community health centers, 15(3):125–31
- Headache**  
Patent foramen ovale closure minimally effective for treating refractory migraines with aura, 15(6):274–5 *abs/comm*
- Health disparities**  
Evaluation of a diabetes case management intervention in an underserved population: a retrospective cohort study at a health disparities collaborative site, 15(10):494–501
- Hearing impairment**  
Hearing impairment: another microvascular complication of diabetes?, 15(9):421, 424 *abs/comm*
- Heart failure**  
N-3 polyunsaturated fatty acids reduce heart failure–related admissions and death, 15(11):522–3 *abs/comm*
- Hepatitis B**  
Evaluation and management of hepatitis B virus infection, 15(3):147–55
- Home care**  
Low-income seniors may benefit from a home-based primary care program, 15(2):64–5 *abs/comm*
- Hospital performance**  
From bad to better: a qualitative assessment of low-performing hospitals that improved their smoking cessation counseling performance, 15(7):329–37
- Hospitalist**  
Facilitators and barriers involved in conducting hospital-based research across multiple sites, 15(5):235–9
- Hydrocortisone**  
No mortality benefits with hydrocortisone therapy in patients with septic shock, 15(3):116–7 *abs/comm*
- Hypertension**  
Hypertension and hyperlipidemia management in patients treated at community health centers, 15(3):125–31  
Lowering high blood pressure is beneficial in the very elderly, 15(6):276–7 *abs/comm*
- Hyperthyroidism**  
Update on the diagnosis and treatment of hyperthyroidism, 15(6):298–307
- Influenza**  
Improving influenza vaccine coverage among asthmatics: a practice-based research network study, 15(5):227–34
- Insomnia**  
Helping patients with insomnia: a guide for the primary care physician, 15(4):191–203
- Insurance**  
Diagnosis of advanced-stage cancer more likely in the uninsured and Medicaid-insured, 15(6):272–4 *abs/comm*  
Do Medicaid enrollees in managed care plans receive similar care compared with commercial populations?, 15(1):8–9 *abs/comm*
- Lipid lowering**  
Limited benefit for aggressive lipid lowering

with simvastatin/ezetimibe in patients with aortic stenosis; possible increased risk of cancer, 15(11):528, 530 *abs/comm*

**Liver disease**

Management of the cirrhotic patient prior to liver transplantation, 15(8):393–400

Primary care management of the patient with cirrhosis, 15(11):554–63

**Lumbar puncture**

Revisiting the need for computed tomography / lumbar puncture in subarachnoid hemorrhage detection, 15(12):582–3 *abs/comm*

**Measurement error**

Frequent cholesterol monitoring prone to error and may be unnecessary, 15(7):323–4 *abs/comm*

**Medicaid**

Diagnosis of advanced-stage cancer more likely in the uninsured and Medicaid-insured, 15(6):272–4 *abs/comm*

Do Medicaid enrollees in managed care plans receive similar care compared with commercial populations?, 15(1):8–9 *abs/comm*

**Medical education**

A program for reducing noneducational resident activities at an academic medical center, 15(1):25–30

**Medical error**

Supporting health care workers after medical error: considerations for health care leaders, 15(5):240–7

**Medication adherence**

Optimizing medication adherence in older patients: a systematic review, 15(12):595–606

**Meningitis**

Hospitalizations and mortality greatly reduced following introduction of the pneumococcal conjugate vaccine, 15(8):373–4 *abs/comm*

**Meta-analysis**

Meta-analyses: caveat lector, 15(2):61–2 *abs/comm*

**Migraine**

Patent foramen ovale closure minimally effective for treating refractory migraines with aura, 15(6):274–5 *abs/comm*

**Myocardial infarction**

Bivalirudin reduces adverse events during primary percutaneous coronary intervention for acute myocardial infarction, 15(7):317–8 *abs/comm*

Deficient 25-hydroxyvitamin D levels are associated with incident cardiovascular events in men, 15(8):379–81 *abs/comm*

Drug-eluting stents improve long-term nonfatal outcomes, 15(11):526, 528 *abs/comm*

Patient-centered care and outcomes after myocardial infarction, 15(3):119–24

Why is reperfusion therapy withheld in eligible ED patients with STEMI?, 15(5):222 *abs/comm*

**Noncardiac surgery**

The POISE trial: casting more doubt on the benefits of perioperative beta blockers, 15(10):470–1 *abs/comm*

**Nosocomial infections**

Femoral versus jugular central venous line placement: which is better?, 15(8):378–9 *abs/comm*

Measures to prevent ventilator-associated pneumonia: which are efficacious?, 15(2):71–85

**Obesity**

Supporting behavior change in overweight patients: a guide for the primary care physician, 15(11):536–44

**Omega-3 fatty acids**

N-3 polyunsaturated fatty acids reduce heart failure–related admissions and death, 15(11):522–3 *abs/comm*

**Osteoarthritis**

Glucosamine sulfate ineffective for the treatment of hip osteoarthritis, 15(5):219–20 *abs/comm*

**Osteoporosis**

Interventions to improve treatment of osteoporosis following fracture, 15(12):587–94

**Patent foramen ovale**

Patent foramen ovale closure minimally effective for treating refractory migraines with aura, 15(6):274–5 *abs/comm*

**Patient-centered care**

Patient-centered care and outcomes after myocardial infarction, 15(3):119–24

**Patient safety**

FDA drug review deadlines: a safety concern?, 15(5):224–5 *abs/comm*

To err is human continued: a failure of follow-up, 15(1):21–3

Use of a wireless nurse alert fall monitor to prevent inpatient falls, 15(6):293–6

**Percutaneous coronary intervention**

Bivalirudin reduces adverse events during primary percutaneous coronary intervention for acute myocardial infarction, 15(7):317–8 *abs/comm*

Coronary revascularization in patients with stable or asymptomatic coronary artery disease: a review of the COURAGE trial, 15(7):344–52

Emergency physician–initiated percutaneous coronary intervention and effects on door-to-balloon time, 15(2):63–4 *abs/comm*

No differences found between drug-eluting stents in everyday clinical practice, 15(3):113–4 *abs/comm*

Why is reperfusion therapy withheld in eligible ED patients with STEMI?, 15(5):222 *abs/comm*

**Perioperative care**

The POISE trial: casting more doubt on the benefits of perioperative beta blockers, 15(10):470–1 *abs/comm*

**Peripheral arterial disease**

No benefit of daily low-dose aspirin in diabetic patients with peripheral arterial disease, 15(12):575–6 *abs/comm*

**Pharmacogenetics**

Periprocedural anticoagulation management in orthopedic patients: overview and description of a program utilizing pharmacogenetics, 15(4):183–90

**Pneumococcal vaccine**

Hospitalizations and mortality greatly reduced following introduction of the pneumococcal conjugate vaccine, 15(8):373–4 *abs/comm*

**Pneumonia**

Measures to prevent ventilator-associated pneumonia: which are efficacious?, 15(2):71–85

**Pollution**

Link between air pollution and deep venous thrombosis risk, 15(7):326–7 *abs/comm*

**Prediabetes**

Early intervention to prevent type 2 diabetes, 15(1):39–47

**Preeclampsia**

Diagnosis and management of preeclampsia, 15(12):607–14

**Provider support**

Supporting health care workers after medical error: considerations for health care leaders, 15(5):240–7

**Quality of care**

Do Medicaid enrollees in managed care plans receive similar care compared with commercial populations?, 15(1):8–9 *abs/comm*

**Reperfusion therapy**

Why is reperfusion therapy withheld in eligible ED patients with STEMI?, 15(5):222 *abs/comm*

**Reports from the Field**

A program for reducing noneducational resident activities at an academic medical center, 15(1):25–30

Facilitators and barriers involved in conducting hospital-based research across multiple sites, 15(5):235–9

Implementation of an electronic health record with an embedded quality improvement program to improve the longitudinal care of outpatients with coronary artery disease, 15(7):338–43

Length of stay safely reduced with a diabetes clinical pathway in an urban children’s hospital, 15(8):384–92

Use of a wireless nurse alert fall monitor to prevent inpatient falls, 15(6):293–6

**Resource utilization**

Optimizing telemetry utilization in an academic medical center, 15(9):435–40

**Revascularization**

Coronary revascularization in patients with stable or asymptomatic coronary artery disease: a review of the COURAGE trial, 15(7):344–52

**Rheumatoid arthritis**

Rheumatoid arthritis increases risk of infection requiring hospitalization; risk higher in patients on corticosteroids, 15(6):268–9 *abs/comm*

**Risk assessment**

Achievement of blood lipid targets in patients informed of their coronary risk, 15(3):115–6 *abs/comm*

**Screening**

Prostate cancer screening: benefits remain uncertain, 15(10):474–5 *abs/comm*

**Self-management**

Diabetes group education and self-management intervention shows mixed results, 15(5):225–6 *abs/comm*

**Septic shock**

No mortality benefits with hydrocortisone therapy in patients with septic shock, 15(3):116–7 *abs/comm*

**Sleep disorders**

Helping patients with insomnia: a guide for the primary care physician, 15(4):191–203

**Smoking cessation**

Clinical system elements and patient reports of tobacco cessation counseling, 15(10):485–92

- From bad to better: a qualitative assessment of low-performing hospitals that improved their smoking cessation counseling performance, 15(7):329-37
- New and emerging treatments in smoking cessation, 15(11):545-52
- Stents**
- Drug-eluting stents improve long-term nonfatal outcomes, 15(11):526, 528 *abs/comm*
- No differences found between drug-eluting stents in everyday clinical practice, 15(3):113-4 *abs/comm*
- Real-world use of drug-eluting stents versus bare-metal stents, 15(1):12-3 *abs/comm*
- Subarachnoid hemorrhage**
- Revisiting the need for computed tomography/lumbar puncture in subarachnoid hemorrhage detection, 15(12):582-3 *abs/comm*
- Supplementation**
- Beta carotene supplementation may improve cognitive function over the long term, 15(1):10-1 *abs/comm*
- Telemetry**
- Inpatient cardiac telemetry monitoring: are we overdoing it?, 15(1):16-20
- Optimizing telemetry utilization in an academic medical center, 15(9):435-40
- Test results management**
- To err is human continued: a failure of follow-up, 15(1):21-3
- Thiazolidinediones**
- Chronic use of thiazolidinediones increases fracture risk, 15(7):322-3 *abs/comm*
- Thyroid nodule**
- A young woman with a thyroid nodule, 15(9):443-9
- Thyroiditis**
- Update on the diagnosis and treatment of hyperthyroidism, 15(6):298-307
- Tobacco use**
- Clinical system elements and patient reports of tobacco cessation counseling, 15(10):485-92
- From bad to better: a qualitative assessment of low-performing hospitals that improved their smoking cessation counseling performance, 15(7):329-37
- New and emerging treatments in smoking cessation, 15(11):545-52
- Smoking ban significantly reduces acute coronary syndrome admissions, 15(10):478, 480, 484 *abs/comm*
- Underserved populations**
- Evaluation of quality of diabetes care in a multiethnic, low-income population, 15(6):281-6
- Vaccination**
- Hospitalizations and mortality greatly reduced following introduction of the pneumococcal conjugate vaccine, 15(8):373-4 *abs/comm*
- Improving influenza vaccine coverage among asthmatics: a practice-based research network study, 15(5):227-34
- Vitamin D**
- Deficient 25-hydroxyvitamin D levels are associated with incident cardiovascular events in men, 15(8):379-81 *abs/comm*
- Low levels of 25-hydroxyvitamin D related to increased mortality, but questions remain, 15(11):531-2 *abs/comm*
- Weight loss**
- Supporting behavior change in overweight patients: a guide for the primary care physician, 15(11):536-44
- AUTHORS**
- Abad C**
- Measures to prevent ventilator-associated pneumonia: which are efficacious?, 15(2):71-85
- Abudayyeh S**
- Recurrent abdominal pain symptoms in childhood: a population-based study, 15(6):287-92
- Adamson SC**
- Change in body mass index over 1 year in a family medicine clinic: a retrospective analysis of medical records, 15(2):66-70
- An LC**
- Clinical system elements and patient reports of tobacco cessation counseling, 15(10):485-92
- Anandasabapathy S**
- Barrett's esophagus: evaluation and management, 15(8):402-11
- Anderson DC Jr**
- Periprocedural anticoagulation management in orthopedic patients: overview and description of a program utilizing pharmacogenetics, 15(4):183-90
- Anton SD**
- Supporting behavior change in overweight patients: a guide for the primary care physician, 15(11):536-44
- Arcury IA**
- Evaluation of quality of diabetes care in a multiethnic, low-income population, 15(6):281-6
- Ardedt T**
- Helping patients with insomnia: a guide for the primary care physician, 15(4):191-203
- Attia E**
- Anorexia nervosa: role of the primary care physician, 15(9):450-60
- Barbieri KE**
- Implementation of an electronic health record with an embedded quality improvement program to improve the longitudinal care of outpatients with coronary artery disease, 15(7):338-43
- Bartel GA**
- Change in body mass index over 1 year in a family medicine clinic: a retrospective analysis of medical records, 15(2):66-70
- Bernardo LM**
- Optimizing medication adherence in older patients: a systematic review, 15(12):595-606
- Bernhardt T**
- Clinical system elements and patient reports of tobacco cessation counseling, 15(10):485-92
- Bertoni AG**
- Evaluation of quality of diabetes care in a multiethnic, low-income population, 15(6):281-6
- Bitton A**
- Diabetes group education and self-management intervention shows mixed results, 15(5):225-6 *abs/comm*
- Hospitalizations and mortality greatly reduced following introduction of the pneumococcal conjugate vaccine, 15(8):373-4 *abs/comm*
- N-3 polyunsaturated fatty acids reduce heart failure-related admissions and death, 15(11):522-3 *abs/comm*
- Rheumatoid arthritis increases risk of infection requiring hospitalization; risk higher in patients on corticosteroids, 15(6):268-9 *abs/comm*
- Self-monitoring of blood glucose depressingly not helpful in the newly diagnosed, 15(7):318-9 *abs/comm*
- Smoking ban significantly reduces acute coronary syndrome admissions, 15(10):478, 480, 484 *abs/comm*
- Stool DNA testing for colorectal cancer shows promise, 15(12):578-9 *abs/comm*
- Sugar-sweetened beverages increase risk for type 2 diabetes in African-American women, 15(9):427-9 *abs/comm*
- Block JP**
- Deficient 25-hydroxyvitamin D levels are associated with incident cardiovascular events in men, 15(8):379-81 *abs/comm*
- End-of-life discussions associated with less aggressive care in patients dying of cancer, 15(12):583-5
- Frequent cholesterol monitoring prone to error and may be unnecessary, 15(7):323-4 *abs/comm*
- Glucosamine sulfate ineffective for the treatment of hip osteoarthritis, 15(5):219-20 *abs/comm*
- Hearing impairment: another microvascular complication of diabetes?, 15(9):421, 424 *abs/comm*
- Limited benefit for aggressive lipid lowering with simvastatin/ezetimibe in patients with aortic stenosis; possible increased risk of cancer, 15(11):528, 530 *abs/comm*
- Patent foramen ovale closure minimally effective for treating refractory migraines with aura, 15(6):274-5 *abs/comm*
- Prostate cancer screening: benefits remain uncertain, 15(10):474-5 *abs/comm*
- Bluhm J**
- Clinical system elements and patient reports of tobacco cessation counseling, 15(10):485-92
- Boyle DJ**
- Supporting health care workers after medical error: considerations for health care leaders, 15(5):240-7
- Brown SJ**
- Biologic agents in the treatment of Crohn's disease, 15(1):31-8
- Bulger J**
- Facilitators and barriers involved in conducting hospital-based research across multiple sites, 15(5):235-9
- Callanan MG**
- To err is human continued: a failure of follow-up, 15(1):21-3
- Carrier ER**
- Diagnosis of advanced-stage cancer more likely in the uninsured and Medicaid-insured, 15(6):272-4 *abs/comm*
- Carty M**
- A program for reducing noneducational resident

activities at an academic medical center, 15(1):25–30

**Cavanaugh J**

To err is human continued: a failure of follow-up, 15(1):21–3

**Center B**

Clinical system elements and patient reports of tobacco cessation counseling, 15(10):485–92

**Chin MH**

Hypertension and hyperlipidemia management in patients treated at community health centers, 15(3):125–31

**Chung JA**

Diagnosis and treatment of Alzheimer’s disease, 15(2):87–100

**Cogen FR**

Length of stay safely reduced with a diabetes clinical pathway in an urban children’s hospital, 15(8):384–92

**Cotler SJ**

Management of the cirrhotic patient prior to liver transplantation, 15(8):393–400

**Dedhia P**

Facilitators and barriers involved in conducting hospital-based research across multiple sites, 15(5):235–9

**DeGuzman PB**

Implementation of an electronic health record with an embedded quality improvement program to improve the longitudinal care of outpatients with coronary artery disease, 15(7):338–43

**Diduszyn J**

Use of a wireless nurse alert fall monitor to prevent inpatient falls, 15(6):293–6

**Dolor RJ**

Improving influenza vaccine coverage among asthmatics: a practice-based research network study, 15(5):227–34

**Drum ML**

Hypertension and hyperlipidemia management in patients treated at community health centers, 15(3):125–31

**Edwards-Lee T**

Diagnosis and treatment of Alzheimer’s disease, 15(2):87–100

**Engberg S**

Optimizing medication adherence in older patients: a systematic review, 15(12):595–606

**Fares R**

Inpatient cardiac telemetry monitoring: are we overdoing it?, 15(1):16–20

**Ferrari P**

Evaluation of a diabetes case management intervention in an underserved population: a retrospective cohort study at a health disparities collaborative site, 15(10):494–501

**Ferretti J**

Isopropyl alcohol left on the skin falsely lowers capillary glucose values, 15(4):179–81

**Finn KM**

A program for reducing noneducational resident activities at an academic medical center, 15(1):25–30

**Finstad D**

Clinical system elements and patient reports of tobacco cessation counseling, 15(10):485–92

**Foldes S**

Clinical system elements and patient reports of tobacco cessation counseling, 15(10):485–92

**Fralely JK**

Recurrent abdominal pain symptoms in childhood: a population-based study, 15(6):287–92

**Fremont AM**

Patient-centered care and outcomes after myocardial infarction, 15(3):119–24

**Friedberg MW**

Better use of existing evidence reduces falls among the elderly, 15(10):476, 478 *abs/comm*  
CPR was a success, but the patient died: performance debriefing of cardiac arrest processes and postevent outcomes, 15(8):371–2 *abs/comm*

Lowering high blood pressure is beneficial in the very elderly, 15(6):276–7 *abs/comm*

Low-income seniors may benefit from a home-based primary care program, 15(2):64–5 *abs/comm*

No benefit of daily low-dose aspirin in diabetic patients with peripheral arterial disease, 15(12):575–6 *abs/comm*

No mortality benefits with hydrocortisone therapy in patients with septic shock, 15(3):116–7 *abs/comm*

Nurse-led counseling had no effect on heart failure outcomes, 15(4):170–1 *abs/comm*

**Furst J**

Change in body mass index over 1 year in a family medicine clinic: a retrospective analysis of medical records, 15(2):66–70

**Gallagher TH**

Supporting health care workers after medical error: considerations for health care leaders, 15(5):240–7

**Gilger MA**

Recurrent abdominal pain symptoms in childhood: a population-based study, 15(6):287–92

**Goldberg KC**

Improving influenza vaccine coverage among asthmatics: a practice-based research network study, 15(5):227–34

**Graham DY**

Recurrent abdominal pain symptoms in childhood: a population-based study, 15(6):287–92

**Grice GR**

Periprocedural anticoagulation management in orthopedic patients: overview and description of a program utilizing pharmacogenetics, 15(4):183–90

**Grzywacz JG**

Evaluation of quality of diabetes care in a multiethnic, low-income population, 15(6):281–6

**Gurm HS**

Coronary revascularization in patients with stable or asymptomatic coronary artery disease: a review of the COURAGE trial, 15(7):344–52

**Hafner JM**

From bad to better: a qualitative assessment of low-performing hospitals that improved their smoking cessation counseling performance, 15(7):329–37

**Harrington MB**

Postoperative delirium: overview and opportunities to optimize outcomes, 15(10):502–11

**Harris L**

A program for reducing noneducational resident activities at an academic medical center, 15(1):25–30

**Harrison JF**

Hypertension and hyperlipidemia management in patients treated at community health centers, 15(3):125–31

**Hellkamp AS**

Improving influenza vaccine coverage among asthmatics: a practice-based research network study, 15(5):227–34

**Hess R**

Facilitators and barriers involved in conducting hospital-based research across multiple sites, 15(5):235–9

**Hinson T**

Facilitators and barriers involved in conducting hospital-based research across multiple sites, 15(5):235–9

**Hofmann MT**

Use of a wireless nurse alert fall monitor to prevent inpatient falls, 15(6):293–6

**Howell E**

Facilitators and barriers involved in conducting hospital-based research across multiple sites, 15(5):235–9

**Huang RL**

Bivalirudin reduces adverse events during primary percutaneous coronary intervention for acute myocardial infarction, 15(7):317–8 *abs/comm*

Chest compression-only CPR as effective as standard CPR, 15(2):60–1 *abs/comm*

Ezetimibe’s clinical benefit called into question, 15(6):277–8 *abs/comm*

No differences found between drug-eluting stents in everyday clinical practice, 15(3):113–4 *abs/comm*

Real-world use of drug-eluting stents versus bare-metal stents, 15(1):12–3 *abs/comm*

Why is reperfusion therapy withheld in eligible ED patients with STEMI?, 15(5):222 *abs/comm*

**Hud-Aleem R**

Generalized anxiety disorder in adults, 15(7):353–63

**Hwang U**

Emergency physician-initiated percutaneous coronary intervention and effects on door-to-balloon time, 15(2):63–4 *abs/comm*

Femoral versus jugular central venous line placement: which is better?, 15(8):378–9 *abs/comm*

Racial and ethnic disparities continue for pain care in U.S. emergency departments, 15(4):173–4 *abs/comm*

Revisiting the need for computed tomography/lumbar puncture in subarachnoid hemorrhage detection, 15(12):582–3 *abs/comm*

**Hyams JS**

Functional abdominal pain in children, 15(5):248–58

**Ingram KD**

Primary care management of the patient with cirrhosis, 15(11):554–63

**Jain SH**

Early intervention to prevent type 2 diabetes, 15(1):39–47

## Jha AK

Beta carotene supplementation may improve cognitive function over the long term, 15(1):10-1 *abs/comm*

Can biomarkers improve prediction of cardiovascular events in heart disease patients?, 15(3):112-3 *abs/comm*

Do higher tests scores equate to higher-quality care?, 15(9):426-7 *abs/comm*

Link between air pollution and deep venous thrombosis risk, 15(7):326-7 *abs/comm*

Low levels of 25-hydroxyvitamin D related to increased mortality, but questions remain, 15(11):531-2 *abs/comm*

Near-continuous association between lipoprotein(a) level and CHD risk independent of established cardiovascular risk factors, 15(5):220-1 *abs/comm*

Quality of surveillance for hepatocellular carcinoma determines outcome in cirrhotic patients, 15(4):175 *abs/comm*

## Johnson PA

Length of stay safely reduced with a diabetes clinical pathway in an urban children's hospital, 15(8):384-92

## Jones JB

Meta-analyses: caveat lector, 15(2):61-2 *abs/comm*

## Julien S

Diagnosis and management of preeclampsia, 15(12):607-14

## Kallwitz ER

Management of the cirrhotic patient prior to liver transplantation, 15(8):393-400

## Kamat PP

Barrett's esophagus: evaluation and management, 15(8):402-11

## Kanwar M

Inpatient cardiac telemetry monitoring: are we overdoing it?, 15(1):16-20

## Kaplowitz PB

Length of stay safely reduced with a diabetes clinical pathway in an urban children's hospital, 15(8):384-92

## Katz JT

A program for reducing noneducational resident activities at an academic medical center, 15(1):25-30

## Keyhani S

Another reason to drink your morning cup of coffee, 15(9):429-30 *abs/comm*

Do Medicaid enrollees in managed care plans receive similar care compared with commercial populations?, 15(1):8-9 *abs/comm*

FDA drug review deadlines: a safety concern?, 15(5):224-5 *abs/comm*

## Kirch MA

Clinical system elements and patient reports of tobacco cessation counseling, 15(10):485-92

## Kirchhoff AC

Hypertension and hyperlipidemia management in patients treated at community health centers, 15(3):125-31

## Kirk JK

Evaluation of quality of diabetes care in a multiethnic, low-income population, 15(6):281-6

## Klem ML

Optimizing medication adherence in older patients: a systematic review, 15(12):595-606

## Koss RG

From bad to better: a qualitative assessment of low-performing hospitals that improved their smoking cessation counseling performance, 15(7):329-37

## Kravet S

Facilitators and barriers involved in conducting hospital-based research across multiple sites, 15(5):235-9

## Kumar CB

Intensive intervention reduces mortality in type 2 diabetes, 15(4):171-3 *abs/comm*

## Ladson D

Generalized anxiety disorder in adults, 15(7):353-63

## Laing M

A program for reducing noneducational resident activities at an academic medical center, 15(1):25-30

## Lamb P

Optimizing telemetry utilization in an academic medical center, 15(9):435-40

## Laramie D

Periprocedural anticoagulation management in orthopedic patients: overview and description of a program utilizing pharmacogenetics, 15(4):183-90

## Lee JC

Optimizing telemetry utilization in an academic medical center, 15(9):435-40

## Levie J

Hypertension and hyperlipidemia management in patients treated at community health centers, 15(3):125-31

## Lippold S

Hypertension and hyperlipidemia management in patients treated at community health centers, 15(3):125-31

## Litvin C

To err is human continued: a failure of follow-up, 15(1):21-3

## Loeb JM

From bad to better: a qualitative assessment of low-performing hospitals that improved their smoking cessation counseling performance, 15(7):329-37

## Malaty HM

Recurrent abdominal pain symptoms in childhood: a population-based study, 15(6):287-92

## Manley M

Clinical system elements and patient reports of tobacco cessation counseling, 15(10):485-92

## Martin KD

Isopropyl alcohol left on the skin falsely lowers capillary glucose values, 15(4):179-81

## McCotter P

Supporting health care workers after medical error: considerations for health care leaders, 15(5):240-7

## McKinley L

Measures to prevent ventilator-associated pneumonia: which are efficacious?, 15(2):71-85

## McMahon GT

Cardioprotective strategies for patients with type 2 diabetes, 15(3):133-46

## Megginson GC

Implementation of an electronic health record with an embedded quality improvement program to improve the longitudinal care of outpatients with coronary artery disease, 15(7):338-43

## Milsom VA

Supporting behavior change in overweight patients: a guide for the primary care physician, 15(11):536-44

## Minnick S

Inpatient cardiac telemetry monitoring: are we overdoing it?, 15(1):16-20

## Montgomery D

Improving influenza vaccine coverage among asthmatics: a practice-based research network study, 15(5):227-34

## Morton DJ

From bad to better: a qualitative assessment of low-performing hospitals that improved their smoking cessation counseling performance, 15(7):329-37

## Mui C

New and emerging treatments in smoking cessation, 15(11):545-52

The POISE trial: casting more doubt on the benefits of perioperative beta blockers, 15(10):470-1 *abs/comm*

## Murff HJ

Combination therapies are more effective than monotherapy for mild to moderate acne, 15(1):9-10 *abs/comm*

## Musante D

Anorexia nervosa: role of the primary care physician, 15(9):450-60

## Nackers LM

Supporting behavior change in overweight patients: a guide for the primary care physician, 15(11):536-44

## Naglak M

Use of a wireless nurse alert fall monitor to prevent inpatient falls, 15(6):293-6

## Newton RL Jr

Supporting behavior change in overweight patients: a guide for the primary care physician, 15(11):536-44

## O'Malley K

Recurrent abdominal pain symptoms in childhood: a population-based study, 15(6):287-92

## Organist LA

Optimizing medication adherence in older patients: a systematic review, 15(12):595-606

## Pantoja PM

Patient-centered care and outcomes after myocardial infarction, 15(3):119-24

## Parks CM

Implementation of an electronic health record with an embedded quality improvement program to improve the longitudinal care of outpatients with coronary artery disease, 15(7):338-43

## Pastor W

Length of stay safely reduced with a diabetes

- clinical pathway in an urban children's hospital, 15(8):384-92
- Patterson B**  
Improving influenza vaccine coverage among asthmatics: a practice-based research network study, 15(5):227-34
- Pratt DS**  
Evaluation and management of hepatitis B virus infection, 15(3):147-55
- Rachelefsky L**  
A program for reducing noneducational resident activities at an academic medical center, 15(1):25-30
- Raji A**  
Early intervention to prevent type 2 diabetes, 15(1):39-47
- Rand E**  
Optimizing telemetry utilization in an academic medical center, 15(9):435-40
- Reed MC**  
Coronary revascularization in patients with stable or asymptomatic coronary artery disease: a review of the COURAGE trial, 15(7):344-52
- Rohrer JE**  
Change in body mass index over 1 year in a family medicine clinic: a retrospective analysis of medical records, 15(2):66-70
- Rosman HS**  
Inpatient cardiac telemetry monitoring: are we overdoing it?, 15(1):16-20
- Rubal BJ**  
Optimizing telemetry utilization in an academic medical center, 15(9):435-40
- Rudolph JL**  
Postoperative delirium: overview and opportunities to optimize outcomes, 15(10):502-11
- Ryan C**  
Optimizing telemetry utilization in an academic medical center, 15(9):435-40
- Safdar N**  
Measures to prevent ventilator-associated pneumonia: which are efficacious?, 15(2):71-85
- Saravolatz L**  
Inpatient cardiac telemetry monitoring: are we overdoing it?, 15(1):16-20
- Schaefer CT**  
Hypertension and hyperlipidemia management in patients treated at community health centers, 15(3):125-31
- Schafer AL**  
Interventions to improve treatment of osteoporosis following fracture, 15(12):587-94
- Schlenk EA**  
Optimizing medication adherence in older patients: a systematic review, 15(12):595-606
- Schlichting JA**  
Hypertension and hyperlipidemia management in patients treated at community health centers, 15(3):125-31
- Schreiber K**  
Postoperative delirium: overview and opportunities to optimize outcomes, 15(10):502-11
- Sekhobo JP**  
Evaluation of a diabetes case management intervention in an underserved population: a retrospective cohort study at a health disparities collaborative site, 15(10):494-501
- Sellmeyer DE**  
Interventions to improve treatment of osteoporosis following fracture, 15(12):587-94
- Setodji C**  
Patient-centered care and outcomes after myocardial infarction, 15(3):119-24
- Shah NR**  
Diagnosis of advanced-stage cancer more likely in the uninsured and Medicaid-insured, 15(6):272-4 *abs/comm*
- Intensive intervention reduces mortality in type 2 diabetes, 15(4):171-3 *abs/comm*
- Meta-analyses: caveat lector, 15(2):61-2 *abs/comm*
- The POISE trial: casting more doubt on the benefits of perioperative beta blockers, 15(10):470-1 *abs/comm*
- Sherman SE**  
New and emerging treatments in smoking cessation, 15(11):545-52
- Simpson AG**  
Implementation of an electronic health record with an embedded quality improvement program to improve the longitudinal care of outpatients with coronary artery disease, 15(7):338-43
- Siraj ES**  
A young woman with a thyroid nodule, 15(9):443-9
- Update on the diagnosis and treatment of hyperthyroidism, 15(6):298-307
- Smith A**  
Evaluation of quality of diabetes care in a multiethnic, low-income population, 15(6):281-6
- Smith DG**  
Use of a wireless nurse alert fall monitor to prevent inpatient falls, 15(6):293-6
- Sun BC**  
Patient-centered care and outcomes after myocardial infarction, 15(3):119-24
- Swanson LM**  
Helping patients with insomnia: a guide for the primary care physician, 15(4):191-203
- Tenner CT**  
To err is human continued: a failure of follow-up, 15(1):21-3
- Tkachenko M**  
Recurrent abdominal pain symptoms in childhood: a population-based study, 15(6):287-92
- Trikudanathan S**  
Cardioprotective strategies for patients with type 2 diabetes, 15(3):133-46
- Triola MM**  
Achievement of blood lipid targets in patients informed of their coronary risk, 15(3):115-6 *abs/comm*
- Chronic use of thiazolidinediones increases fracture risk, 15(7):322-3 *abs/comm*
- Drug-eluting stents improve long-term nonfatal outcomes, 15(11):526, 528 *abs/comm*
- Veloski C**  
A young woman with a thyroid nodule, 15(9):443-9
- Viette CR**  
Implementation of an electronic health record with an embedded quality improvement program to improve the longitudinal care of outpatients with coronary artery disease, 15(7):338-43
- Wade T**  
Change in body mass index over 1 year in a family medicine clinic: a retrospective analysis of medical records, 15(2):66-70
- Walter EB**  
Improving influenza vaccine coverage among asthmatics: a practice-based research network study, 15(5):227-34
- Wang C**  
Evaluation of a diabetes case management intervention in an underserved population: a retrospective cohort study at a health disparities collaborative site, 15(10):494-501
- Waterman AD**  
Supporting health care workers after medical error: considerations for health care leaders, 15(5):240-7
- White AA**  
Supporting health care workers after medical error: considerations for health care leaders, 15(5):240-7
- Williams SC**  
From bad to better: a qualitative assessment of low-performing hospitals that improved their smoking cessation counseling performance, 15(7):329-37
- Wilson J**  
Biologic agents in the treatment of Crohn's disease, 15(1):31-8
- Wright S**  
Facilitators and barriers involved in conducting hospital-based research across multiple sites, 15(5):235-9
- You WB**  
Diagnosis and management of preeclampsia, 15(12):607-14
- Youssef NN**  
Functional abdominal pain in children, 15(5):248-58
- Zaman**  
Primary care management of the patient with cirrhosis, 15(11):554-63
- Zhang JX**  
Hypertension and hyperlipidemia management in patients treated at community health centers, 15(3):125-31