

Key to Abbreviations: *cs* = case study; *e* = editorial; *le* = letter to the editor; *orr* = Outcomes Research in Review; *p* = primer.

SUBJECTS

ACE inhibitors

ACE inhibitors and mortality in elderly patients with heart failure, 6(1):15–6*orr*

Are cardiac medications underused in older patients? 6(4):12–5*orr*

Acute exacerbation of chronic bronchitis

The role of infection and antibiotic selection in patients with acute exacerbation of chronic bronchitis, 6(10):67–76*cs*

Advance directives

Use of advance directives by community-dwelling older adults, 6(10):39–43

Allergic rhinitis

Allergic rhinitis: diagnostic and therapeutic challenges, 6(7):56–62*cs*

Alzheimer's disease

An aid for screening for dementia in primary care, 6(3):18–21*orr*

Alzheimer's disease and use of acute care services, 6(8):12–5*orr*

Alzheimer's disease in MCOs: utilization and costs, 6(9):18*orr*

Financial costs of caring for Alzheimer's disease, 6(1):22–5*orr*

Recognition and management of early Alzheimer's disease, 6(3):52–68*cs*

Anticoagulation

Heparin dosing, 6(8):27*le*

Outpatient treatment of deep-vein thrombosis with low-molecular-weight heparin, 6(1):12–5*orr*

A weight-based heparin protocol for improved anticoagulation in a coronary care unit, 6(5):27–33

Antimicrobial therapy

Oral therapy for pneumonia: who, when, and with what? 6(3):48–51*e*

Randomized, double-blind comparison of oral cefpodoxime and parenteral ceftriaxone in hospitalized adults with community-acquired pneumonia, 6(3):38–45

Articular cartilage defects

Management of a 37-year-old man with recurrent knee pain, 6(6):46–57*cs*

Aspirin

Benefits and risks of aspirin therapy, 6(2):21–2*orr*

Asthma

A home-based asthma education program in managed Medicaid, 6(10):30–4

Results of a telephone-based asthma management program, 6(4):22–30

β Blockers

Are cardiac medications underused in older patients? 6(4):12–5*orr*

Back pain

Economics versus patient satisfaction in recurrent back pain, 6(5):18–21*orr*

Nonmedical outcomes of chronic backache in the United States, 6(2):16–8*orr*

Benign prostatic hyperplasia

Phytotherapy for benign prostatic hyperplasia, 6(1):18–21*orr*

Bilevel positive airway pressure

Bilevel positive airway pressure ventilation, 6(9):41–8

Body fat distribution

The effect of physical activity on body fat, 6(7):15–6*orr*

Breast cancer

Breast symptoms in primary care practice, 6(6):12–5*orr*

Bronchitis, chronic

The role of infection and antibiotic selection in patients with acute exacerbation of chronic bronchitis, 6(10):67–76*cs*

Calcium channel blockers

Comparison of calcium channel blockers after myocardial infarction, 6(7):12–5*orr*

Cancer

Breast symptoms in primary care practice, 6(6):12–5*orr*

Clinical and economic benefits of cervical cancer screening in HIV-infected women, 6(4):17–8*orr*

Candidiasis

Diagnosis and treatment of infectious vaginitis, 6(4):45–54*cs*

Cardiac medications

Are cardiac medications underused in older patients? 6(4):12–5*orr*

Cardiorespiratory fitness

Cardiorespiratory fitness and type 2 diabetes, 6(4):16–7*orr*

No pain, no gain: not true, 6(4):11–2*orr*

Cervical cancer

Clinical and economic benefits of cervical cancer screening in HIV-infected women, 6(4):17–8*orr*

Costing techniques: a source of bias in cost-effectiveness analyses? 6(8):21–2*orr*

Chronic disease

A nurse-driven, carve-in approach for managing complex chronic conditions, 6(1):26–30

A self-management program for patients with chronic disease, 6(3):15–6*orr*

Clinical pathways

Use of a clinical pathway for hypoxemia improves efficiency of supplemental home oxygen prescribing, 6(6):27–33

Common cold

An evidence-based approach to management of the common cold, 6(1):39–43

Community-acquired pneumonia

Community-acquired pneumonia: current principles of evaluation and therapy, 6(8):60–70*cs*

Oral therapy for pneumonia: who, when, and with what? 6(3):48–51*e*

Randomized, double-blind comparison of oral cefpodoxime and parenteral ceftriaxone in hospitalized adults with community-acquired pneumonia, 6(3):38–45

Complementary medicine

Complementary therapies for arthritis, 6(10):15–6*orr*

Compliance

- Impact of a geriatric assessment and adherence intervention, 6(5):16–8*orr*
- Medication adherence in the elderly, 6(4):15–6*orr*

Coronary artery disease

- Economics of testing for coronary artery disease, 6(6):22–4*orr*

Cost-effectiveness

- Costing techniques: a source of bias in cost-effectiveness analyses? 6(8):21–2*orr*
- Economics of testing for coronary artery disease, 6(6):22–4*orr*

Decision support tools

- How useful are patient decision support tools? 6(5):22–4*orr*

Deep venous thromboembolism

- Diagnostic and therapeutic approach to acute venous thromboembolism, 6(8):47–57*cs*

Dementia

- An aid for screening for dementia in primary care, 6(3):18–21*orr*
- Recognition and management of early Alzheimer's disease, 6(3):52–68*cs*

Depression

- Does depression cause physical disability? 6(10):12*orr*
- Minor depression in the elderly, 6(2):41–50*cs*
- A short test gets shorter: the GDS, 6(8):15–6*orr*

Dexfenfluramine

- Diet drug dangers overestimated? 6(2):18–21*orr*

Diabetes mellitus

- Birthweight and risk for type 2 diabetes, 6(5):15–6*orr*
- Cardiorespiratory fitness and type 2 diabetes, 6(4):16–7*orr*
- An evidence-based approach to foot ulcer prevention in patients with diabetes, 6(2):35–40
- Intervention to improve glycemic control in diabetic patients, 6(2):11–2*orr*
- Opportunities to improve the care of older patients with diabetes, 6(6):18–21*orr*

- Oral combination therapy for type 2 diabetes, 6(8):18–21*orr*

- Preventing ulcers in the diabetic foot, 6(4):44*le*

Diabetic nephropathy

- How well do primary care physicians manage diabetic nephropathy? 6(6):16–8*orr*

Diet

- The effect of olestra on gastrointestinal symptoms, 6(5):12–5*orr*
- Diet and headache, 6(6):70–1*p*
- A review of very low carbohydrate diets for weight loss, 6(7):36–40

Disease management

- Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37–40
- A nurse-driven, carve-in approach for managing complex chronic conditions, 6(1):26–30
- Results of a telephone-based asthma management pilot program, 6(4):22–30
- A self-management program for patients with chronic disease, 6(3):15–6*orr*

Dyspepsia

- Approaching dyspepsia in the primary care setting, 6(10):53–63*cs*

Early discharge of newborns

- What happens after early discharge of newborns? 6(10):22–4*orr*

End-of-life care

- Use of advance directives by community-dwelling older adults, 6(10):39–43

Esophageal disorders

- Evaluation of noncardiac chest pain: toward a positive diagnosis, 6(7):41–51*cs*
- Management strategies for patients with symptomatic gastroesophageal reflux disease in an era of OTC remedies, 6(4):55–62*cs*

Exercise

- The effect of physical activity on body fat, 6(7):15–6*orr*
- No pain, no gain: not true, 6(4):11–2*orr*

Failure-to-thrive

- Evaluation and treatment of children with failure-to-thrive: an interdisciplinary perspective, 6(5):60–73*cs*

Fenfluramine

- Diet drug dangers overestimated? 6(2):18–21*orr*

Foot ulcer prevention

- An evidence-based approach to foot ulcer prevention in patients with diabetes, 6(2):35–40
- Preventing ulcers in the diabetic foot, 6(4):44*le*

Gastroesophageal reflux disease

- Management strategies for patients with symptomatic gastroesophageal reflux disease in an era of OTC remedies, 6(4):55–62*cs*

Genetic testing

- Diagnosis and management of hereditary hemochromatosis, 6(5):41–50*cs*
- Population-based screening for hemochromatosis: not ready for prime time, 6(5):55–7*e*

Geriatric assessment

- Impact of a geriatric assessment and adherence intervention, 6(5):16–8*orr*

Growth deficiency

- Evaluation and treatment of children with failure-to-thrive: an interdisciplinary perspective, 6(5):60–73*cs*

Guidelines

- An educational approach to improving guideline adherence, 6(9):15*orr*

Hay fever

- Allergic rhinitis: diagnostic and therapeutic challenges, 6(7):56–62*cs*

Headache

- Diet and headache, 6(6):70–1*p*
- Evaluation and management issues in migraine, 6(6):58–74*cs*
- Nonpharmacologic treatment of headache, 6(8):27–8*le*

Health care costs

- Alzheimer's disease in MCOs: utilization and costs, 6(9):18*orr*
- Economics of testing for coronary artery disease, 6(6):22–4*orr*

- Financial costs of caring for Alzheimer's disease, 6(1):22-5*orr*
- Mental health care utilization and costs, 6(7):21*orr*
- Health status assessment**
- Future directions in health status assessment, 6(3):34-7
- How should patient-reported change be measured? 6(10):16-8*orr*
- Pediatric health-related quality of life measurement technology: a guide for health care decision makers, 6(4):33-40
- Heart failure**
- ACE inhibitors and mortality in elderly patients with heart failure, 6(1):15-6*orr*
- Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37-40
- Helicobacter pylori infection**
- Approaching dyspepsia in the primary care setting, 6(10):53-63*cs*
- Hemochromatosis**
- Diagnosis and management of hereditary hemochromatosis, 6(5):41-50*cs*
- Population-based screening for hemochromatosis: not ready for prime time, 6(5):55-7*e*
- Heparin**
- Heparin dosing, 6(8):27*le*
- Outpatient treatment of deep-vein thrombosis with low-molecular-weight heparin, 6(1):12-5*orr*
- A weight-based heparin protocol for improved anticoagulation in a coronary care unit, 6(5):27-33
- Hepatitis A**
- Hepatitis A vaccination, 6(1):31-4
- Hepatitis B**
- Hepatitis B: evaluation, management, and prevention, 6(9):51-60*cs*
- Histamine, antagonists**
- Management strategies for patients with symptomatic gastroesophageal reflux disease in an era of OTC remedies, 6(4):55-62*cs*
- HIV**
- Clinical and economic benefits of cervical cancer screening in HIV-infected women, 6(4):17-8*orr*
- Home oxygen use**
- Use of a clinical pathway for hypoxemia improves efficiency of supplemental home oxygen prescribing, 6(6):27-33
- Homocysteine**
- Homocysteine and vascular disease, 6(6):37-42
- Hormone replacement therapy**
- Bone-related effects of low-dose HRT, 6(7):16-8*orr*
- Factors associated with hormone replacement therapy use, 6(6):15-6*orr*
- Patients' concerns about hormone replacement, 6(9):16*orr*
- Hospital care**
- Do teaching hospitals provide better care than nonteaching hospitals? 6(1):21-2*orr*
- Family members' perceptions of the hospital experience, 6(3):16-8*orr*
- Hypercholesterolemia**
- Adherence with NCEP recommendations when prescribing simvastatin: a comparison between primary care and lipid clinic providers, 6(7):25-8
- Hypertension**
- Assessment of the treatment of hypertension in a university HMO ambulatory clinic, 6(9):25-30
- High blood pressure and bone mineral loss, 6(10):18-21*orr*
- Treatment of hypertension in a primary care practice, 6(7):11-2*orr*
- Hypoxemia**
- Use of a clinical pathway for hypoxemia improves efficiency of supplemental home oxygen prescribing, 6(6):27-33
- Immunization**
- Effectiveness of an intranasal flu vaccine in healthy adults, 6(8):11-2*orr*
- Influenza and pneumococcal vaccination rates in the elderly, 6(7):22*orr*
- Policies that improve childhood vaccination rates, 6(3):12-5*orr*
- Influenza**
- Effectiveness of an intranasal flu vaccine in healthy adults, 6(8):11-2*orr*
- Respiratory illness outbreaks: is it influenza? 6(9):21*orr*
- Insurance coverage**
- Effect of insurance coverage on prescribing patterns following heart attack, 6(5):21-2*orr*
- Prostate cancer treatment: does insurance type matter? 6(8):16-8*orr*
- Knee pain**
- Management of a 37-year-old man with recurrent knee pain, 6(6):46-57*cs*
- Knee replacement**
- Revision rates following staged and simultaneous bilateral knee replacement, 6(8):30-4
- Length of stay policies**
- What happens after early discharge of newborns? 6(10):22-4*orr*
- Lipid-lowering therapy**
- Adherence with NCEP recommendations when prescribing simvastatin: a comparison between primary care and lipid clinic providers, 6(7):25-8
- Low back pain**
- New-onset low back pain in an elderly woman, 6(1):46-53*cs*
- Low birthweight**
- Birthweight and risk for type 2 diabetes, 6(5):15-6*orr*
- Low carbohydrate diet**
- A review of very low carbohydrate diets for weight loss, 6(7):36-40
- Mechanical ventilation**
- Bilevel positive airway pressure ventilation, 6(9):41-8
- Mental health care**
- Mental health care utilization and costs, 6(7):21*orr*
- Metformin**
- Oral combination therapy for type 2 diabetes, 6(8):18-21*orr*
- Migraine**
- Evaluation and management issues in migraine, 6(6):58-74*cs*
- Nonpharmacologic treatment of headache, 6(8):27-8*le*
- Mind-body relationship**
- Another view of the mind-body relationship, 6(6):21-2*orr*

Myocardial infarction

- Comparison of calcium channel blockers after myocardial infarction, 6(7):12-5orr
- Effect of insurance coverage on prescribing patterns following heart attack, 6(5):21-2orr
- Laboratory assessment of patients with suspected acute myocardial infarction, 6(1):56le

Native American health

- Aging and bone loss in Native American women, 6(3):22-5orr

Noncardiac chest pain

- Evaluation of noncardiac chest pain: toward a positive diagnosis, 6(7):41-51cs

Nonulcer dyspepsia

- Approaching dyspepsia in the primary care setting, 6(10):53-63cs

Nortriptyline

- A useful adjunct for promoting smoking cessation, 6(1):16-8orr

NSAIDs

- Rheumatoid arthritis: diagnosis and new therapeutic options, 6(9):64-75cs

Nursing home care

- Managed care practices: watch out for skilled nursing facility care, 6(7):32-4
- Primary care of HMO patients in nursing homes, 6(4):18-21orr

Olestra

- The effect of olestra on gastrointestinal symptoms, 6(5):12-5orr

Onychomycosis

- Health-related quality of life in patients with toenail onychomycosis: data from a 9-month observational study, 6(8):37-42

ORIGINAL RESEARCH

- Adherence with NCEP recommendations when prescribing simvastatin: a comparison between primary care and lipid clinic providers, 6(7):25-8
- Assessment of the treatment of hypertension in a university HMO ambulatory clinic, 6(9):25-30
- Health-related quality of life in patients with toenail onychomycosis: data

from a 9-month observational study, 6(8):37-42

- A home-based asthma education program in managed Medicaid, 6(10):30-4
- Pediatric day surgery outcomes management: the role of preoperative anxiety and a home pain management protocol, 6(2):24-30
- Randomized, double-blind comparison of oral cefpodoxime and parenteral ceftriaxone in hospitalized adults with community-acquired pneumonia, 6(3):38-45
- Revision rates following staged and simultaneous bilateral knee replacement, 6(8):30-4
- Use of advance directives by community-dwelling older adults, 6(10):39-43

Osteoporosis

- Aging and bone loss in Native American women, 6(3):22-5orr
- Bone-related effects of low-dose HRT, 6(7):16-8orr
- Dietary intake of vitamin A and osteoporosis, 6(2):15-6orr
- High blood pressure and bone mineral loss, 6(10):18-21orr

Pain management

- Pediatric day surgery outcomes management: the role of preoperative anxiety and a home pain management protocol, 6(2):24-30

Patient information

- How useful are patient decision support tools? 6(5):22-4orr

Patient satisfaction

- Economics versus patient satisfaction in recurrent back pain, 6(5):18-21orr
- How should patient-reported change be measured? 6(10):16-8orr

Pediatric medicine

- Evaluation and treatment of children with failure-to-thrive: an interdisciplinary perspective, 6(5):60-73cs
- Pediatric health-related quality of life measurement technology: a guide for health care decision makers, 6(4):33-40
- Policies that improve childhood vaccination rates, 6(3):12-5orr

Pediatric surgery

- Pediatric day surgery outcomes management: the role of preoperative anxiety and a home pain management protocol, 6(2):24-30

Physician/patient communication

- Communication: a risk management tool, 6(1):35-8

Pneumonia

- Community-acquired pneumonia: current principles of evaluation and therapy, 6(8):60-70cs

POETRY

- The unanticipated response, 6(8):57

Prescribing patterns

- Effect of insurance coverage on prescribing patterns following heart attack, 6(5):21-2orr

- Generalists and specialists: a comparative study, 6(10):21-2orr

Prostate cancer

- Prostate cancer treatment: does insurance type matter? 6(8):16-8orr

Provider differences

- Generalists and specialists: a comparative study, 6(10):21-2orr

Psychiatric disorders

- Diagnosis of psychiatric disorders in older versus younger patients, 6(3):21-2orr
- Minor depression in the elderly, 6(2):41-50cs

Pulmonary embolism

- Diagnostic and therapeutic approach to acute venous thromboembolism, 6(8):47-57cs

Quality improvement

- Clinical practice improvement: a data-driven methodology for improving patient care, 6(3):26-32
- Improving clinical efficiency in a hospital blood bank, 6(2):31-4
- Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37-40
- A weight-based heparin protocol for improved anticoagulation in a coronary care unit, 6(5):27-33

Quality of life measurement

- Future directions in health status assessment, 6(3):34-7
- Health-related quality of life in patients with toenail onychomycosis: data from a 9-month observational study, 6(8):37-42
- Pediatric health-related quality of life measurement technology: a guide for health care decision makers, 6(4):33-40

Respiratory viruses

- Respiratory illness outbreaks: is it influenza? 6(9):21orr

Rheumatoid arthritis

- Complementary therapies for arthritis, 6(10):15-6orr
- Medication adherence in the elderly, 6(4):15-6orr
- Rheumatoid arthritis: diagnosis and new therapeutic options, 6(9):64-75cs

Rhinitis

- Allergic rhinitis: diagnostic and therapeutic challenges, 6(7):56-62cs

Risk management

- Communication: a risk management tool, 6(1):35-8

Screening

- Clinical and economic benefits of cervi-

cal cancer screening in HIV-infected women, 6(4):17-8orr

Population-based screening for hemochromatosis: not ready for prime time, 6(5):55-7e

A short test gets shorter: the GDS, 6(8):15-6orr

Sexually transmitted diseases

Diagnosis and treatment of infectious vaginitis, 6(4):45-54cs

Smoking cessation

A useful adjunct for promoting smoking cessation, 6(1):16-8orr

Stroke management

Benefits and risks of aspirin therapy, 6(2):21-2orr

Thrombocytopenia

Which drugs cause thrombocytopenia? 6(2):12-5orr

Thromboembolism

Diagnostic and therapeutic approach to acute venous thromboembolism, 6(8):47-57cs

Outpatient treatment of deep-vein thrombosis with low-molecular-weight heparin, 6(1):12-5orr

Troponin T

Laboratory assessment of patients with suspected acute myocardial infarction, 6(1):56le

Utilization

- Alzheimer's disease and use of acute care services, 6(8):12-5orr
- Alzheimer's disease in MCOs: utilization and costs, 6(9):18orr

Vaccines

- Effectiveness of an intranasal flu vaccine in healthy adults, 6(8):11-2orr
- Hepatitis A vaccination, 6(1):31-4
- Influenza and pneumococcal vaccination rates in the elderly, 6(7):22orr

Vaginitis

Diagnosis and treatment of infectious vaginitis, 6(4):45-54cs

Valvular heart disease

Diet drug dangers overestimated? 6(2):18-21orr

Vancomycin-resistant enterococci

Reducing transmission of VRE in an endemic setting, 6(9):12orr

Vascular disease

Homocysteine and vascular disease, 6(6):37-42

Vitamin A

Dietary intake of vitamin A and osteoporosis, 6(2):15-6orr

Warfarin

Are cardiac medications underused in older patients? 6(4):12-5orr

AUTHORS

Allen GL

Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37-40

Amaya MA

A home-based asthma education program in managed Medicaid, 6(10):30-4

Areán P

Minor depression in the elderly, 6(2):41-50cs

Arriola G

Adherence with NCEP recommendations when prescribing simvastatin: a comparison between primary care and lipid clinic providers, 6(7):25-8

Atkins D

Population-based screening for hemochromatosis: not ready for prime time, 6(5):55-7e

Babayev M

New-onset low back pain in an elderly woman, 6(1):46-53cs

Babra K

Results of a telephone-based asthma management pilot program, 6(4):22-30

Bennett BD

Laboratory assessment of patients with suspected acute myocardial infarction, 6(1):56le

Bittner MJ

Randomized, double-blind comparison of oral cefpodoxime and parenteral ceftriaxone in hospitalized adults with community-acquired pneumonia, 6(3):38-45

Black MM

Evaluation and treatment of children with failure-to-thrive: an interdisciplinary perspective, 6(5):60-73cs

Blitz SG

Management strategies for patients with symptomatic gastroesophageal reflux disease in an era of OTC remedies, 6(4):55-62cs

Brodsky J

The unanticipated response, 6(8):57

Brouse SD

Assessment of the treatment of hypertension in a university HMO ambulatory clinic, 6(9):25-30

Browngoehl K

A home-based asthma education program in managed Medicaid, 6(10):30-4

Callahan CM

Minor depression in the elderly, 6(2):41-50cs

Coburn KD

A home-based asthma education program in managed Medicaid, 6(10):30-4

Cole BJ

Management of a 37-year-old man with recurrent knee pain, 6(6):46-57cs

Conaway DC

Rheumatoid arthritis: diagnosis and new therapeutic options, 6(9):64-75cs

Cureton PL

Evaluation and treatment of children with failure-to-thrive: an interdisciplinary perspective, 6(5):60-73cs

Daughtry W

A weight-based heparin protocol for improved anticoagulation in a coronary care unit, 6(5):27-33

DiPalo MT

Results of a telephone-based asthma management pilot program, 6(4):22-30

Dukes KR

Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37-40

Dwyer EV

Minor depression in the elderly, 6(2):41-50cs

Edelman D

An evidence-based approach to foot ulcer prevention in patients with diabetes, 6(2):35-40

Preventing ulcers in the diabetic foot, 6(4):44le

Eleftheriou PD

Randomized, double-blind comparison of oral cefpodoxime and parenteral ceftriaxone in hospitalized adults with community-acquired pneumonia, 6(3):38-45

Feagles LL

Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37-40

Feigelman S

Evaluation and treatment of children with failure-to-thrive: an interdisciplinary perspective, 6(5):60-73cs

Fendrick AM

Management strategies for patients with symptomatic gastroesophageal reflux disease in an era of OTC remedies, 6(4):55-62cs

Ferro TJ

Use of a clinical pathway for hypoxemia improves efficiency of supplemental home oxygen prescribing, 6(6):27-33

Fogt F

Improving clinical efficiency in a hospital blood bank, 6(2):31-4

Foley M

Managed care practices: watch out for skilled nursing facility care, 6(7):32-4

Fontana RJ

Hepatitis B: evaluation, management, and prevention, 6(9):51-60cs

Frederick RW

Management of a 37-year-old man with recurrent knee pain, 6(6):46-57cs

Freund DA

Revision rates following staged and simultaneous bilateral knee replacement, 6(8):30-4

Friedrich CA

Homocysteine and vascular disease, 6(6):37-42

Gao S

Revision rates following staged and simultaneous bilateral knee replacement, 6(8):30-4

Gause D

Health-related quality of life in patients

with toenail onychomycosis: data from a 9-month observational study, 6(8):37-42

Gelhot AR

Assessment of the treatment of hypertension in a university HMO ambulatory clinic, 6(9):25-30

Gemmel D

Use of advance directives by community-dwelling older adults, 6(10):39-43

Groff JY

Use of advance directives by community-dwelling older adults, 6(10):39-43

Hassett RM

A nurse-driven, carve-in approach for managing complex chronic conditions, 6(1):26-30

Heck DA

Revision rates following staged and simultaneous bilateral knee replacement, 6(8):30-4

Horn SD

Clinical practice improvement: a data-driven methodology for improving patient care, 6(3):26-32

Howe RS

Results of a telephone-based asthma management pilot program, 6(4):22-30

Jann MW

Recognition and management of early Alzheimer's disease, 6(3):52-68cs

Jones MP

Evaluation of noncardiac chest pain: toward a positive diagnosis, 6(7):41-51cs

Kabasakalian LM

A nurse-driven, carve-in approach for managing complex chronic conditions, 6(1):26-30

Katz BP

Revision rates following staged and simultaneous bilateral knee replacement, 6(8):30-4

Keller VF

Communication: a risk management tool, 6(1):35-8

Kowdley KV

Diagnosis and management of hereditary hemochromatosis, 6(5):41–50cs

Kurtin PS

Pediatric health-related quality of life measurement technology: a guide for health care decision makers, 6(4):33–40

Kvale JN

Use of advance directives by community-dwelling older adults, 6(10):39–43

Lachmann E

New-onset low back pain in an elderly woman, 6(1):46–53cs

Legerton CW III

Rheumatoid arthritis: diagnosis and new therapeutic options, 6(9):64–75cs

Leong D

Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37–40

Levy AS

Management of a 37-year-old man with recurrent knee pain, 6(6):46–57cs

Loder E

Evaluation and management issues in migraine, 6(6):58–74cs

Nonpharmacologic treatment of headache, 6(8):27–8le

Logan R

Improving clinical efficiency in a hospital blood bank, 6(2):31–4

Lubeck DP

Health-related quality of life in patients with toenail onychomycosis: data from a 9-month observational study, 6(8):37–42

Mace SE

Bilevel positive airway pressure ventilation, 6(9):41–8

Mandell WJ

Nonpharmacologic treatment of headache, 6(8):27–8le

Marcus DA

Diet and headache, 6(6):70–1p

Melloh JR

Use of advance directives by community-dwelling older adults, 6(10):39–43

Metz DC

Approaching dyspepsia in the primary care setting, 6(10):53–63cs

Miller RM

Preventing ulcers in the diabetic foot, 6(4):44le

Milles G

Recognition and management of early Alzheimer's disease, 6(3):52–68cs

Montanaro A

Allergic rhinitis: diagnostic and therapeutic challenges, 6(7):56–62cs

Morrison ED

Diagnosis and management of hereditary hemochromatosis, 6(5):41–50cs

Moseley RH

Hepatitis A vaccination, 6(1):31–4

Mossad SB

An evidence-based approach to management of the common cold, 6(1):39–43

Nagler W

New-onset low back pain in an elderly woman, 6(1):46–53cs

Niederman MS

The role of infection and antibiotic selection in patients with acute exacerbation of chronic bronchitis, 6(10):67–76cs

O'Connell D

Communication: a risk management tool, 6(1):35–8

O'Connell JM

Results of a telephone-based asthma management pilot program, 6(4):22–30

O'Malley TA

Managed care practices: watch out for skilled nursing facility care, 6(7):32–4

Oddone EZ

Laboratory assessment of patients with suspected acute myocardial infarction, 6(1):56le

Oprandi A

Use of advance directives by community-dwelling older adults, 6(10):39–43

Pashos CL

(see *Outcomes Research in Review* [or] entries in *Subject Index*)

Phelps DT

Use of a clinical pathway for hypoxemia improves efficiency of supplemental home oxygen prescribing, 6(6):27–33

Pinder T

A weight-based heparin protocol for improved anticoagulation in a coronary care unit, 6(5):27–33

Potter LP

Health-related quality of life in patients with toenail onychomycosis: data from a 9-month observational study, 6(8):37–42

Prebil LA

Health-related quality of life in patients with toenail onychomycosis: data from a 9-month observational study, 6(8):37–42

Rader DJ

Homocysteine and vascular disease, 6(6):37–42

Reilly JP

Management strategies for patients with symptomatic gastroesophageal reflux disease in an era of OTC remedies, 6(4):55–62cs

Rein MF

Diagnosis and treatment of infectious vaginitis, 6(4):45–54cs

Ribner BS

Randomized, double-blind comparison of oral cefpodoxime and parenteral ceftriaxone in hospitalized adults with community-acquired pneumonia, 6(3):38–45

Rindone JP

Adherence with NCEP recommendations when prescribing simvastatin: a comparison between primary care and lipid clinic providers, 6(7):25–8

Saraceno JL

Use of a clinical pathway for hypoxemia improves efficiency of supplemental home oxygen prescribing, 6(6):27–33

Sayles SM

Results of a telephone-based asthma management pilot program, 6(4):22–30

Schein JR

Health-related quality of life in patients with toenail onychomycosis: data from a 9-month observational study, 6(8):37–42

Schmitt SK

Community-acquired pneumonia: current principles of evaluation and therapy, 6(8):60–70cs

Oral therapy for pneumonia: who, when, and with what? 6(3):48–51e

Schwartz DB

Use of a clinical pathway for hypoxemia improves efficiency of supplemental home oxygen prescribing, 6(6):27–33

Scotiniotis I

Approaching dyspepsia in the primary care setting, 6(10):53–63cs

Seid M

Pediatric day surgery outcomes management: the role of preoperative anxiety and a home pain management protocol, 6(2):24–30

Pediatric health-related quality of life measurement technology: a guide for health care decision makers, 6(4):33–40

Shah Z

Heparin dosing, 6(8):27le

A weight-based heparin protocol for improved anticoagulation in a coronary care unit, 6(5):27–33

Steele CD

Recognition and management of early Alzheimer's disease, 6(3):52–68cs

Steinberg M

Recognition and management of early Alzheimer's disease, 6(3):52–68cs

Tapson VF

Diagnostic and therapeutic approach to acute venous thromboembolism, 6(8):47–57cs

Tietjen GE

Evaluation and management issues in migraine, 6(6):58–74cs

Tilles SA

Allergic rhinitis: diagnostic and therapeutic challenges, 6(7):56–62cs

Toney JF

Randomized, double-blind comparison of oral cefpodoxime and parenteral ceftriaxone in hospitalized adults with community-acquired pneumonia, 6(3):38–45

Tunkel RS

New-onset low back pain in an elderly woman, 6(1):46–53cs

Vailoces TO

A weight-based heparin protocol for improved anticoagulation in a coronary care unit, 6(5):27–33

Varni JW

Pediatric day surgery outcomes management: the role of preoperative anxiety and a home pain management protocol, 6(2):24–30

Pediatric health-related quality of life measurement technology: a guide for health care decision makers, 6(4):33–40

Venketesan T

Evaluation of noncardiac chest pain: toward a positive diagnosis, 6(7):41–51cs

Vojta CL

A home-based asthma education program in managed Medicaid, 6(10):30–4

Vojta DD

A home-based asthma education program in managed Medicaid, 6(10):30–4

Ware JE Jr

Future directions in health status assessment, 6(3):34–7

Westman EC

A review of very low carbohydrate diets for weight loss, 6(7):36–40

Wilkes RM

Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37–40

Wood KA

Diagnostic and therapeutic approach to acute venous thromboembolism, 6(8):47–57cs

Wulsin LR

Evaluation of noncardiac chest pain: toward a positive diagnosis, 6(7):41–51cs

Yaffe K

Minor depression in the elderly, 6(2):41–50cs

Yeager BF

Assessment of the treatment of hypertension in a university HMO ambulatory clinic, 6(9):25–30

Yee WP

Heparin dosing, 6(8):27le

Zaslav KR

Management of a 37-year-old man with recurrent knee pain, 6(6):46–57cs

Zhou XH

Revision rates following staged and simultaneous bilateral knee replacement, 6(8):30–4

Zimmerman RL

Improving clinical efficiency in a hospital blood bank, 6(2):31–4